



CLE-LINE®

**THE BRAND FOR THE PROFESSIONAL
Holemaking, Threading, Dies, Masonry, Saws**



Table of Contents

Cle-Line Products

Holemaking

Page 4



Threading/Dies

Page 64



Saws

Page 87




Carbide Burs

Page 110



Merchandisers

Page 119



Index . . . Page 121

Easy Product Look-Up - Products are listed by individual part number

Index by Style Number

Metric Style numbers may have changed or been simplified. Changes are noted below or noted on dimensional pages. Call with questions.

Style Number	Page Number
26S	77,85
42NC	74,85
42NF	74,85
44NC	74,85
45NCNF	74,85
49Metric	74
055	68,70,82,86
222	76
223	81
224	76
225	81
226	81
240	83
242	83
243	83
244	84
245	84
380	68,70
0401	67,68
0402	67,68
0403	67,68
0404	67,68
0411	69,70
448	70,78,85
449	70,78,85
0450	72
451	60,70,78,86
0462	71
0463	71
0464	71
492	72,73
517	77,85
518	77,85
525	77,85
526	77,85
528	77,85
532	77,85
533	77,85
0550	79,80
0551	79,80
0552	79,80
0553	79,80

Style Number	Page Number
0554	79,80
0610	75,76
0620	76
0650	72-74,85
0660	73
0710	75,76
815	77,85
1500-TT	20-22
1501-TT	20-22
1600	7-13,58,59
1601	7-12
1602	15-19
1603	27-30,58,59
1604	15-19,58,59
1605	18,19,59
1607	15-19,58,59
1620	31,32,59
1621	34,35,36,37
1630	38,39
1631	38,39
1680	44,45,60
1681	44,45,60
1682	41,42,43
1683	52
1686	71
1687	71
1688	71
1690	66
1691	66
1692	66
1693	66
1694	69,70
1696	66
1697	66
1698	66
1699	66
1700	71
1801	15-19,58,59
1802	27-30,58,59
1803	38,39
1804	26,59
1805	38,39

Style Number	Page Number
1806	40
1807	40
1808	12
1809	15,18
1812	30
1813	44,45,60
1815	52
1816	52
1817	51
1818	46,60
1821	48,60
1822	47,60
1823	54
1824	56
1829	57,60
1833	49,60
1837	50,60
1838	50,60
1841	46
1843	53
1844	56
1845	112
1846	112
1847	113
1848	114
1849	114
1850	115
1851	116
1852	116
1853	117
1854	117
1855	118
1856	118
1857	118
1858	118
1860	13,78,86
1864	19,57,60
1867	60
1872	23-25,58,59
1872TN	23-25,58,59
1873	25,58,59
1874	51,60

Style Number	Page Number
1874TN	51,60
1875L	31,32
1875R	31,32,59
1876	32,59
1877	44,45,60
1878	15-19,58,59
1879	15,18,19,59
1880	33
1881	88
1882	100
1885	92
1886	89
1887	90,103
1889	47,60
1892	44,45,60
1894	41,42,43
1896	34-37,59
1898	7-13,19,57,58,59
1898L	14
1898T	7-13,58,59
1899	7-13,58,59,70
1900	12,13,58
2184	53
2185	54
2185F	54
2195	54
2616	55
2618	55
CHK	91
HB-BM	96
NC/NF	74,85
P1000	96
RSB-BM	94,95
RSB-D	93
RSB-P	93
T1000	97,101
T2000	97,101
T3000	98,101
T4000	98
T5000	98
T6000	99
T7000	99,101



CLE-LINE® is part of the Greenfield Industries family of quality cutting tools.

Cle-Line® is a familiar name to users of quality cutting tools. Cle-Line® cutting tools have been manufactured for decades specifically for the construction, maintenance, repair, operating, and industrial markets.

This catalog gives you all the tools you need to keep your industry working. A wide selection of high-quality drills, saw blades, taps, dies, and burs have been brought together to give you

one complete resource for purchasing cutting tools. You can shop this catalog with confidence knowing the high standards of quality and service that come from Cle-Line®.

Cle-Line® tools are sold exclusively through a network of industrial distributors. When you contact your distributor, request Cle-Line® for your everyday applications.

Metalcutting Safety

(read this before using Cle-Line® products)

Modern metalcutting operations involve high energy, high spindle or cutter speeds, and high temperatures and cutting forces. Hot, flying chips may be projected from the workpiece during metal-cutting. Although advanced cutting tool materials are designed and manufactured to withstand the high cutting forces and temperatures that normally occur in these operations, they are susceptible to fragmenting in service, particularly if they are subjected to over-stress, severe impact or otherwise abused. Therefore, precautions should be taken to adequately protect workers, observers and equipment against hot, flying chips, fragmented cutting tools, broken work pieces or other similar projectiles. Machines should be fully guarded and personal protective equipment should be used at all times. When grinding advanced cutting tool materials, a suitable means for collection and disposal of dust, mist or sludge should be provided. Over-exposure to dust or mist containing metallic particles can be hazardous to one's health particularly if exposure continues over an extended period of time and may cause eye, skin, and mucous membrane irritation and temporary or permanent respiratory disease. Certain existing pulmonary and skin conditions may be aggravated by exposure to dust or mist. Adequate ventilation, respiratory protection and eye protection should be provided when grinding and workers should avoid breathing of and prolonged skin contact with dust or mist.

General Industry Safety and Health Regulations, Part 1910, U.S. Department of Labor, published in Title 29 of the Code of Federal Regulations should be consulted. Obtain from Cle-Line® and read the applicable Safety Data Sheet before grinding.

Cutting tools are only one part of the worker-machine-tool system. Many variables exist in machining operations, including the metal removal rate; the workpiece size, shape, strength and rigidity; the chucking and fixturing; the load carrying capability of centers; the cutter and spindle speed and torque limitations; the holder and boring bar overhang; the available power; and the condition of the tooling and the machine. A safe metalcutting operation must take all of these variables, and others, into consideration.

Cle-Line® has no control over the end use of its products or the environment into which those products are placed. Cle-Line® urges that its customers adhere to the recommended standards of use of their metalcutting operations. The information included throughout this catalog under the heading "Technical Data" and other recommendations on machining practices referred to herein are only advisory in nature and do not constitute representations or warranties and are not necessarily appropriate for any particular work environment or application.



WARNING: This product contains Cobalt and/or Nickel and/or Lead a chemical known to the state of California to cause cancer, or birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov



Set Sections

All Available Sets 58-60




Technical Information

Tolerances / Tap & Drill Recommendations 61
 Drill Feeds / Speed & Coolants 62
 Morse Taper Shank Specs 63
 Screw Extractor Instructions 63


Style/Surface Treatment	Image	Page	Sets Page
Jobber Drill			
118° Point - Maintenance			
1600 - Black Oxide		7-12	13
1601 - Bright		7-12	13
1899 - Black Oxide		7-12	13
1898 - Bright		7-12	13
1898T - TiN		7-12	13
Reduced Shank		12	13
1900 - Black Oxide 1808 - Bright		12	—
Left Hand		14	—
1898L - Bright			
135° Split Point - Heavy Duty			
1602 - Black Oxide		15-18	19
1604 - Black & Gold		15-18	19
1607 - Black & Gold*		15-18	19
1801 - Black Oxide		15-18	19
1878 - Black & Gold*		15-18	19
Reduced Shank		18	19
1605 - Black & Gold		18	—
1809 - Black Oxide 1879 - Black & Gold*		18	19
TiN Tip		20-22	22
1500-TT - HSS 1501-TT - HS-Co - Cobalt			
135° Split Point - Heavy Duty, Parabolic Flute			
1872 - Black & Gold 1872TN - TiN		23-25	25
Reduced Shank		25	25
1873 - Black & Gold			
118° Split Point - Hex Shank, Cobalt			
1804 - Straw		26	26
135° Split Point - Heavy Duty, Cobalt			
1603 - Straw Oxide 1802 - Straw Oxide		27-29	30
		27-29	30
Reduced Shank		30	—
1812 - Straw Oxide			

Style/Surface Treatment	Image	Page	Sets Page																															
Mechanics Length Drill																																		
135° Split Point																																		
1875R - Black & Gold		31	32																															
Reduced Shank		32	32																															
1876 - Black & Gold																																		
Left Hand		31	—																															
1875L - Black & Gold																																		
135° Split Point - Heavy Duty																																		
1620 - Black & Gold		31	32																															
135° Split Point - Cobalt																																		
Left Hand		33	—																															
1880 - Straw Oxide																																		
Screw Machine Length Drill																																		
135° Split Point - Heavy Duty																																		
1621 - Black Oxide 1896 - Black Oxide		34-37	—																															
		34-37	37																															
Extra Length Drill																																		
Black Oxide																																		
<table border="1" style="width: 100%;"> <thead> <tr> <th>Style/Surface Treatment</th> <th>Image</th> <th>Page</th> </tr> </thead> <tbody> <tr> <td colspan="3">6" Aircraft</td> </tr> <tr> <td>1630 - 135° Split Point</td> <td rowspan="2"></td> <td>38-39</td> </tr> <tr> <td>1803 - 135° Split Point</td> <td>38-39</td> </tr> <tr> <td colspan="3">12" Aircraft</td> </tr> <tr> <td>1631 - 135° Split Point</td> <td rowspan="2"></td> <td>38-39</td> </tr> <tr> <td>1805 - 135° Split Point</td> <td>38-39</td> </tr> <tr> <td colspan="3">12" Heavy Duty</td> </tr> <tr> <td>1806 - 118° Notched Point</td> <td rowspan="1"></td> <td>40</td> </tr> <tr> <td colspan="3">18" Extra Length</td> </tr> <tr> <td>1807 - 118° Notched Point</td> <td rowspan="1"></td> <td>40</td> </tr> </tbody> </table>				Style/Surface Treatment	Image	Page	6" Aircraft			1630 - 135° Split Point		38-39	1803 - 135° Split Point	38-39	12" Aircraft			1631 - 135° Split Point		38-39	1805 - 135° Split Point	38-39	12" Heavy Duty			1806 - 118° Notched Point		40	18" Extra Length			1807 - 118° Notched Point		40
Style/Surface Treatment	Image	Page																																
6" Aircraft																																		
1630 - 135° Split Point		38-39																																
1803 - 135° Split Point		38-39																																
12" Aircraft																																		
1631 - 135° Split Point		38-39																																
1805 - 135° Split Point		38-39																																
12" Heavy Duty																																		
1806 - 118° Notched Point		40																																
18" Extra Length																																		
1807 - 118° Notched Point		40																																
Taper Shank Drill																																		
General Purpose - 118° Point																																		
1682 - Black Oxide 1894 - Black Oxide, Tanged		41-43	—																															

*with flats

Style/Surface Treatment	Image	Page	Sets Page
Silver & Deming			
Reduced Shank - 118° Point			
1680 - Black Oxide		44-45	45
1813 - Black Oxide		44-45	45
3 Flatted Shank			
1681 - Black Oxide		44-45	45
1892 - Black Oxide		44-45	45
3 Flatted Shank			
1877 - Black & Gold*		44-45	45
Masonry - Carbide-Tipped			
1818		46	46
1841 - Tapcon®		46	
1889		47	
1822 - Glass & Tile		47	
1821 - SDS®		48	48
1833 - Drill Rebar - SDS®		49	49
1838 - Multi-purpose		50	50
1837 - Universal		50	50


*with flats

Style/Surface Treatment	Image	Page	Sets Page
Other Drills and Accessories			
1874 - Step Drill, Bright 1874TN - Step Drill, TiN		51	51
1817 - Quick Change Chuck		51	
1683 - Double End 1815 - Double End		52	
1816 - 1/4" Hex Shank		52	
1843 - Rotary Chuck Drive		53	
2184 - Rivet Hole		53	
2195 - Welding Point Drill 2185 - Welding Point Drill 2185F - Welding Point Drill		54	
1823 - Power Wood Bit		54	
Bridge Length Reamer			
2616 - Spiral Flute/Hex Shank		55	
Car Length Reamer			
2618 - Spiral Flute/Hex Shank			
1824 - Combined Drill and countersink		56	
1844 - Die Drill		56	
1829 - Screw Extractors		57	57
Drill & Screw Extractor Set			
1864 - Black & Gold			57

Material ✓ = BEST Performance * Also Suitable

Icon	Material	Hardness	Surface Treatment Suggestion		
			TiN	TiCN	TiALN
M	Austenitic Stainless Steel	< 35 HRc		*	✓
	Martensitic Stainless Steel	< 35 HRc		*	✓
	Martensitic Stainless Steel	>= 35 HRc			✓
	PH Stainless Steel	< 35 HRc		*	✓
	PH Stainless Steel	<= 35 HRc		*	✓
S	Ni, Co, Fe Based Super Alloys				✓
	Titanium				✓
P	Alloy Steel	16-23 HRc	*	*	✓
	Alloy Steel	23-38 HRc	*	*	✓
	Alloy Steel	> 38 HRc		*	✓
	Carbon Steel	16-23 HRc	*	*	✓
	Carbon Steel	23-38 HRc	*	*	✓
	Carbon Steel	> 38 HRc		*	✓
	Low Carbon Steel	13-23 HRc	*	*	✓
	Low Carbon Steel	23-38 HRc	*	*	✓
	Low Carbon Steel	> 38 HRc		*	✓
K	Gray Cast Iron	18-22 HRc		*	✓
	Nodular Cast Iron	22-32 HRc	*	✓	
N	Aluminum	< 10% Si	*	✓	
	Aluminum	> 10% Si	*	✓	
H	Hardened Steel	>45 HRc		*	✓

Surface Treatment




Additional treatments available upon request.


Base Material




Point Angle




Helix Angle



Standard



Shank





Note

For general purpose drilling and maintenance applications.
For Reduced Shank see Style #1900 or 1808.

Style 1606 (Metric) now combined with style 1600.



Black Oxide



Bright



TiN

drill diameter		decimal equivalent	overall length	flute length	order number				
frac/wire/let	mm				1600 Black Oxide	1601 Bright	1899 Black Oxide	1898 Bright	1898T TiN
	0.35	.0138	19	4	—	—	C22780	—	—
	0.40	.0157	20	5	—	—	C22781	C01802	—
	0.45	.0177	20	5	—	—	C22782	C01807	—
	0.50	.0197	22	6	—	—	C22783	C01810	—
	0.55	.0217	24	7	—	—	C22784	—	—
	0.60	.0236	24	7	—	—	C22785	C01815	—
	0.65	.0256	26	8	—	—	C22786	—	—
	0.70	.0276	28	9	—	—	C22787	C01820	—
	0.75	.0295	28	9	—	—	C22788	—	—
1/32		.0312	1-3/8	1/2	—	—	C22643	—	—
	0.80	.0315	30	10	—	—	C22789	C01826	—
	0.85	.0335	30	10	—	—	C22790	C01829	—
	0.90	.0354	32	11	—	—	C22791	C01831	—
	0.95	.0374	32	11	—	—	C22792	C01834	—
	1.00	.0394	34	12	C68606	—	C22793	C62793	C24325
60		.0400	1-5/8	11/16	—	—	C22645	C23024	C19159
59		.0410	1-5/8	11/16	—	—	C22646	C23025	C19158
	1.05	.0413	34	12	—	—	C22794	C62794	—
58		.0420	1-5/8	11/16	—	—	C22647	C23026	C19157
57		.0430	1-3/4	3/4	—	—	C22648	C23027	C19156
	1.10	.0433	36	14	—	—	C22795	C62795	—
	1.15	.0453	36	14	—	—	C22796	C62796	—
56		.0465	1-3/4	3/4	—	—	C22649	C23028	C19155
3/64		.0469	1-3/4	3/4	—	—	C22644	—	—
	1.20	.0472	38	16	—	—	C22797	C62797	C24326
	1.25	.0492	38	16	—	—	C22798	C62798	—
	1.30	.0512	38	16	—	—	C22799	C62799	—
55		.0520	1-7/8	7/8	—	—	C22650	C23029	C19154
	1.35	.0531	40	18	—	—	C22800	C62800	—
54		.0550	1-7/8	7/8	—	—	C22651	C23030	C19153
	1.40	.0551	40	18	—	—	C22801	C62801	—
	1.45	.0571	40	18	—	—	C22802	C62802	—
	1.50	.0591	40	18	C68607	—	C22803	C62803	C24327
53		.0595	1-7/8	7/8	—	—	C22652	C23031	C19152
	1.55	.0610	43	20	—	—	C22804	C62804	—
1/16		.0625	1-7/8	7/8	C68000	C68114	C22653	C22995	C19160
	1.60	.0630	43	20	—	—	C22805	C62805	C24306
52		.0635	1-7/8	7/8	—	—	C22654	C23032	C19151
	1.65	.0650	43	20	—	—	C22806	C62806	—

continued on next page

Styles: 1600, 1601, 1899, 1898, 1898T (continued)

HOLEMAKING

drill diameter frac/wire/let	mm	decimal equivalent	overall length	flute length	order number				
					1600 Black Oxide	1601 Bright	1899 Black Oxide	1898 Bright	1898T TiN
	1.70	.0669	43	20	—	—	C22807	C62807	—
51		.0670	2	1	—	—	C22655	C23033	C19150
	1.75	.0689	46	22	—	—	C22808	C62808	—
50		.0700	2	1	—	—	C22656	C23034	C19149
	1.80	.0709	46	22	—	—	C22809	C62809	—
	1.85	.0728	46	22	—	—	C22810	C62810	—
49		.0730	2	1	—	—	C22657	C23035	C19148
	1.90	.0748	46	22	—	—	C22811	C62811	—
48		.0760	2	1	—	—	C22658	C23036	C19147
	1.95	.0768	49	24	—	—	C22812	C62812	—
5/64		.0781	2	1	C68001	C68115	C22659	C22996	C19161
47		.0785	2	1	—	—	C22660	C23037	C19146
	2.00	.0787	49	24	C68608	—	C22813	C62813	C24328
	2.05	.0807	49	24	—	—	C22814	C62814	—
46		.0810	2-1/8	1-1/8	—	—	C22661	C23038	C19145
45		.0820	2-1/8	1-1/8	—	—	C22662	C23039	C19144
	2.10	.0827	49	24	—	—	C22815	C62815	—
	2.15	.0846	53	27	—	—	C22816	C62816	—
44		.0860	2-1/8	1-1/8	—	—	C22663	C23040	C19143
	2.20	.0866	53	27	—	—	C22817	C62817	—
	2.25	.0886	53	27	—	—	C22818	C62818	—
43		.0890	2-1/4	1-1/4	—	—	C22664	C23041	C19142
	2.30	.0906	53	27	—	—	C22819	C62819	C24329
	2.35	.0925	53	27	—	—	C22820	C62820	—
42		.0935	2-1/4	1-1/4	—	—	C22665	C23042	C19141
3/32		.0938	2-1/4	1-1/4	C68002	C68116	C22666	C22997	C19162
	2.40	.0945	57	30	—	—	C22821	C62821	C24330
41		.0960	2-3/8	1-3/8	—	—	C22667	C23043	C19140
	2.45	.0965	57	30	—	—	C22822	C62822	—
40		.0980	2-3/8	1-3/8	—	—	C22668	C23044	C19139
	2.50	.0984	57	30	C68609	—	C22823	C62823	C24331
39		.0995	2-3/8	1-3/8	—	—	C22669	C23045	C19138
38		.1015	2-1/2	1-7/16	—	—	C22670	C23046	C19137
	2.60	.1024	57	30	—	—	C22824	C62824	—
37		.1040	2-1/2	1-7/16	—	—	C22671	C23047	C19136
	2.70	.1063	61	33	—	—	C22825	C62825	C24332
36		.1065	2-1/2	1-7/16	—	—	C22672	C23048	C19135
	2.75	.1082	61	33	—	—	C01112	—	—
7/64		.1094	2-5/8	1-1/2	C68003	C68117	C22673	C22998	C19163
35		.1100	2-5/8	1-1/2	—	—	C22674	C23049	C19134
	2.80	.1102	61	33	—	—	C22826	C62826	C24333
34		.1110	2-5/8	1-1/2	—	—	C22675	C23050	C19133
33		.1130	2-5/8	1-1/2	—	—	C22676	C23051	C19132
	2.90	.1142	61	33	—	—	C22827	C62827	C24334
32		.1160	2-3/4	1-5/8	—	—	C22677	C23052	C19131
	3.00	.1181	61	33	C68610	—	C22828	C62828	C24335
31		.1200	2-3/4	1-5/8	—	—	C22678	C23053	C19130
	3.10	.1220	65	36	—	—	C22829	C62829	C24336
1/8		.1250	2-3/4	1-5/8	C68004	C68118	C22679	C22999	C19164
	3.20	.1260	65	36	—	—	C22830	C62830	C24337
	3.25	.1280	65	36	—	—	C01125	C01912	—
30		.1285	2-3/4	1-5/8	—	—	C22680	C23054	C19129
	3.30	.1299	65	36	—	—	C22831	C62831	C24338
	3.40	.1339	70	39	—	—	C22832	C62832	—

continued on next page

drill diameter frac/wire/let	mm	decimal equivalent	overall length	flute length	order number				
					1600 Black Oxide	1601 Bright	1899 Black Oxide	1898 Bright	1898T TiN
29		.1360	2-7/8	1-3/4	—	—	C22681	C23055	C19128
	3.50	.1378	70	39	C68611	—	C22833	C62833	C24339
28		.1405	2-7/8	1-3/4	—	—	C22682	C23056	C19127
9/64		.1406	2-7/8	1-3/4	C68005	C68119	C22683	C23000	C19165
	3.60	.1417	70	39	—	—	C22834	C62834	C24340
27		.1440	3	1-7/8	—	—	C22684	C23057	C19126
	3.70	.1457	70	39	—	—	C22835	C62835	C24341
26		.1470	3	1-7/8	—	—	C22685	C23058	C19125
	3.75	.1476	70	39	—	—	C01137	C01924	—
25		.1495	3	1-7/8	—	—	C22686	C23059	C19124
	3.80	.1496	75	43	—	—	C22836	C62836	C24342
24		.1520	3-1/8	2	—	—	C22687	C23060	C19123
	3.90	.1535	75	43	—	—	C22837	C62837	—
23		.1540	3-1/8	2	—	—	C22688	C23061	C19122
5/32		.1562	3-1/8	2	C68006	C68120	C22689	C23001	C19166
22		.1570	3-1/8	2	—	—	C22690	C23062	C19121
	4.00	.1575	75	43	C68612	—	C22838	C62838	C24343
21		.1590	3-1/4	2-1/8	—	—	C22691	C23063	C19120
20		.1610	3-1/4	2-1/8	—	—	C22692	C23064	C19119
	4.10	.1614	75	43	—	—	C22839	C62839	C24344
	4.20	.1654	75	43	—	—	C22840	C62840	C24345
19		.1660	3-1/4	2-1/8	—	—	C22693	C23065	C19118
	4.25	.1673	75	43	—	—	C01338	C01938	—
	4.30	.1693	80	47	—	—	C22841	C62841	—
18		.1695	3-1/4	2-1/8	—	—	C22694	C23066	C19117
11/64		.1719	3-1/4	2-1/8	C68007	C68121	C22695	C23002	C19167
17		.1730	3-3/8	2-3/16	—	—	C22696	C23067	C19116
	4.40	.1732	80	47	—	—	C22842	C62842	—
16		.1770	3-3/8	2-3/16	—	—	C22697	C23068	C19115
	4.50	.1772	80	47	C68613	—	C22843	C62843	C24346
15		.1800	3-3/8	2-3/16	—	—	C22698	C23069	C19114
	4.60	.1811	80	47	—	—	C22844	C62844	C24347
14		.1820	3-3/8	2-3/16	—	—	C22699	C23070	C19113
13		.1850	3-1/2	2-5/16	—	—	C22700	C23071	C19112
	4.70	.1850	80	47	—	—	C22845	C62845	—
	4.75	.1870	80	47	—	—	C01164	—	—
3/16		.1875	3-1/2	2-5/16	C68008	C68122	C22701	C23003	C19168
12		.1890	3-1/2	2-5/16	—	—	C22702	C23072	C19111
	4.80	.1890	86	52	—	—	C22846	C62846	C24348
11		.1910	3-1/2	2-5/16	—	—	C22703	C23073	C19110
	4.90	.1929	86	52	—	—	C22847	C62847	C24349
10		.1935	3-5/8	2-7/16	—	—	C22704	C23074	C19109
9		.1960	3-5/8	2-7/16	—	—	C22705	C23075	C19108
	5.00	.1969	86	52	C68614	—	C22848	C62848	C24350
8		.1990	3-5/8	2-7/16	—	—	C22706	C23076	C19107
	5.10	.2008	86	52	—	—	C22849	C62849	C24351
7		.2010	3-5/8	2-7/16	—	—	C22707	C23077	C19106
13/64		.2031	3-5/8	2-7/16	C68009	C68123	C22708	C23004	C19169
6		.2040	3-3/4	2-1/2	—	—	C22709	C23078	C19105
	5.20	.2047	86	52	—	—	C22850	C62850	C24352
5		.2055	3-3/4	2-1/2	—	—	C22710	C23079	C19104
	5.25	.2066	86	52	—	—	C01180	—	—
	5.30	.2087	86	52	—	—	C22851	C62851	—
4		.2090	3-3/4	2-1/2	—	—	C22711	C23080	C19103

continued on next page

Styles: 1600, 1601, 1899, 1898, 1898T (continued)

HOLEMAKING

drill diameter frac/wire/let	decimal mm	overall equivalent length	flute length	order number					
				1600 Black Oxide	1601 Bright	1899 Black Oxide	1898 Bright	1898T TiN	
3	5.40	.2126	93	57	—	—	C22852	C62852	—
		.2130	3-3/4	2-1/2	—	—	C22712	C23081	C19102
7/32	5.50	.2165	93	57	C68615	—	C22853	C62853	C24353
		.2188	3-3/4	2-1/2	C68010	C68124	C22713	C23005	C19170
2	5.60	.2205	93	57	—	—	C22854	C62854	—
		.2210	3-7/8	2-5/8	—	—	C22714	C23082	C19101
1	5.70	.2244	93	57	—	—	C22855	C62855	—
		.2263	93	57	—	—	C01190	—	—
		.2280	3-7/8	2-5/8	—	—	C22715	C23083	C19100
		.2283	93	57	—	—	C22856	C62856	—
		.2323	93	57	—	—	C22857	C62857	C24354
A		.2340	3-7/8	2-5/8	—	—	C22716	C22970	—
15/64		.2344	3-7/8	2-5/8	C68011	C68125	C22717	C23006	C19171
B	6.00	.2362	93	57	C68616	—	C22858	C62858	C24355
		.2380	4	2-3/4	—	—	C22718	C22971	—
6.10		.2402	101	63	—	—	C22859	C62859	—
C		.2420	4	2-3/4	—	—	C22719	C22972	—
		.2441	101	63	—	—	C22860	C62860	—
D		.2460	4	2-3/4	—	—	C22720	C22973	C19193
		.2460	101	63	—	—	C01202	—	—
		.2480	101	63	—	—	C22861	C62861	—
1/4, E		.2500	4	2-3/4	C68012	C68126	C22721	C23007	C19172
		.2520	101	63	—	—	C22862	C62862	C24356
		.2559	101	63	C68617	—	C22863	C62863	C24357
F		.2570	4-1/8	2-7/8	—	—	C22722	C22974	C19194
		.2598	101	63	—	—	C22864	C62864	C24358
G		.2610	4-1/8	2-7/8	—	—	C22723	C22975	C19195
		.2638	101	63	—	—	C22865	C62865	C24359
17/64		.2656	4-1/8	2-7/8	C68013	C68127	C22724	C23008	C19173
		.2657	109	69	—	—	C01213	—	—
H		.2660	4-1/8	2-7/8	—	—	C22725	C22976	C19196
		.2677	109	69	—	—	C22866	C62866	C24360
		.2717	109	69	—	—	C22867	C62867	C24361
I		.2720	4-1/8	2-7/8	—	—	C22726	C22977	C19197
		.2756	109	69	C68618	—	C22868	C62868	C24362
J		.2770	4-1/8	2-7/8	—	—	C22727	C22978	C19198
		.2795	109	69	—	—	C22869	C62869	—
K		.2810	4-1/4	2-15/16	—	—	C22728	C22979	—
9/32		.2812	4-1/4	2-15/16	C68014	C68128	C22729	C23009	C19174
		.2835	109	69	—	—	C22870	C62870	C24363
		.2854	109	69	—	—	C01223	—	—
		.2874	109	69	—	—	C22871	C62871	C24317
L		.2900	4-1/4	2-15/16	—	—	C22730	C22980	C19199
		.2913	109	69	—	—	C22872	C62872	—
M		.2950	4-3/8	3-1/16	—	—	C22731	C22981	—
		.2953	109	69	C68619	—	C22873	C62873	C24364
19/64		.2969	4-3/8	3-1/16	C68015	C68129	C22732	C23010	C19175
		.2992	117	75	—	—	C22874	C62874	—
N		.3020	4-3/8	3-1/16	—	—	C22733	C22982	C19200
		.3031	117	75	—	—	C22875	C62875	—
		.3051	117	75	—	—	C01234	—	—
		.3071	117	75	—	—	C22876	C62876	—
		.3110	117	75	—	—	C22877	C62877	—
5/16		.3125	4-1/2	3-3/16	C68016	C68130	C22734	C23011	C19176
		.3150	117	75	C68620	—	C22878	C62878	C24365

continued on next page

drill diameter frac/wire/let	mm	decimal equivalent	overall length	flute length	order number				
					1600 Black Oxide	1601 Bright	1899 Black Oxide	1898 Bright	1898T TiN
O		.3160	4-1/2	3-3/16	—	—	C22735	C22983	C19201
	8.10	.3189	117	75	—	—	C22879	C62879	—
	8.20	.3228	117	75	—	—	C22880	C62880	—
P		.3230	4-5/8	3-5/16	—	—	C22736	C22984	—
	8.25	.3248	117	75	—	—	C01243	—	—
	8.30	.3268	117	75	—	—	C22881	C62881	C24366
21/64		.3281	4-5/8	3-5/16	C68017	C68131	C22737	C23012	C19177
	8.40	.3307	117	75	—	—	C22882	C62882	—
Q		.3320	4-3/4	3-7/16	—	—	C22738	C22985	C19202
	8.50	.3346	117	75	C68621	—	C22883	C62883	C24367
	8.60	.3386	125	81	—	—	C22884	C62884	—
R		.3390	4-3/4	3-7/16	—	—	C22739	C22986	C19203
	8.70	.3425	125	81	—	—	C22885	C62885	—
11/32		.3438	4-3/4	3-7/16	C68018	C68132	C22740	C23013	C19178
	8.75	.3444	125	81	—	—	C01253	—	—
	8.80	.3465	125	81	—	—	C22886	C62886	—
S		.3480	4-7/8	3-1/2	—	—	C22741	C22987	—
	8.90	.3504	125	81	—	—	C22887	C62887	—
	9.00	.3543	125	81	C68622	—	C22888	C62888	C24368
T		.3580	4-7/8	3-1/2	—	—	C22742	C22988	C19204
	9.10	.3583	125	81	—	—	C22889	C62889	—
23/64		.3594	4-7/8	3-1/2	C68019	C68133	C22743	C23014	C19179
	9.20	.3622	125	81	—	—	C22890	C62890	—
	9.25	.3641	125	81	—	—	C01262	—	—
	9.30	.3661	125	81	—	—	C22891	C62891	—
U		.3680	5	3-5/8	—	—	C22744	C22989	—
	9.40	.3701	125	81	—	—	C22892	C62892	—
	9.50	.3740	125	81	C68623	—	C22893	C62893	C24369
3/8		.3750	5	3-5/8	C68020	C68134	C22745	C23015	C19180
V		.3770	5	3-5/8	—	—	C22746	C22990	—
	9.60	.3780	133	87	—	—	C22894	C62894	—
	9.70	.3819	133	87	—	—	C22895	C62895	—
	9.80	.3858	133	87	—	—	C22896	C62896	—
W		.3860	5-1/8	3-3/4	—	—	C22747	C22991	C19206
	9.90	.3898	133	87	—	—	C22897	C62897	—
25/64		.3906	5-1/8	3-3/4	C68021	C68135	C22505	C23016	C19181
	10.00	.3937	133	87	C68624	—	C22898	C62898	C24370
X		.3970	5-1/8	3-3/4	—	—	C22748	C22992	—
	10.10	.3976	133	87	—	—	C22941	—	—
	10.20	.4016	133	87	—	—	C22899	C62899	C24371
	10.25	.4035	133	87	—	—	C22942	—	—
Y		.4040	5-1/4	3-7/8	—	—	C22749	C22993	—
13/32		.4062	5-1/4	3-7/8	C68022	C68136	C22506	C23017	C19182
	10.40	.4094	133	87	—	—	C22944	—	—
Z		.4130	5-1/4	3-7/8	—	—	C22750	C22994	—
	10.50	.4134	133	87	C68625	—	C22900	C62900	C24372
	10.70	.4212	142	94	—	—	C22947	C02070	—
27/64		.4219	5-3/8	3-15/16	C68023	C68137	C22507	C23018	C19183
	10.80	.4252	142	94	—	—	C22901	C62901	C24373
	11.00	.4331	142	94	C68626	—	C22902	C62902	C24374
	11.10	.4370	142	94	—	—	C22951	C02073	—
7/16		.4375	5-1/2	4-1/16	C68024	C68138	C22751	C23019	C19184
	11.20	.4409	142	94	—	—	C22903	C62903	—
	11.40	.4488	142	94	—	—	C22954	—	—

HOLEMAKING

continued on next page

Styles: 1600, 1601, 1899, 1898, 1898T (continued)

HOLEMAKING

drill diameter frac/wire/let	mm	decimal equivalent	overall length	flute length	order number				
					1600 Black Oxide	1601 Bright	1899 Black Oxide	1898 Bright	1898T TiN
29/64	11.50	.4528	142	94	C68627	—	C22904	C62904	C24375
		.4531	5-5/8	4-3/16	C68025	C68139	C22508	C23020	C19185
15/32	11.80	.4646	142	94	—	—	C22905	C62905	C24376
		.4688	5-3/4	4-5/16	C68026	C68140	C22753	C23021	C19186
	12.00	.4724	151	101	C68628	—	C22906	C62906	C24377
	12.20	.4803	151	101	—	—	C22907	C62907	—
31/64	12.50	.4844	5-7/8	4-3/8	C68027	C68141	C22755	C23022	C19187
		.4921	151	101	C68629	—	C22908	C62908	C24378
1/2	12.50	.5000	6	4-1/2	C68028	C68142	C22757	C23023	C19188
	12.80	.5039	151	101	—	—	C22909	C62909	—
	13.00	.5118	151	101	C68630	—	C22910	C62910	C24379
	13.20	.5197	161	101	—	—	C22911	C62911	—
	13.50	.5315	160	108	—	—	C22912	C62912	—
	13.80	.5433	160	108	—	—	C22913	C62913	—
	14.00	.5512	160	108	—	—	C22914	C62914	—
	14.25	.5610	169	114	—	—	C22915	C62915	—
	14.50	.5709	169	114	—	—	C22916	C62916	—
	14.75	.5807	169	114	—	—	C22917	C62917	—
	15.00	.5906	169	114	—	—	C22918	C62918	—
	15.25	.6004	178	120	—	—	C22919	—	—
	15.50	.6102	178	120	—	—	C22920	C62920	—
	15.75	.6201	178	120	—	—	C22921	C62921	—
	16.00	.6299	178	120	—	—	C22922	C62922	—
	16.25	.6398	184	125	—	—	C22923	C62923	—
	16.50	.6496	184	125	—	—	C22924	C62924	—
	16.75	.6594	184	125	—	—	C22925	—	—
	17.00	.6693	184	125	—	—	C22926	C62926	—
	17.25	.6791	191	130	—	—	C22927	—	—
	17.50	.6890	191	130	—	—	C22928	C62928	—
	18.00	.7086	191	130	—	—	C22929	C62929	—
	18.50	.7283	198	135	—	—	C22930	—	—
	19.00	.7480	198	135	—	—	C22931	C62931	—
	19.50	.7677	205	140	—	—	C22932	—	—
	20.00	.7874	205	140	—	—	C22933	—	—

**Jobber
3/8" Reduced Shank**

Styles: 1900, 1808

HSS Bright Black Oxide 118° Helix Regular 21° to 34° Reduced Shank



drill diameter	decimal equivalent	overall length	flute length	order number	
				1900 Black Oxide	1808 Bright
25/64	.3906	5-1/8	3-3/4	C69369	C20621
13/32	.4062	5-1/4	3-7/8	C69370	C20622
27/64	.4219	5-3/8	3-15/16	C69371	C20623
7/16	.4375	5-1/2	4-1/16	C69372	C20624
29/64	.4531	5-5/8	4-3/16	C69373	C20625
15/32	.4688	5-3/4	4-5/16	C69374	C20626
31/64	.4844	5-7/8	4-3/8	C69375	C20627
1/2	.5000	6	4-1/2	C69376	C20628

SET

Styles: 1600, 1899, 1900, 1898, 1898T

Metal Case (unless noted otherwise)

13-Piece Set
Black Oxide
#C21105



29-Piece Set
TiN
#C19211



60-Piece Set
Bright
#C21122



HOLEMAKING

drill sizes	no. of pieces	order number				
		1600 Black Oxide	1899 Black Oxide	1900 BO - 3/8" shank	1898 Bright	1898T TiN
36, 29, 25, 21, 7, F, 5/16, U, 27/64 Taps: (Style# 0402) 6-32, 8-32, 10-24, 10-32, 1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13	18	—	—	—	C21190	—
1/16" - 3/8" x 1/32"	11	—	C21101	—	C21100	—
1/16" - 1/4" x 1/64"	13	C69034	C21105	—	C21104	—
1/16" - 1/2" x 1/32"	15	*C69035	C21109	C21156	C21108	C19210
1/16" - 3/8" x 1/64"	21	C69036	C21114	—	C21113	—
1/16" - 1/2" x 1/64"	29	*C69037	C21118	C21159	C21117	C19211
A - Z	26	—	C21158	—	—	—
#1 - #60	60	—	C21123	—	C21122	—
1/16" - 1/2" x 1/64", A to Z, #1 - #60	115	—	C21127	—	C21126	—
1mm - 6mm x 0.5mm	11	—	C21130	—	—	—
1mm - 10mm x 0.5mm	19	—	—	—	—	C24380
1mm - 13mm x 0.5mm	25	*C69038	C21131	—	C18127	—
Tap & Drill Sets						
5.0, 6.0, 6.7, 8.5, 10.2mm Taps: (Style# 0411): M6 x 1.0, M7 x 1.0, M8 x 1.25, M10 x 1.5, M12 x 1.75	18	—	C00451	—	—	—

*Plastic Case

SET

Styles: 1860

Plastic Tube Case

**Jobber Sets
Drill and Tap Sets**

Note

Drill style: 1898 bright

Uses Cle-Line Tap Style: #0411 Spiral Point



jobber drill sizes	plug tap spiral point	no. of pieces	order number 1860 bright
36	6-32	2	C22305
29	8-32	2	C22304
25	10-24	2	C22307
21	10-32	2	C22306
7	1/4-20	2	C22308
F	5/16-18	2	C22300
5/16"	3/8-16	2	C22303
U	7/16-14	2	C22302
27/64"	1/2-13	2	C22301

Jobber
Maintenance - Left Hand

General Application Drills



Style: **1898L**



Note
For general purpose drilling
and maintenance applications.

HOLEMAKING



drill diameter	decimal equivalent	overall length	flute length	order number 1898L Bright
3/64	.0469	1-3/4	3/4	C18400
1/16	.0625	1-7/8	7/8	C18401
5/64	.0781	2	1	C18402
3/32	.0938	2-1/4	1-1/4	C18403
7/64	.1094	2-5/8	1-1/2	C18404
1/8	.1250	2-3/4	1-5/8	C18405
9/64	.1406	2-7/8	1-3/4	C18406
5/32	.1562	3-1/8	2	C18407
11/64	.1719	3-1/4	2-1/8	C18408
3/16	.1875	3-1/2	2-5/16	C18409
13/64	.2031	3-5/8	2-7/16	C18410
7/32	.2188	3-3/4	2-1/2	C18411
15/64	.2344	3-7/8	2-5/8	C18412
1/4	.2500	4	2-3/4	C18413
17/64	.2656	4-1/8	2-7/8	C18414
9/32	.2812	4-1/4	2-15/16	C18415
19/64	.2969	4-3/8	3-1/16	C18416
5/16	.3125	4-1/2	3-3/16	C18417
21/64	.3281	4-5/8	3-5/16	C18418
11/32	.3438	4-3/4	3-7/16	C18419
23/64	.3594	4-7/8	3-1/2	C18420
3/8	.3750	5	3-5/8	C18421
25/64	.3906	5-1/8	3-3/4	C18422
13/32	.4062	5-1/4	3-7/8	C18423
27/64	.4219	5-3/8	3-15/16	C18424
7/16	.4375	5-1/2	4-1/16	C18425
29/64	.4531	5-5/8	4-3/16	C18426
15/32	.4688	5-3/4	4-5/16	C18427
31/64	.4844	5-7/8	4-3/8	C18428
1/2	.5000	6	4-1/2	C18429



Note
Three Flats on sizes 3/16" (4.8mm) & larger for tighter chucking.
For Reduced Shank see Style #1605, 1809, 1879.



HOLEMAKING

drill diameter frac/wire/let	mm	decimal equivalent	overall length	flute length	order number				
					1602 Black Oxide	1604 Black and Gold	1607 Black & Gold w/flats	1801 Black Oxide	1878 Black & Gold w/flats
*60	*1.00	.0394	34	12	—	—	—	—	C74001
*59		.0400	1-5/8	11/16	C68342	—	—	C23154	C18113
*58		.0410	1-5/8	11/16	C68341	—	—	C23155	C18112
*57		.0420	1-5/8	11/16	C68340	—	—	C23156	C18111
*56		.0430	1-3/4	3/4	C68339	—	—	C23157	C18110
*56		.0465	1-3/4	3/4	C68338	—	—	C23158	C18109
*3/64		.0469	1-3/4	3/4	—	—	—	C23214	—
*55	*1.20	.0472	38	16	—	—	—	—	C74025
*55		.0520	1-7/8	7/8	C68337	—	—	C23159	C18108
*54		.0550	1-7/8	7/8	C68336	—	—	C23160	C18107
*53	*1.50	.0591	40	18	—	—	—	—	C74002
*53		.0595	1-7/8	7/8	C68335	—	—	C23161	C18106
1/16		.0625	1-7/8	7/8	C68229	C69042	C69339	C23125	C18000
52	1.60	.0630	43	20	—	—	—	—	C74026
52		.0635	1-7/8	7/8	C68334	—	—	C23162	C18105
51		.0670	2	1	C68333	—	—	C23163	C18104
50		.0700	2	1	C68332	—	—	C23164	C18103
49		.0730	2	1	C68331	—	—	C23165	C18102
48		.0760	2	1	C68330	—	—	C23166	C18101
5/64		.0781	2	1	C68230	C69043	C69340	C23126	C18001
47		.0785	2	1	C68329	—	—	C23167	C18100
46	2.00	.0787	49	24	—	—	—	—	C74003
46		.0810	2-1/8	1-1/8	C68328	—	—	C23168	C18099
45		.0820	2-1/8	1-1/8	C68327	—	—	C23169	C18098
44		.0860	2-1/8	1-1/8	C68326	—	—	C23170	C18097
43		.0890	2-1/4	1-1/4	C68325	—	—	C23171	C18096
42	2.30	.0906	53	27	—	—	—	—	C74027
42		.0935	2-1/4	1-1/4	C68324	—	—	C23172	C18095
3/32		.0938	2-1/4	1-1/4	C68231	C69044	C69341	C23127	C18002
41	2.40	.0945	57	30	—	—	—	—	C74028
41		.0960	2-3/8	1-3/8	C68323	—	—	C23173	C18094
40		.0980	2-3/8	1-3/8	C68322	—	—	C23174	C18093
39	2.50	.0984	57	30	—	—	—	—	C74004
39		.0995	2-3/8	1-3/8	C68321	—	—	C23175	C18092
38		.1015	2-1/2	1-7/16	C68320	—	—	C23176	C18091
37		.1040	2-1/2	1-7/16	C68319	—	—	C23177	C18090

*Not split point under 1/16".

continued on next page

Styles: 1602, 1604, 1607, 1801, 1878 (continued)

HOLEMAKING

drill diameter		decimal equivalent	overall length	flute length	order number				
frac/wire/let	mm				1602 Black Oxide	1604 Black and Gold	1607 Black & Gold w/flats	1801 Black Oxide	1878 Black & Gold w/flats
	2.70	.1063	61	33	—	—	—	—	C74029
36		.1065	2-1/2	1-7/16	C68318	—	—	C23178	C18089
7/64		.1094	2-5/8	1-1/2	C68232	C69045	C69342	C23128	C18003
35		.1100	2-5/8	1-1/2	C68317	—	—	C23179	C18088
	2.80	.1102	61	33	—	—	—	—	C74030
34		.1110	2-5/8	1-1/2	C68316	—	—	C23180	C18087
33		.1130	2-5/8	1-1/2	C68315	—	—	C23181	C18086
	2.90	.1142	61	33	—	—	—	—	C74031
32		.1160	2-3/4	1-5/8	C68314	—	—	C23182	C18085
	3.00	.1181	61	33	—	—	—	—	C74005
31		.1200	2-3/4	1-5/8	C68313	—	—	C23183	C18084
	3.10	.1220	65	36	—	—	—	—	C74032
1/8		.1250	2-3/4	1-5/8	C68233	C69046	C69343	C23129	C18004
	3.20	.1260	65	36	—	—	—	—	C74033
30		.1285	2-3/4	1-5/8	C68312	—	—	C23184	C18083
	3.30	.1299	65	36	—	—	—	—	C74034
29		.1360	2-7/8	1-3/4	C68311	—	—	C23185	C18082
	3.50	.1378	70	39	—	—	—	—	C74006
28		.1405	2-7/8	1-3/4	C68310	—	—	C23186	C18081
9/64		.1406	2-7/8	1-3/4	C68234	C69047	C69344	C23130	C18005
	3.60	.1417	70	39	—	—	—	—	C74035
27		.1440	3	1-7/8	C68309	—	—	C23187	C18080
	3.70	.1457	70	39	—	—	—	—	C74036
26		.1470	3	1-7/8	C68308	—	—	C23188	C18079
25		.1495	3	1-7/8	C68307	—	—	C23189	C18078
	3.80	.1496	75	43	—	—	—	—	C74037
24		.1520	3-1/8	2	C68306	—	—	C23190	C18077
23		.1540	3-1/8	2	C68305	—	—	C23191	C18076
5/32		.1562	3-1/8	2	C68235	C69048	C69345	C23131	C18006
22		.1570	3-1/8	2	C68304	—	—	C23192	C18075
	4.00	.1575	75	43	—	—	—	—	C74007
21		.1590	3-1/4	2-1/8	C68303	—	—	C23193	C18074
20		.1610	3-1/4	2-1/8	C68302	—	—	C23194	C18073
	4.10	.1614	75	43	—	—	—	—	C74038
	4.20	.1654	75	43	—	—	—	—	C74039
19		.1660	3-1/4	2-1/8	C68301	—	—	C23195	C18072
18		.1695	3-1/4	2-1/8	C68300	—	—	C23196	C18071
11/64		.1719	3-1/4	2-1/8	C68236	C69049	C69346	C23132	C18007
17		.1730	3-3/8	2-3/16	C68299	—	—	C23197	C18070
16		.1770	3-3/8	2-3/16	C68298	—	—	C23198	C18069
	4.50	.1772	80	47	—	—	—	—	C74008
15		.1800	3-3/8	2-3/16	C68297	—	—	C23199	C18068
	4.60	.1811	80	47	—	—	—	—	C74040
14		.1820	3-3/8	2-3/16	C68296	—	—	C23200	C18067
13		.1850	3-1/2	2-5/16	C68295	—	—	C23201	C18066
3/16		.1875	3-1/2	2-5/16	C68237	C69050	C69347	C23133	C18008
12		.1890	3-1/2	2-5/16	C68294	—	—	C23202	C18065
	4.80	.1890	86	52	—	—	—	—	C74041
11		.1910	3-1/2	2-5/16	C68293	—	—	C23203	C18064
	4.90	.1929	86	52	—	—	—	—	C74042
10		.1935	3-5/8	2-7/16	C68292	—	—	C23204	C18063
9		.1960	3-5/8	2-7/16	C68291	—	—	C23205	C18062
	5.00	.1969	86	52	—	—	—	—	C74009
8		.1990	3-5/8	2-7/16	C68290	—	—	C23206	C18061
	5.10	.2008	86	52	—	—	—	—	C74043
7		.2010	3-5/8	2-7/16	C68289	—	—	C23207	C18060

continued on next page

drill diameter		decimal equivalent	overall length	flute length	order number				
frac/wire/let	mm				1602 Black Oxide	1604 Black and Gold	1607 Black & Gold w/flats	1801 Black Oxide	1878 Black & Gold w/flats
13/64		.2031	3-5/8	2-7/16	C68238	C69051	C69348	C23134	C18009
6		.2040	3-3/4	2-1/2	C68288	—	—	C23208	C18059
	5.20	.2047	86	52	—	—	—	—	C74044
5		.2055	3-3/4	2-1/2	C68287	—	—	C23209	C18058
4		.2090	3-3/4	2-1/2	C68286	—	—	C23210	C18057
3		.2130	3-3/4	2-1/2	C68285	—	—	C23211	C18056
	5.50	.2165	93	57	—	—	—	—	C74010
7/32		.2188	3-3/4	2-1/2	C68239	C69052	C69349	C23135	C18010
2		.2210	3-7/8	2-5/8	C68284	—	—	C23212	C18055
1		.2280	3-7/8	2-5/8	C68283	—	—	C23213	C18054
	5.90	.2323	93	57	—	—	—	—	C74045
A		.2340	3-7/8	2-5/8	C68258	—	—	C23100	C18029
15/64		.2344	3-7/8	2-5/8	C68240	C69053	C69350	C23136	C18011
	6.00	.2362	93	57	—	—	—	—	C74011
B		.2380	4	2-3/4	C68259	—	—	C23101	C18030
C		.2420	4	2-3/4	C68260	—	—	C23102	C18031
D		.2460	4	2-3/4	C68261	—	—	C23103	C18032
1/4, E		.2500	4	2-3/4	C68241	C69054	C69351	C23137	C18012
	6.40	.2520	101	63	—	—	—	—	C74046
	6.50	.2559	101	63	—	—	—	—	C74012
F		.2570	4-1/8	2-7/8	C68262	—	—	C23104	C18033
	6.60	.2598	101	63	—	—	—	—	C74047
G		.2610	4-1/8	2-7/8	C68263	—	—	C23105	C18034
	6.70	.2638	101	63	—	—	—	—	C74048
17/64		.2656	4-1/8	2-7/8	C68242	C69055	C69352	C23138	C18013
H		.2660	4-1/8	2-7/8	C68264	—	—	C23106	C18035
	6.80	.2677	109	69	—	—	—	—	C74049
	6.90	.2717	109	69	—	—	—	—	C74050
I		.2720	4-1/8	2-7/8	C68265	—	—	C23107	C18036
	7.00	.2756	109	69	—	—	—	—	C74013
J		.2770	4-1/8	2-7/8	C68266	—	—	C23108	C18037
K		.2810	4-1/4	2-15/16	C68267	—	—	C23109	C18038
9/32		.2812	4-1/4	2-15/16	C68243	C69056	C69353	C23139	C18014
	7.20	.2835	109	69	—	—	—	—	C74051
	7.30	.2874	109	69	—	—	—	—	C74052
L		.2900	4-1/4	2-15/16	C68268	—	—	C23110	C18039
M		.2950	4-3/8	3-1/16	C68269	—	—	C23111	C18040
	7.50	.2953	109	69	—	—	—	—	C74014
19/64		.2969	4-3/8	3-1/16	C68244	C69057	C69354	C23140	C18015
N		.3020	4-3/8	3-1/16	C68270	—	—	C23112	C18041
5/16		.3125	4-1/2	3-3/16	C68245	C69058	C69355	C23141	C18016
	8.00	.3150	117	75	—	—	—	—	C74015
O		.3160	4-1/2	3-3/16	C68271	—	—	C23113	C18042
P		.3230	4-5/8	3-5/16	C68272	—	—	C23114	C18043
	8.30	.3268	117	75	—	—	—	—	C74053
21/64		.3281	4-5/8	3-5/16	C68246	C69059	C69356	C23142	C18017
Q		.3320	4-3/4	3-7/16	C68273	—	—	C23115	C18044
	8.50	.3346	117	75	—	—	—	—	C74016
R		.3390	4-3/4	3-7/16	C68274	—	—	C23116	C18045
11/32		.3438	4-3/4	3-7/16	C68247	C69060	C69357	C23143	C18018
S		.3480	4-7/8	3-1/2	C68275	—	—	C23117	C18046
	9.00	.3543	125	81	—	—	—	—	C74017
T		.3580	4-7/8	3-1/2	C68276	—	—	C23118	C18047
23/64		.3594	4-7/8	3-1/2	C68248	C69061	C69358	C23144	C18019
U		.3680	5	3-5/8	C68277	—	—	C23119	C18048
	9.50	.3740	125	81	—	—	—	—	C74018

continued on next page

Styles: 1602, 1604, 1607, 1801, 1878 (continued)

HOLEMAKING

drill diameter frac/wire/let	mm	decimal equivalent	overall length	flute length	order number				
					1602 Black Oxide	1604 Black and Gold	1607 Black & Gold w/flats	1801 Black Oxide	1878 Black & Gold w/flats
3/8		.3750	5	3-5/8	C68249	C69062	C69359	C23145	C18020
V		.3770	5	3-5/8	C68278	—	—	C23120	C18049
W		.3860	5-1/8	3-3/4	C68279	—	—	C23121	C18050
25/64		.3906	5-1/8	3-3/4	C68250	C69063	C69360	C23146	C18021
	10.00	.3937	133	87	—	—	—	—	C74019
X		.3970	5-1/8	3-3/4	C68280	—	—	C23122	C18051
	10.20	.4016	133	87	—	—	—	—	C74054
Y		.4040	5-1/4	3-7/8	C68281	—	—	C23123	C18052
13/32		.4062	5-1/4	3-7/8	C68251	C69064	C69361	C23147	C18022
Z		.4130	5-1/4	3-7/8	C68282	—	—	C23124	C18053
	10.50	.4134	133	87	—	—	—	—	C74020
27/64		.4219	5-3/8	3-15/16	C68252	C69065	C69362	C23148	C18023
	10.80	.4252	142	94	—	—	—	—	C74055
	11.00	.4331	142	94	—	—	—	—	C74021
7/16		.4375	5-1/2	4-1/16	C68253	C69066	C69363	C23149	C18024
	11.50	.4528	142	94	—	—	—	—	C74022
29/64		.4531	5-5/8	4-3/16	C68254	C69067	C69364	C23150	C18025
	11.80	.4646	142	94	—	—	—	—	C74056
15/32		.4688	5-3/4	4-5/16	C68255	C69068	C69365	C23151	C18026
	12.00	.4724	151	101	—	—	—	—	C74023
31/64		.4844	5-7/8	4-3/8	C68256	C69069	C69366	C23152	C18027
	12.50	.4921	151	101	—	—	—	—	C74024
1/2		.5000	6	4-1/2	C68257	C69070	C69367	C23153	C18028
	13.00	.5118	151	101	—	—	—	—	C74057

Heavy Duty
3/8" Reduced Shank

Styles: 1605, 1809, 1879



Style #1605 - Black and Gold



Style #1809 - Black Oxide



Style #1879 - Black and Gold w/ flats

drill diameter	decimal equivalent	overall length	flute length	order number		
				1605 Black and Gold	1809 Black Oxide	1879 Black & Gold w/flats
25/64	.3906	5-1/8	3-3/4	C69071	C20631	C18114
13/32	.4062	5-1/4	3-7/8	C69072	C20632	C18115
27/64	.4219	5-3/8	3-15/16	C69073	C20633	C18116
7/16	.4375	5-1/2	4-1/16	C69074	C20634	C18117
29/64	.4531	5-5/8	4-3/16	C69075	C20635	C18118
15/32	.4688	5-3/4	4-5/16	C69076	C20636	C18119
31/64	.4844	5-7/8	4-3/8	C69077	C20637	C18120
1/2	.5000	6	4-1/2	C69078	C20638	C18121
17/32	.5312	6-5/8	4-13/16	—	C20659	—
9/16	.5625	6-5/8	4-13/16	—	C20660	—
5/8	.6094	7-1/8	5-3/16	—	C20661	—
11/16	.6875	7-5/8	5-5/8	—	C20662	—


SET

Styles: 1602, 1604, 1605, 1607, 1801, 1878, 1879

Metal Case (unless noted otherwise)



29-piece
Bit Barrel Set
#C18128



115-piece
Black Oxide
#C21128

HOLEMAKING

drill sizes	no. of pieces	order number						
		1602 Black Oxide	1604 Black & Gold	1605 3/8" shank Black & Gold	1607 with flats Black & Gold	1801 Black Oxide	1878 with flats Black & Gold	1878/1879 3/8" shank Black & Gold
36, 29, 25, 21, 7, F, 5/16, U, 27/64	18	—	—	—	—	—	**C21191	—
Taps: 6-32, 8-32, 10-24, 10-32, 1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13		—	—	—	—	—	**C21192	—
1/16" - 1/4" x 1/64"	13	C69381	C69030	—	C68343	C21157	C18123	—
1/16" - 1/2" x 1/32"	15	C69382	C69031	—	C68461	C21110	C18124	—
1/16" - 3/8" x 1/64"	21	—	—	—	—	C21115	—	—
1/16" - 1/2" x 1/64"	29	*C69383	*C69032	*C69033	*C69368	C21119	C18125	C18122
Bit Barrel™ 1/16" - 1/2" x 1/64"	29	—	—	—	*C69385	—	*C18128	—
#1 - #60	60	—	—	—	—	C21124	—	—
1/16" - 1/2" x 1/64", A to Z, #1 - #60	115	—	—	—	—	C21128	—	—
Metric: 1mm to 6mm	11						C74058	
1mm to 13mm	25						C74059	

*Plastic Case

**C21191 - Hand taps **C21192 - Spiral point taps

SET

Style: 1864

**Specialty
Drill & Screw Extractors**

P K H

Plastic Tube

Black
Gold

Note
Drill style: 1878 Black & Gold



jobber drill	screw extractor	no. of pcs.	order number	jobber drill	screw extractor	no. of pcs.	order number
			1864				1864
5/64"	#1	2	C22311	1/4", E	#4	2	C22314
7/64"	#2	2	C22312	17/64"	#5	2	C22315
5/32"	#3	2	C22313	13/32"	#6	2	C22316

Jobber
TiN Tip

General Application Drills



Styles: **1500-TT, 1501-TT**



NEW



HOLEMAKING

drill diameter frac/wire/let	decimal equivalent	overall length	flute length	order number	
				1500-TT HSS TiN	1501-TT HS-Co TiN
1/16	.0625	1-7/8	7/8	C97301	C66001
52	.0635	1-7/8	7/8	C97406	C66106
51	.0670	2	1	C97405	C66105
50	.0700	2	1	C97404	C66104
49	.0730	2	1	C97403	C66103
48	.0760	2	1	C97402	C66102
5/64	.0781	2	1	C97302	C66002
47	.0785	2	1	C97401	C66101
46	.0810	2-1/8	1-1/8	C97400	C66100
45	.0820	2-1/8	1-1/8	C97399	C66099
44	.0860	2-1/8	1-1/8	C97398	C66098
43	.0890	2-1/4	1-1/4	C97397	C66097
42	.0935	2-1/4	1-1/4	C97396	C66096
3/32	.0938	2-1/4	1-1/4	C97303	C66003
41	.0960	2-3/8	1-3/8	C97395	C66095
40	.0980	2-3/8	1-3/8	C97394	C66094
39	.0995	2-3/8	1-3/8	C97393	C66093
38	.1015	2-1/2	1-7/16	C97392	C66092
37	.1040	2-1/2	1-7/16	C97391	C66091
36	.1065	2-1/2	1-7/16	C97390	C66090
7/64	.1094	2-5/8	1-1/2	C97304	C66004
35	.1100	2-5/8	1-1/2	C97389	C66089
34	.1110	2-5/8	1-1/2	C97388	C66088
33	.1130	2-5/8	1-1/2	C97387	C66087
32	.1160	2-3/4	1-5/8	C97386	C66086
31	.1200	2-3/4	1-5/8	C97385	C66085
1/8	.1250	2-3/4	1-5/8	C97305	C66005
30	.1285	2-3/4	1-5/8	C97384	C66084
29	.1360	2-7/8	1-3/4	C97383	C66083
28	.1405	2-7/8	1-3/4	C97382	C66082
9/64	.1406	2-7/8	1-3/4	C97306	C66006
27	.1440	3	1-7/8	C97381	C66081
26	.1470	3	1-7/8	C97380	C66080
25	.1495	3	1-7/8	C97379	C66079
24	.1520	3-1/8	2	C97378	C66078
23	.1540	3-1/8	2	C97377	C66077
5/32	.1562	3-1/8	2	C97307	C66007
22	.1570	3-1/8	2	C97376	C66076
21	.1590	3-1/4	2-1/8	C97375	C66075
20	.1610	3-1/4	2-1/8	C97374	C66074
19	.1660	3-1/4	2-1/8	C97373	C66073
18	.1695	3-1/4	2-1/8	C97372	C66072

continued on next page

drill diameter frac/wire/let	decimal equivalent	overall length	flute length	order number	
				1500-TT HSS TiN	1501-TT HS-Co TiN
11/64	.1719	3-1/4	2-1/8	C97308	C66008
17	.1730	3-3/8	2-3/16	C97371	C66071
16	.1770	3-3/8	2-3/16	C97370	C66070
15	.1800	3-3/8	2-3/16	C97369	C66069
14	.1820	3-3/8	2-3/16	C97368	C66068
13	.1850	3-1/2	2-5/16	C97367	C66067
3/16	.1875	3-1/2	2-5/16	C97309	C66009
12	.1890	3-1/2	2-5/16	C97366	C66066
11	.1910	3-1/2	2-5/16	C97365	C66065
10	.1935	3-5/8	2-7/16	C97364	C66064
9	.1960	3-5/8	2-7/16	C97363	C66063
8	.1990	3-5/8	2-7/16	C97362	C66062
7	.2010	3-5/8	2-7/16	C97361	C66061
13/64	.2031	3-5/8	2-7/16	C97310	C66010
6	.2040	3-3/4	2-1/2	C97360	C66060
5	.2055	3-3/4	2-1/2	C97359	C66059
4	.2090	3-3/4	2-1/2	C97358	C66058
3	.2130	3-3/4	2-1/2	C97357	C66057
7/32	.2188	3-3/4	2-1/2	C97311	C66011
2	.2210	3-7/8	2-5/8	C97356	C66056
1	.2280	3-7/8	2-5/8	C97355	C66055
A	.2340	3-7/8	2-5/8	C97330	C66030
15/64	.2344	3-7/8	2-5/8	C97312	C66012
B	.2380	4	2-3/4	C97331	C66031
C	.2420	4	2-3/4	C97332	C66032
D	.2460	4	2-3/4	C97333	C66033
1/4-E	.2500	4	2-3/4	C97313	C66013
F	.2570	4-1/8	2-7/8	C97334	C66034
G	.2610	4-1/8	2-7/8	C97335	C66035
17/64	.2656	4-1/8	2-7/8	C97314	C66014
H	.2660	4-1/8	2-7/8	C97336	C66036
I	.2720	4-1/8	2-7/8	C97337	C66037
J	.2770	4-1/8	2-7/8	C97338	C66038
K	.2810	4-1/4	2-15/16	C97339	C66039
9/32	.2812	4-1/4	2-15/16	C97315	C66015
L	.2900	4-1/4	2-15/16	C97340	C66040
M	.2950	4-3/8	3-1/16	C97341	C66041
19/64	.2969	4-3/8	3-1/16	C97316	C66016
N	.3020	4-3/8	3-1/16	C97342	C66042
5/16	.3125	4-1/2	3-3/16	C97317	C66017
O	.3160	4-1/2	3-3/16	C97343	C66043
P	.3230	4-5/8	3-5/16	C97344	C66044
21/64	.3281	4-5/8	3-5/16	C97318	C66018
Q	.3320	4-3/4	3-7/16	C97345	C66045
R	.3390	4-3/4	3-7/16	C97346	C66046
11/32	.3438	4-3/4	3-7/16	C97319	C66019
S	.3480	4-7/8	3-1/2	C97347	C66047
T	.3580	4-7/8	3-1/2	C97348	C66048
23/64	.3594	4-7/8	3-1/2	C97320	C66020
U	.3680	5	3-5/8	C97349	C66049
3/8	.3750	5	3-5/8	C97321	C66021
V	.3770	5	3-5/8	C97350	C66050
W	.3860	5-1/8	3-3/4	C97351	C66051
25/64	.3906	5-1/8	3-3/4	C97322	C66022

continued on next page

drill diameter frac/wire/let	decimal equivalent	overall length	flute length	order number	
				1500-TT HSS TiN	1501-TT HS-Co TiN
X	.3970	5-1/8	3-3/4	C97352	C66052
Y	.4040	5-1/4	3-7/8	C97353	C66053
13/32	.4062	5-1/4	3-7/8	C97323	C66023
Z	.4130	5-1/4	3-7/8	C97354	C66054
27/64	.4219	5-3/8	3-15/16	C97324	C66024
7/16	.4375	5-1/2	4-1/16	C97325	C66025
29/64	.4531	5-5/8	4-3/16	C97326	C66026
15/32	.4688	5-3/4	4-5/16	C97327	C66027
31/64	.4844	5-7/8	4-3/8	C97328	C66028
1/2	.5000	6	4-1/2	C97329	C66029



Note
 For a wide range of material applications.
 Exceptional for deeper drilling.
 Faster penetration rates than conventional HSS heavy duty jobber drills.
 Aerospace-style 135° split point reduces drill "walking".
 For Reduced Shank see Style #1873.



drill diameter		decimal equivalent	overall length	flute length	order number	
frac/wire/let	mm				1872 Black & Gold	1872TN TiN
	*1.00	.0394	34	12	C18570	C18670
	*1.50	.0591	40	18	C18573	C18671
1/16		.0625	1-7/8	7/8	C18430	C18630
	1.60	.0630	43	20	C18574	—
	1.65	.0650	43	20	C18575	—
	1.75	.0689	46	22	C18576	—
	1.80	.0709	46	22	C18577	—
5/64		.0781	2	1	C18431	C18631
	2.00	.0787	49	24	C18578	C18672
	2.05	.0807	49	24	C18579	—
	2.30	.0906	53	27	C18580	—
3/32		.0938	2-1/4	1-1/4	C18432	C18632
41		.0960	2-3/8	1-3/8	C18541	—
40		.0980	2-3/8	1-3/8	C18540	—
	2.50	.0984	57	30	C18581	C18673
39		.0995	2-3/8	1-3/8	C18539	—
38		.1015	2-1/2	1-7/16	C18538	—
	2.60	.1024	57	30	C18582	—
37		.1040	2-1/2	1-7/16	C18537	—
36		.1065	2-1/2	1-7/16	C18536	—
7/64		.1094	2-5/8	1-1/2	C18433	C18633
35		.1100	2-5/8	1-1/2	C18535	—
34		.1110	2-5/8	1-1/2	C18534	—
33		.1130	2-5/8	1-1/2	C18533	—
	2.90	.1142	61	33	C18583	—
32		.1160	2-3/4	1-5/8	C18532	—
	3.00	.1181	61	33	C18584	C18674
31		.1200	2-3/4	1-5/8	C18531	—
1/8		.1250	2-3/4	1-5/8	C18434	C18634
	3.20	.1260	65	36	C18585	—
30		.1285	2-3/4	1-5/8	C18530	—
	3.30	.1299	65	36	C18586	C18675
29		.1360	2-7/8	1-3/4	C18529	—
	3.50	.1378	70	39	C18587	C18676
28		.1405	2-7/8	1-3/4	C18528	—
9/64		.1406	2-7/8	1-3/4	C18435	C18635
27		.1440	3	1-7/8	C18527	—
	3.70	.1457	70	39	C18588	—
26		.1470	3	1-7/8	C18526	—
25		.1495	3	1-7/8	C18525	—
24		.1520	3-1/8	2	C18524	—
23		.1540	3-1/8	2	C18523	—
5/32		.1562	3-1/8	2	C18436	C18636
22		.1570	3-1/8	2	C18522	—
	4.00	.1575	75	43	C18589	C18677
21		.1590	3-1/4	2-1/8	C18521	—
20		.1610	3-1/4	2-1/8	C18520	—
	4.10	.1614	75	43	C18590	—
	4.20	.1654	75	43	C18591	C18678

*Not split point.

continued on next page

HOLEMAKING

drill diameter		decimal equivalent	overall length	flute length	order number	
frac/wire/let	mm				1872 Black & Gold	1872TN TiN
19		.1660	3-1/4	2-1/8	C18519	—
	4.30	.1693	80	47	C18722	—
18		.1695	3-1/4	2-1/8	C18518	—
11/64		.1719	3-1/4	2-1/8	C18437	C18637
17		.1730	3-3/8	2-3/16	C18517	—
16		.1770	3-3/8	2-3/16	C18516	—
	4.50	.1772	80	47	C18592	C18679
15		.1800	3-3/8	2-3/16	C18515	—
14		.1820	3-3/8	2-3/16	C18514	—
13		.1850	3-1/2	2-5/16	C18513	—
3/16		.1875	3-1/2	2-5/16	C18438	C18638
12		.1890	3-1/2	2-5/16	C18512	—
	4.80	.1890	86	52	C18723	—
11		.1910	3-1/2	2-5/16	C18511	—
10		.1935	3-5/8	2-7/16	C18510	—
9		.1960	3-5/8	2-7/16	C18509	—
	5.00	.1969	86	52	C18593	C18680
8		.1990	3-5/8	2-7/16	C18508	—
	5.10	.2008	86	52	C18724	—
7		.2010	3-5/8	2-7/16	C18507	—
13/64		.2031	3-5/8	2-7/16	C18439	C18639
6		.2040	3-3/4	2-1/2	C18506	—
	5.20	.2047	86	52	C18725	—
5		.2055	3-3/4	2-1/2	C18505	—
4		.2090	3-3/4	2-1/2	C18504	—
3		.2130	3-3/4	2-1/2	C18503	—
	5.50	.2165	93	57	C18594	C18681
7/32		.2188	3-3/4	2-1/2	C18440	C18640
2		.2210	3-7/8	2-5/8	C18502	—
	5.70	.2244	93	57	C18726	—
1		.2280	3-7/8	2-5/8	C18501	—
15/64		.2344	3-7/8	2-5/8	C18441	C18641
	6.00	.2362	93	57	C18595	C18682
1/4		.2500	4	2-3/4	C18442	C18642
	6.50	.2559	101	63	C18596	C18683
F		.2570	4-1/8	2-7/8	C18474	—
	6.70	.2638	101	63	C18597	—
17/64		.2656	4-1/8	2-7/8	C18443	C18643
	6.80	.2677	109	69	C18598	C18684
	7.00	.2756	109	69	C18599	C18685
9/32		.2812	4-1/4	2-15/16	C18444	C18644
	7.40	.2913	109	69	C18600	—
	7.50	.2953	109	69	C18601	C18686
19/64		.2969	4-3/8	3-1/16	C18445	C18645
	7.80	.3071	117	75	C18602	—
5/16		.3125	4-1/2	3-3/16	C18446	C18646
	8.00	.3150	117	75	C18603	C18687
21/64		.3281	4-5/8	3-5/16	C18447	C18647
Q		.3320	4-3/4	3-7/16	C18485	—
	8.50	.3346	117	75	C18604	C18688
	8.70	.3425	125	81	C18605	—
11/32		.3438	4-3/4	3-7/16	C18459	C18648
	9.00	.3543	125	81	C18606	C18689
23/64		.3594	4-7/8	3-1/2	C18449	C18649
	9.40	.3701	125	81	C18607	—
	9.50	.3740	125	81	C18608	C18690
3/8		.3750	5	3-5/8	C18450	C18650
25/64		.3906	5-1/8	3-3/4	C18451	C18651
	10.00	.3937	133	87	C18609	C18697
	10.20	.4016	133	87	C18610	—
13/32		.4062	5-1/4	3-7/8	C18452	C18652

continued on next page

drill diameter		decimal equivalent	overall length	flute length	order number	
frac/wire/let	mm				1872 Black & Gold	1872TN TiN
	10.50	.4134	133	87	C18611	C18691
27/64		.4219	5-3/8	3-15/16	C18453	C18653
	10.80	.4252	142	94	C18612	—
	11.00	.4331	142	94	C18613	C18692
7/16		.4375	5-1/2	4-1/16	C18454	C18654
	11.20	.4409	142	94	C18614	—
	11.50	.4528	142	94	C18615	C18693
29/64		.4531	5-5/8	4-3/16	C18455	C18655
15/32		.4688	5-3/4	4-5/16	C18456	C18656
	12.00	.4724	151	101	C18616	C18694
31/64		.4844	5-7/8	4-3/8	C18457	C18657
	12.50	.4921	151	101	C18617	C18695
1/2		.5000	6	4-1/2	C18458	C18658
	13.00	.5118	151	101	C18618	C18696

Style: **1873**

Jobber
3/8" Reduced Shank

Note

Faster penetration rates than conventional HSS heavy duty jobber drills.



drill diameter	decimal equivalent	overall length	flute length	order number
				1873 Black & Gold
25/64	.3906	5-1/8	3-3/4	C18710
13/32	.4062	5-1/4	3-7/8	C18711
27/64	.4219	5-3/8	3-15/16	C18712
7/16	.4375	5-1/2	4-1/16	C18713
29/64	.4531	5-5/8	4-3/16	C18714
15/32	.4688	5-3/4	4-5/16	C18715
31/64	.4844	5-7/8	4-3/8	C18716
1/2	.5000	6	4-1/2	C18717

SET

Styles: **1872, 1872TN, 1873**

Jobber Sets
Heavy Duty Parabolic Flute



29-Piece Set
Black & Gold
#C18622

drill sizes	no. of pieces	order number		
		1872 Black & Gold	1872TN TiN	1872 / 1873 3/8" Shanks
1/16" - 1/4" x 1/64"	13	C18619	C18700	—
1/16" - 1/2" x 1/32"	15	C18620	C18701	C18719
1/16" - 3/8" x 1/64"	21	C18621	C18702	—
1/16" - 1/2" x 1/64"	29	C18622	C18703	C18718
1mm - 6mm x 0.5mm	11	C18626	C18704	—
1mm - 13mm x 1mm	25	C18628	C18706	—

General Application Drills



Jobber

Hex Shank, Cobalt

Style: 1804



NEW

Note

*11/64" and smaller have a straight shank with no flats.

3/16" and larger have a straight shank with 6 flats.



drill diameter	decimal equivalent	overall length	flat length	order number 1804 straw
*1/16	.0625	1.875	—	C10600
*5/64	.0781	2.000	—	C10601
*3/32	.0938	2.250	—	C10602
*7/64	.1094	2.625	—	C10603
*1/8	.1250	2.750	—	C10604
*9/64	.1406	2.875	—	C10605
*5/32	.1562	3.125	—	C10606
*11/64	.1719	3.250	—	C10607
3/16	.1875	3.500	1.125	C10608
13/64	.2031	3.625	1.125	C10609
7/32	.2188	3.750	1.125	C10610
15/64	.2344	3.875	1.125	C10611
1/4	.2500	4.000	1.125	C10612
17/64	.2656	4.125	1.125	C10613
9/32	.2812	4.250	1.125	C10614
19/64	.2969	4.375	1.125	C10615
5/16	.3125	4.500	1.125	C10616
21/64	.3281	4.625	1.125	C10617
11/32	.3438	4.750	1.125	C10618
23/64	.3594	4.875	1.125	C10619
3/8	.3750	5.000	1.125	C10620
25/64	.3906	5.125	1.125	C10621
13/32	.4062	5.250	1.125	C10622
27/64	.4219	5.375	1.125	C10623
7/16	.4375	5.500	1.125	C10624
29/64	.4531	5.625	1.125	C10625
15/32	.4688	5.750	1.125	C10626
31/64	.4844	5.875	1.125	C10627
1/2	.5000	6.000	1.125	C10628

Jobber

Hex Shank, Cobalt

SET

Style: 1804

Bit Barrel



drill sizes	no. of pieces	order number 1804 straw
1/16" – 1/2" x 1/64"	29	C10629



Note
Designed to drill tough, high-tensile materials and work-hardening materials like high-strength alloy steels, stainless steel, titanium, manganese steel, armor plate, and inconel.
For Reduced Shank see Style #1812.

Style 1891 (Metric) now combined with style 1802.



HOLEMAKING

drill diameter		decimal equivalent	overall length	flute length	order number	
frac/wire/let	mm				1603 Straw Oxide	1802 Straw Oxide
	*1.00	.0394	34	12	—	C18900
*60		.0400	1-5/8	11/16	C68460	C23374
*59		.0410	1-5/8	11/16	C68459	C23375
*58		.0420	1-5/8	11/16	C68458	C23376
*57		.0430	1-3/4	3/4	C68457	C23377
*56		.0465	1-3/4	3/4	C68456	C23378
	*1.20	.0472	38	16	—	C18902
*55		.0520	1-7/8	7/8	C68455	C23379
*54		.0550	1-7/8	7/8	C68454	C23380
	*1.50	.0591	40	18	—	C18905
*53		.0595	1-7/8	7/8	C68453	C23381
1/16		.0625	1-7/8	7/8	C68344	C23345
	1.60	.0630	43	20	—	C18906
52		.0635	1-7/8	7/8	C68452	C23382
51		.0670	2	1	C68451	C23383
50		.0700	2	1	C68450	C23384
49		.0730	2	1	C68449	C23385
48		.0760	2	1	C68448	C23386
5/64		.0781	2	1	C68345	C23346
47		.0785	2	1	C68447	C23387
	2.00	.0787	49	24	—	C18910
46		.0810	2-1/8	1-1/8	C68446	C23388
45		.0820	2-1/8	1-1/8	C68445	C23389
44		.0860	2-1/8	1-1/8	C68444	C23390
43		.0890	2-1/4	1-1/4	C68443	C23391
42		.0935	2-1/4	1-1/4	C68442	C23392
3/32		.0938	2-1/4	1-1/4	C68346	C23347
	2.40	.0945	57	30	—	C18914
41		.0960	2-3/8	1-3/8	C68441	C23393
40		.0980	2-3/8	1-3/8	C68440	C23394
	2.50	.0984	57	30	—	C18915
39		.0995	2-3/8	1-3/8	C68439	C23395
38		.1015	2-1/2	1-7/16	C68438	C23396
37		.1040	2-1/2	1-7/16	C68437	C23397
36		.1065	2-1/2	1-7/16	C68436	C23398
7/64		.1094	2-5/8	1-1/2	C68347	C23348
35		.1100	2-5/8	1-1/2	C68435	C23399
	2.80	.1102	61	33	—	C18918
34		.1110	2-5/8	1-1/2	C68434	C23400
33		.1130	2-5/8	1-1/2	C68433	C23401
32		.1160	2-3/4	1-5/8	C68432	C23402
	3.00	.1181	61	33	—	C18920
31		.1200	2-3/4	1-5/8	C68431	C23403
	3.10	.1220	65	36	—	C18921
1/8		.1250	2-3/4	1-5/8	C68351	C23349
	3.20	.1260	65	36	—	C18922

*Not split point.

continued on next page

HOLEMAKING

drill diameter		decimal equivalent	overall length	flute length	order number	
frac/wire/let	mm				1603 Straw Oxide	1802 Straw Oxide
30		.1285	2-3/4	1-5/8	C68430	C23404
	3.30	.1299	65	36	—	C18923
29		.1360	2-7/8	1-3/4	C68429	C23405
	3.50	.1378	70	39	—	C18925
28		.1405	2-7/8	1-3/4	C68428	C23406
9/64		.1406	2-7/8	1-3/4	C68352	C23350
	3.60	.1417	70	39	—	C18926
27		.1440	3	1-7/8	C68427	C23407
	3.70	.1457	70	39	—	C18927
26		.1470	3	1-7/8	C68426	C23408
25		.1495	3	1-7/8	C68425	C23409
24		.1520	3-1/8	2	C68424	C23410
	3.90	.1535	75	43	—	C18929
23		.1540	3-1/8	2	C68423	C23411
5/32		.1562	3-1/8	2	C68353	C23351
22		.1570	3-1/8	2	C68422	C23412
	4.00	.1575	75	43	—	C18930
21		.1590	3-1/4	2-1/8	C68421	C23413
20		.1610	3-1/4	2-1/8	C68420	C23414
	4.10	.1614	75	43	—	C18931
	4.20	.1654	75	43	—	C18932
19		.1660	3-1/4	2-1/8	C68419	C23415
18		.1695	3-1/4	2-1/8	C68418	C23416
11/64		.1719	3-1/4	2-1/8	C68354	C23352
17		.1730	3-3/8	2-3/16	C68417	C23417
16		.1770	3-3/8	2-3/16	C68416	C23418
	4.50	.1772	80	47	—	C18935
15		.1800	3-3/8	2-3/16	C68415	C23419
	4.60	.1811	80	47	—	C18936
14		.1820	3-3/8	2-3/16	C68414	C23420
13		.1850	3-1/2	2-5/16	C68413	C23421
3/16		.1875	3-1/2	2-5/16	C68355	C23353
12		.1890	3-1/2	2-5/16	C68412	C23422
	4.80	.1890	86	52	—	C18938
11		.1910	3-1/2	2-5/16	C68411	C23423
	4.90	.1929	86	52	—	C18939
10		.1935	3-5/8	2-7/16	C68410	C23424
9		.1960	3-5/8	2-7/16	C68409	C23425
	5.00	.1969	86	52	—	C18940
8		.1990	3-5/8	2-7/16	C68408	C23426
	5.10	.2008	86	52	—	C18941
7		.2010	3-5/8	2-7/16	C68407	C23427
13/64		.2031	3-5/8	2-7/16	C68356	C23354
6		.2040	3-3/4	2-1/2	C68406	C23428
	5.20	.2047	86	52	—	C18942
5		.2055	3-3/4	2-1/2	C68405	C23429
4		.2090	3-3/4	2-1/2	C68404	C23430
3		.2130	3-3/4	2-1/2	C68403	C23431
	5.50	.2165	93	57	—	C18945
7/32		.2188	3-3/4	2-1/2	C68357	C23355
2		.2210	3-7/8	2-5/8	C68402	C23432
1		.2280	3-7/8	2-5/8	C68401	C23433
A		.2340	3-7/8	2-5/8	C68376	C23320
15/64		.2344	3-7/8	2-5/8	C68358	C23356
	6.00	.2362	93	57	—	C18950
B		.2380	4	2-3/4	C68377	C23321

continued on next page

drill diameter		decimal equivalent	overall length	flute length	order number	
frac/wire/let	mm				1603 Straw Oxide	1802 Straw Oxide
C		.2420	4	2-3/4	C68378	C23322
D		.2460	4	2-3/4	C68379	C23323
1/4, E		.2500	4	2-3/4	C68359	C23357
	6.50	.2559	101	63	—	C18955
F		.2570	4-1/8	2-7/8	C68380	C23324
G		.2610	4-1/8	2-7/8	C68381	C23325
17/64		.2656	4-1/8	2-7/8	C68360	C23358
H		.2660	4-1/8	2-7/8	C68382	C23326
	6.80	.2677	109	69	—	C18958
I		.2720	4-1/8	2-7/8	C68383	C23327
	7.00	.2756	109	69	—	C18960
J		.2770	4-1/8	2-7/8	C68384	C23328
K		.2810	4-1/4	2-15/16	C68385	C23329
9/32		.2812	4-1/4	2-15/16	C68361	C23359
L		.2900	4-1/4	2-15/16	C68386	C23330
M		.2950	4-3/8	3-1/16	C68387	—
	7.50	.2953	109	69	—	C18965
19/64		.2969	4-3/8	3-1/16	C68362	C23360
N		.3020	4-3/8	3-1/16	C68388	—
5/16		.3125	4-1/2	3-3/16	C68363	C23361
	8.00	.3150	117	75	—	C18970
O		.3160	4-1/2	3-3/16	C68389	—
P		.3230	4-5/8	3-5/16	C68390	—
21/64		.3281	4-5/8	3-5/16	C68364	C23362
Q		.3320	4-3/4	3-7/16	C68391	C23335
	8.50	.3346	117	75	—	C18975
R		.3390	4-3/4	3-7/16	C68392	C23336
11/32		.3438	4-3/4	3-7/16	C68365	C23363
S		.3480	4-7/8	3-1/2	C68393	—
	9.00	.3543	125	81	—	C18980
T		.3580	4-7/8	3-1/2	C68394	—
23/64		.3594	4-7/8	3-1/2	C68366	C23364
U		.3680	5	3-5/8	C68395	C23339
	9.50	.3740	125	81	—	C18985
3/8		.3750	5	3-5/8	C68367	C23365
V		.3770	5	3-5/8	C68396	C23340
W		.3860	5-1/8	3-3/4	C68397	C23341
25/64		.3906	5-1/8	3-3/4	C68368	C23366
	10.00	.3937	133	87	—	C18990
X		.3970	5-1/8	3-3/4	C68398	—
	10.20	.4016	133	87	—	C18991
Y		.4040	5-1/4	3-3/4	C68399	—
13/32		.4062	5-1/4	3-7/8	C68369	C23367
Z		.4130	5-1/4	3-7/8	C68400	—
	10.50	.4134	133	87	—	C18992
27/64		.4219	5-3/8	3-15/16	C68370	C23368
	11.00	.4331	142	94	—	C18993
7/16		.4375	5-1/2	4-1/16	C68371	C23369
	11.50	.4528	142	94	—	C18995
29/64		.4531	5-5/8	4-3/16	C68372	C23370
15/32		.4688	5-3/4	4-5/16	C68373	C23371
	12.00	.4724	151	101	—	C18996
31/64		.4844	5-7/8	4-3/8	C68374	C23372
	12.50	.4921	151	101	—	C18998
1/2		.5000	6	4-1/2	C68375	C23373
	13.00	.5118	151	101	—	C18999

General Application Drills



Jobber
Cobalt Heavy Duty

Style: **1812**



HOLEMAKING

Note

Designed to drill tough, high-tensile materials and work-hardening materials like high-strength alloy steels, stainless steel, titanium, manganese steel, armor plate, and inconel.



drill diameter	decimal equivalent	overall length	flute length	order number 1812 Straw Oxide
25/64	.3906	5-1/8	3-3/4	C20651
13/32	.4063	5-1/4	3-7/8	C20652
27/64	.4219	5-3/8	3-15/16	C20653
7/16	.4375	5-1/2	4-1/16	C20654
29/64	.4531	5-5/8	4-3/16	C20655
15/32	.4688	5-3/4	4-5/16	C20656
31/64	.4844	5-7/8	4-3/8	C20657
1/2	.5000	6	4-1/2	C20658

Jobber Sets

Cobalt Heavy Duty

SET

Styles: **1603, 1802**

Metal Case (unless noted otherwise)

drill size	no. of pieces	order number	
		1603 Straw Oxide	1802 Straw Oxide
1/16" - 1/4" x 1/64"	13	C69377	C21107
1/16" - 1/2" x 1/32"	15	C69378	C21112
1/16" - 1/2" x 1/64"	29	*C69379	C21121
#1 - #60	60	C69380	C21125
1/16" - 1/2" x 1/64", A to Z, #1 - #60	115	—	C21129

*Plastic Case



15-Piece Set
Straw Oxide
#C21112



Note
Three flats on sizes above 11/64" for tighter chucking.
For Reduced Shank see Style #1876.



HOLEMAKING

drill diameter	decimal equivalent	overall length	flute length	order number		
				1620 Black & Gold	1875R Black & Gold	1875L Black & Gold
*1/16	.0625	1-7/8	7/8	C68462	C23830	C23701
*5/64	.0781	2	1	C68463	C23831	—
*3/32	.0938	2-1/4	1-1/4	C68464	C23832	—
*7/64	.1094	2-3/8	1-5/16	C68465	C23833	—
*1/8	.1250	2-1/2	1-7/16	C68466	C23834	C23702
*9/64	.1406	2-5/8	1-9/16	C68467	C23835	—
*5/32	.1562	2-3/4	1-11/16	C68468	C23836	—
*11/64	.1719	2-7/8	1-13/16	C68469	C23837	—
3/16	.1875	3	1-7/8	C68470	C23838	C23703
13/64	.2031	3-1/8	1-15/16	C68471	C23839	—
7/32	.2188	3-1/4	2	C68472	C23840	—
15/64	.2344	3-3/8	2-1/16	C68473	C23841	—
1/4	.2500	3-1/2	2	C68474	C23842	C23704
17/64	.2656	3-5/8	2-1/8	C68475	C23843	—
9/32	.2812	3-3/4	2-1/4	C68476	C23844	—
19/64	.2969	3-7/8	2-3/8	C68477	C23845	—
5/16	.3125	4	2-1/2	C68478	C23846	C23706
21/64	.3281	4-1/16	2-9/16	C68479	C23847	—
11/32	.3438	4-1/8	2-5/8	C68480	C23848	—
23/64	.3594	4-3/16	2-11/16	C68481	C23849	—
3/8	.3750	4-1/4	2-11/16	C68482	C23850	C23707
**25/64	.3906	4-5/16	2-3/4	C68483	C23851	—
**13/32	.4062	4-3/8	2-13/16	C68484	C23852	—
27/64	.4219	4-7/16	2-7/8	C68485	C23853	—
7/16	.4375	4-1/2	2-15/16	C68486	C23854	C23708
29/64	.4531	4-5/8	3	C68487	C23855	—
15/32	.4688	4-3/4	3-1/8	C68488	C23856	—
31/64	.4844	4-7/8	3-1/4	C68489	C23857	—
1/2	.5000	5	3-3/8	C68490	C23859	C23709

*No flats on shank.

**Style #1875 sizes 25/64" and 13/32" drills with flats will fit in 3/8" shank drill chucks without having reduced shanks.

Mechanics Length
3/8" Reduced Shank

General Application Drills



Style: 1876



HOLEMAKING

drill diameter	decimal equivalent	overall length	flute length	order number 1876 Black & Gold
27/64	.4219	4-7/16	2-7/8	C23860
7/16	.4375	4-1/2	2-15/16	C23861
29/64	.4531	4-5/8	3	C23862
15/32	.4688	4-3/4	3-1/8	C23863
31/64	.4844	4-7/8	3-1/4	C23864
1/2	.5000	5	3-3/8	C23865

Mechanics Length Sets
Heavy Duty

SET

Styles: 1620, 1875R, 1875L

Metal unless noted below

NEW



drill sizes	no. of pieces	order number					
		1620 Black & Gold	Bit Barrel™ 1620 Black & Gold	1875R Black & Gold	Bit Barrel™ 1875R Black & Gold	Plastic Tube 1875R Black & Gold	3/8" Shank 1875/1876 Black & Gold
1/16" - 1/4" x 1/64"	13	C69029		C18126	-	-	-
1/16" - 3/8" x 1/64"	21			C21161	-	-	-
1/16" - 1/2" x 1/64"	29	**C69041	**C69384	C21162	**C21165	-	*C21163
1/16" - 1/2" x 1/32"	15			C21160	-	-	-
1/16" - 1/4" x 1/16"	4			-	-	C22310	-
1/16" - 3/8" x 1/16"	6			-	-	C22309	-

*Includes Style #1875 in sizes 25/64" and 13/32" which will fit in 3/8" shank drill chucks without having reduced shanks.

**Plastic Case



Note
Superior rigidity in portable drilling.



drill diameter	decimal equivalent	overall length	flute length	order number
				1880 Straw Oxide
5/64	.0781	2	1	C30505
7/64	.1094	2-3/16	1	C30507
1/8	.1250	2-1/4	1-1/16	C30508
5/32	.1562	2-9/16	1-1/4	C30510
3/16	.1875	2-7/8	1-1/2	C30512
7/32	.2188	3-1/8	1-5/8	C30514
1/4	.2500	3-5/16	1-3/4	C30516
9/32	.2812	3-9/16	2	C30518
19/64	.2969	3-5/8	2-1/16	C30519
5/16	.3125	3-3/4	2-1/8	C30520
11/32	.3438	3-15/16	2-1/4	C30522
3/8	.3750	4-1/8	2-3/8	C30524
13/32	.4063	4-3/8	2-1/2	C30526
7/16	.4375	4-9/16	2-5/8	C30528
15/32	.4688	4-3/4	2-3/4	C30530
1/2	.5000	5	2-7/8	C30532

Screw Machine Length
Heavy Duty

General Application Drills



Styles: **1621, 1896**

ASME
B94.11M

HSS

Black
Oxide

135° Split

Straight
Shank

P K

Note
Superior rigidity in hand or
machine drilling.



HOLEMAKING

drill diameter		decimal equivalent	overall length	flute length	order number	
frac/wire/let	mm				1621 Black Oxide	1896 Black Oxide
	*1.00	.0394	26	6	—	C23885
*60		.0400	1-3/8	1/2	—	C23500
*59		.0410	1-3/8	1/2	—	C23501
*58		.0420	1-3/8	1/2	—	C23502
*57		.0430	1-3/8	1/2	—	C23503
*56		.0465	1-3/8	1/2	—	C23504
	*1.25	.0492	30	8	—	C23886
*55		.0520	1-5/8	5/8	—	C23505
*54		.0550	1-5/8	5/8	—	C23506
	*1.50	.0591	32	9	—	C23887
*53		.0595	1-5/8	5/8	—	C23507
1/16		.0625	1-5/8	5/8	C68491	C23460
52		.0635	1-11/16	11/16	—	C23508
51		.0670	1-11/16	11/16	—	C23509
50		.0700	1-11/16	11/16	—	C23510
	1.80	.0709	36	11	—	C24018
49		.0730	1-11/16	11/16	—	C23511
48		.0760	1-11/16	11/16	—	C23512
5/64		.0781	1-11/16	11/16	C68492	C23461
47		.0785	1-3/4	3/4	—	C23513
	2.00	.0787	38	12	—	C23888
46		.0810	1-3/4	3/4	—	C23514
45		.0820	1-3/4	3/4	—	C23515
44		.0860	1-3/4	3/4	—	C23516
	2.20	.0866	40	13	—	C23889
43		.0890	1-3/4	3/4	—	C23517
	2.30	.0906	40	13	—	C23890
42		.0935	1-3/4	3/4	—	C23518
3/32		.0938	1-3/4	3/4	C68493	C23462
	2.40	.0945	43	14	—	C23891
41		.0960	1-13/16	13/16	—	C23519
40		.0980	1-13/16	13/16	—	C23520
	2.50	.0984	43	14	—	C23892
39		.0995	1-13/16	13/16	—	C23521
38		.1015	1-13/16	13/16	—	C23522
	2.60	.1024	43	14	—	C23893
37		.1040	1-13/16	13/16	—	C23523
36		.1065	1-13/16	13/16	—	C23524
7/64		.1094	1-13/16	13/16	C68494	C23463
35		.1100	1-7/8	7/8	—	C23525
	2.80	.1102	46	16	—	C23894

*Not split point.

continued on next page

drill diameter		decimal equivalent	overall length	flute length	order number	
frac/wire/let	mm				1621 Black Oxide	1896 Black Oxide
34		.1110	1-7/8	7/8	—	C23526
33		.1130	1-7/8	7/8	—	C23527
32		.1160	1-7/8	7/8	—	C23528
	3.00	.1181	46	16	—	C23895
31		.1200	1-7/8	7/8	—	C23529
	3.10	.1220	49	18	—	C23896
1/8		.1250	1-7/8	7/8	C68495	C23464
	3.20	.1260	49	18	—	C23898
30		.1285	1-15/16	15/16	—	C23530
	3.30	.1299	49	18	—	C23899
	3.40	.1339	52	20	—	C23900
29		.1360	1-15/16	15/16	—	C23531
	3.50	.1378	52	20	—	C23901
28		.1405	1-15/16	15/16	—	C23532
9/64		.1406	1-15/16	15/16	C68496	C23465
	3.60	.1417	52	20	—	C24036
27		.1440	2-1/16	1	—	C23533
	3.70	.1457	52	20	—	C23902
26		.1470	2-1/16	1	—	C23534
25		.1495	2-1/16	1	—	C23535
	3.80	.1496	55	22	—	C23903
24		.1520	2-1/16	1	—	C23536
23		.1540	2-1/16	1	—	C23537
5/32		.1562	2-1/16	1	C68497	C23466
22		.1570	2-1/8	1-1/16	—	C23538
	4.00	.1575	55	22	—	C23904
21		.1590	2-1/8	1-1/16	—	C23539
20		.1610	2-1/8	1-1/16	—	C23540
	4.10	.1614	55	22	—	C23905
	4.20	.1654	55	22	—	C23906
19		.1660	2-1/8	1-1/16	—	C23541
	4.30	.1693	58	24	—	C23907
18		.1695	2-1/8	1-1/16	—	C23542
11/64		.1719	2-1/8	1-1/16	C68498	C23467
17		.1730	2-3/16	1-1/8	—	C23543
16		.1770	2-3/16	1-1/8	—	C23544
	4.50	.1772	58	24	—	C23908
15		.1800	2-3/16	1-1/8	—	C23545
	4.60	.1811	58	24	—	C23909
14		.1820	2-3/16	1-1/8	—	C23546
13		.1850	2-3/16	1-1/8	—	C23547
	4.70	.1850	58	24	—	C23910
3/16		.1875	2-3/16	1-1/8	C68499	C23468
12		.1890	2-1/4	1-3/16	—	C23548
	4.80	.1890	62	26	—	C23911
11		.1910	2-1/4	1-3/16	—	C23549
	4.90	.1929	62	26	—	C23912
10		.1935	2-1/4	1-3/16	—	C23550
9		.1960	2-1/4	1-3/16	—	C23551
	5.00	.1969	62	26	—	C23913
8		.1990	2-1/4	1-3/16	—	C23552

continued on next page

HOLEMAKING

drill diameter		decimal equivalent	overall length	flute length	order number	
frac/wire/let	mm				1621 Black Oxide	1896 Black Oxide
	5.10	.2008	62	26	—	C23914
7		.2010	2-1/4	1-3/16	—	C23553
13/64		.2031	2-1/4	1-3/16	C68500	C23469
6		.2040	2-3/8	1-1/4	—	C23554
	5.20	.2047	62	26	—	C23915
5		.2055	2-3/8	1-1/4	—	C23555
	5.30	.2087	62	26	—	C23916
4		.2090	2-3/8	1-1/4	—	C23556
3		.2130	2-3/8	1-1/4	—	C23557
	5.50	.2165	66	28	—	C23917
7/32		.2188	2-3/8	1-1/4	C68501	C23470
	5.60	.2205	66	28	—	C23918
2		.2210	2-7/16	1-5/16	—	C23558
	5.70	.2244	66	28	—	C23919
1		.2280	2-7/16	1-5/16	—	C23559
	5.80	.2283	66	28	—	C24058
15/64		.2344	2-7/16	1-5/16	C68502	C23471
	6.00	.2362	66	28	—	C23920
	6.10	.2402	70	31	—	C23921
	6.30	.2480	70	31	—	C23922
1/4		.2500	2-1/2	1-3/8	C68503	C23472
	6.50	.2559	70	31	—	C23923
	6.60	.2598	70	31	—	C23924
17/64		.2656	2-5/8	1-7/16	C68504	C23473
	6.80	.2677	74	34	—	C23925
	6.90	.2717	74	34	—	C23926
	7.00	.2756	74	34	—	C23927
9/32		.2812	2-11/16	1-1/2	C68505	C23474
	7.20	.2835	74	34	—	C23928
	7.30	.2874	74	34	—	C23929
	7.50	.2953	74	34	—	C23930
19/64		.2969	2-3/4	1-9/16	C68506	C23475
5/16		.3125	2-13/16	1-5/8	C68507	C23476
	8.00	.3150	79	37	—	C23931
21/64		.3281	2-15/16	1-11/16	C68508	C23477
	8.50	.3346	79	37	—	C23932
11/32		.3438	3	1-11/16	C68509	C23478
	9.00	.3543	84	40	—	C23933
23/64		.3594	3-1/16	1-3/4	C68510	C23479
	9.50	.3740	84	40	—	C23934
3/8		.3750	3-1/8	1-13/16	C68511	C23480
25/64		.3906	3-1/4	1-7/8	C68512	C23481
	10.00	.3937	89	43	—	C23935
	10.20	.4016	89	43	—	C23936
13/32		.4062	3-5/16	1-15/16	C68513	C23482
	10.50	.4134	89	43	—	C23937
27/64		.4219	3-3/8	2	C68514	C23483
	11.00	.4331	95	47	—	C23938
7/16		.4375	3-7/16	2-1/16	C68515	C23484
	11.50	.4528	95	47	—	C23939
29/64		.4531	3-9/16	2-1/8	C68516	C23485

continued on next page

drill diameter frac/wire/let mm	decimal equivalent	overall length	flute length	order number	
				1621 Black Oxide	1896 Black Oxide
15/32	.4688	3-5/8	2-1/8	C68517	C23486
12.00	.4724	102	51	—	C23940
12.20	.4803	102	51	—	C23941
31/64	.4844	3-11/16	2-3/16	C68518	C23487
12.50	.4921	102	51	—	C23942
1/2	.5000	3-3/4	2-1/4	C68519	C23488
13.00	.5118	102	51	—	C23943
13.50	.5315	107	54	—	C23964
14.00	.5512	107	54	—	C23965
14.50	.5709	111	56	—	C23966
15.00	.5906	111	56	—	C23967
16.00	.6299	115	58	—	C23969
17.00	.6693	119	60	—	C23971

SET

Style: **1896**

Screw Machine Length
- Sets Heavy Duty

Metal Case



60-Piece Set
Black Oxide
#C21947

drill sizes	no. of pieces	order number
		1896 Black Oxide
1/16" – 1/2" x 1/64"	29	C21133
#1 – #60	60	C21947

Extended Length
Aircraft Extension 6" and 12"

General Application Drills

Styles: **1630, 1631, 1803, 1805**



Note
Superior rigidity in hand
or machine drilling.



6" OAL Black Oxide



12" OAL Black Oxide

drill diameter frac/wire/let	decimal equivalent	flute length	order number			
			1630 6" Overall	1631 12" Overall	1803 6" Overall	1805 12" Overall
1/16	.0625	7/8	C68867	C68936	C23621	C23721
5/64	.0781	1	C68868	C68937	C23622	C23722
3/32	.0938	1-1/4	C68869	C68938	C23623	C23723
40	.0980	1-3/8	C68935	C69004	C23700	C23800
39	.0995	1-3/8	C68934	C69003	C23699	C23799
38	.1015	1-7/16	C68933	C69002	C23698	—
37	.1040	1-7/16	C68932	C69001	C23697	—
36	.1065	1-7/16	C68931	C69000	C23696	—
7/64	.1094	1-1/2	C68870	C68939	C23624	C23724
35	.1100	1-1/2	C68930	C68999	C23695	—
34	.1110	1-1/2	C68929	C68998	C23694	—
33	.1130	1-1/2	C68928	C68997	C23693	—
32	.1160	1-5/8	C68927	C68996	C23692	—
31	.1200	1-5/8	C68926	C68995	C23691	C23791
1/8	.1250	1-5/8	C68871	C68940	C23625	C23725
30	.1285	1-5/8	C68925	C68994	C23690	C23790
29	.1360	1-3/4	C68924	C68993	C23689	C23789
28	.1405	1-3/4	C68923	C68992	C23688	—
9/64	.1406	1-3/4	C68872	C68941	C23626	C23726
27	.1440	1-7/8	C68922	C68991	C23687	—
26	.1470	1-7/8	C68921	C68990	C23686	—
25	.1495	1-7/8	C68920	C68989	C23685	C23785
24	.1520	2	C68919	C68988	C23684	—
23	.1540	2	C68918	C68987	C23683	—
5/32	.1562	2	C68873	C68942	C23627	C23727
22	.1570	2	C68917	C68986	C23682	—
21	.1590	2-1/8	C68916	C68985	C23681	C23781
20	.1610	2-1/8	C68915	C68984	C23680	C23780
19	.1660	2-1/8	C68914	C68983	C23679	C23779
18	.1695	2-1/8	C68913	C68982	C23678	—
11/64	.1719	2-1/8	C68874	C68943	C23628	C23728
17	.1730	2-3/16	C68912	C68981	C23677	—
16	.1770	2-3/16	C68911	C68980	C23676	C23776
15	.1800	2-3/16	C68910	C68979	C23675	—
14	.1820	2-3/16	C68909	C68978	C23674	—
13	.1850	2-5/16	C68908	C68977	C23673	C23773

continued on next page

HOLEMAKING

drill diameter	decimal equivalent	flute length	order number			
			 1630 6" Overall	 1631 12" Overall	1803 6" Overall	1805 12" Overall
3/16	.1875	2-5/16	C68875	C68944	C23629	C23729
12	.1890	2-5/16	C68907	C68976	C23672	C23772
11	.1910	2-5/16	C68906	C68975	C23671	C23771
10	.1935	2-7/16	C68905	C68974	C23670	C23770
9	.1960	2-7/16	C68904	C68973	C23669	C23769
8	.1990	2-7/16	C68903	C68972	C23668	C23768
7	.2010	2-7/16	C68902	C68971	C23667	C23767
13/64	.2031	2-7/16	C68876	C68945	C23630	C23730
6	.2040	2-1/2	C68901	C68970	C23666	C23766
5	.2055	2-1/2	C68900	C68969	C23665	C23765
4	.2090	2-1/2	C68899	C68968	C23664	C23764
3	.2130	2-1/2	C68898	C68967	C23663	C23763
7/32	.2188	2-1/2	C68877	C68946	C23631	C23731
2	.2210	2-5/8	C68897	C68966	C23662	C23762
1	.2280	2-5/8	C68896	C68965	C23661	C23761
15/64	.2344	2-5/8	C68878	C68947	C23632	C23732
1/4, E	.2500	2-3/4	C68879	C68948	C23633	C23733
17/64	.2656	2-5/8	C68880	C68949	C23634	C23734
9/32	.2812	3-1/16	C68881	C68950	C23635	C23735
19/64	.2969	3-1/16	C68882	C68951	C23636	C23736
5/16	.3125	3-3/16	C68883	C68952	C23637	C23737
21/64	.3281	3-7/16	C68884	C68953	C23638	C23738
11/32	.3438	3-7/16	C68885	C68954	C23639	C23739
23/64	.3594	3-1/2	C68886	C68955	C23640	C23740
3/8	.3750	3-5/8	C68887	C68956	C23641	C23741
25/64	.3906	3-3/4	C68888	C68957	C23642	C23742
13/32	.4062	3-3/4	C68889	C68958	C23643	C23743
27/64	.4219	3-15/16	C68890	C68959	C23644	C23744
7/16	.4375	4-1/16	C68891	C68960	C23645	C23745
29/64	.4531	4-3/16	C68892	C68961	—	C23746
15/32	.4688	4-5/6	C68893	C68962	—	—
31/64	.4844	4-3/8	C68894	C68963	—	—
1/2	.5000	4-1/2	C68895	C68964	C23649	C23749

Extra Length
Extended 12", and 18"

General Application Drills



Styles: 1806, 1807



order number

drill diameter	decimal equivalent	order number	
		1806 9" Flute Length 12" Overall Length	1807 14" Flute Length 18" Overall Length
1/8	.1250	C20436	—
5/32	.1562	C20438	—
3/16	.1875	C20440	—
7/32	.2188	C20442	—
1/4	.2500	C20444	C20481
9/32	.2812	C20446	C20483
5/16	.3125	C20448	C20485
11/32	.3438	C20450	C20487
3/8	.3750	C20452	C20489
13/32	.4062	C20454	C20491
7/16	.4375	C20456	C20493
15/32	.4688	C20458	C20495
1/2	.5000	C20460	C20497
17/32	.5313	C20462	—
9/16	.5625	C20464	—
19/32	.5938	C20466	—
5/8	.6250	C20468	—
21/32	.6563	C20470	—
11/16	.6875	C20472	—



drill diameter	decimal equivalent	overall length	flute length	morse taper number	order number	
					1682 Black Oxide	1894 Black Oxide
1/8	.1250	5-1/8	1-7/8	1	—	C20049
9/64	.1406	5-1/8	1-7/8	1	—	C20050
5/32	.1562	5-3/8	2-1/8	1	—	C20051
11/64	.1719	5-3/4	2-1/2	1	—	C20052
3/16	.1875	5-3/4	2-1/2	1	—	C20053
13/64	.2031	6	2-3/4	1	—	C20054
7/32	.2188	6	2-3/4	1	—	C20055
15/64	.2344	6-1/8	2-7/8	1	—	C20056
1/4	.2500	6-1/8	2-7/8	1	—	C20057
17/64	.2656	6-1/4	3	1	—	C20058
9/32	.2812	6-1/4	3	1	—	C20059
19/64	.2969	6-3/8	3-1/8	1	—	C20060
5/16	.3125	6-3/8	3-1/8	1	C68779	C20061
21/64	.3281	6-1/2	3-1/4	1	C68780	C20062
11/32	.3438	6-1/2	3-1/4	1	C68781	C20063
23/64	.3594	6-3/4	3-1/2	1	C68782	C20064
3/8	.3750	6-3/4	3-1/2	1	C68794	C20524
3/8	.3750	7-3/8	3-1/2	2	C68738	C20020
25/64	.3906	7	3-5/8	1	C68795	C20525
25/64	.3906	7	3-5/8	2	C68739	—
13/32	.4062	7	3-5/8	1	C68796	C20526
13/32	.4063	7-1/2	3-5/8	2	C68740	C20022
27/64	.4219	7-1/4	3-7/8	1	C68797	C20527
27/64	.4219	7-3/4	3-7/8	2	C68741	—
7/16	.4375	7-1/4	3-7/8	1	C68798	C20528
7/16	.4375	7-3/4	3-7/8	2	C68742	C20024
29/64	.4531	7-1/2	4-1/8	1	C68799	C20529
29/64	.4531	8	4-1/8	2	C68743	—
15/32	.4688	7-1/2	4-1/8	1	C68800	C20530
31/64	.4844	8-1/4	4-3/8	2	C68801	—
1/2	.5000	7-3/4	4-3/8	1	C68744	C20026
1/2	.5000	8-1/4	4-3/8	2	C68802	—
33/64	.5156	8-1/2	4-5/8	2	C68803	—
17/32	.5312	8	4-5/8	1	C68745	—
17/32	.5312	8-1/2	4-5/8	2	C68804	—
35/64	.5469	8-3/4	4-7/8	2	C68805	C20535
9/16	.5625	8-3/4	4-7/8	2	C68806	—
37/64	.5781	8-3/4	4-7/8	2	C68807	—
19/32	.5938	8-3/4	4-7/8	2	C68808	—
39/64	.6094	8-3/4	4-7/8	2	C68809	—
5/8	.6250	8-3/4	4-7/8	2	C68810	C20540

continued on next page

drill diameter	decimal equivalent	overall length	flute length	morse taper number	order number	
					1682 Black Oxide	1894 Black Oxide
41/64	.6406	9	5-1/8	2	C68811	—
21/32	.6562	9	5-1/8	2	C68812	—
21/32	.6562	9-3/4	5-1/8	3	C68746	—
43/64	.6719	9-1/4	5-3/8	2	C68813	C20543
11/16	.6875	9-1/4	5-3/8	2	C68814	—
11/16	.6875	10	5-3/8	3	C68747	C20029
45/64	.7031	9-1/2	5-5/8	2	C68815	C20545
23/32	.7188	9-1/2	5-5/8	2	C68816	—
47/64	.7344	9-3/4	5-7/8	2	C68817	—
3/4	.7500	9-3/4	5-7/8	2	C68818	—
3/4	.7500	10-1/2	5-7/8	3	C68748	C20030
49/64	.7656	9-7/8	6	2	C68819	C20549
49/64	.7656	10-5/8	6	3	C68749	—
25/32	.7812	9-7/8	6	2	C68820	C20550
25/32	.7812	10-5/8	6	3	C68750	—
51/64	.7969	10-3/4	6-1/8	3	C68821	C20551
13/16	.8125	10	6-1/8	2	C68751	—
13/16	.8125	10-3/4	6-1/8	3	C68822	C20552
53/64	.8281	10-3/4	6-1/8	3	C68823	C20553
27/32	.8438	10	6-1/8	2	C68752	—
27/32	.8438	10-3/4	6-1/8	3	C68824	C20554
55/64	.8594	10-3/4	6-1/8	3	C68825	C20555
7/8	.8750	10	6-1/8	2	C68753	C20035
7/8	.8750	10-3/4	6-1/8	3	C68826	C20556
57/64	.8906	10-3/4	6-1/8	3	C68827	C20557
29/32	.9062	10-3/4	6-1/8	3	C68828	C20558
59/64	.9219	10-3/4	6-1/8	3	C68829	C20559
15/16	.9375	10-3/4	6-1/8	3	C68830	C20560
61/64	.9531	11	6-3/8	3	C68831	C20561
31/32	.9688	11	6-3/8	3	C68832	C20562
63/64	.9844	11	6-3/8	3	C68833	C20563
1	1.0000	11	6-3/8	3	C68834	C20564
1	1.0000	12	6-3/8	4	C68754	—
1-1/64	1.0156	11-1/8	6-1/2	3	C68835	C20565
1-1/32	1.0312	11-1/8	6-1/2	3	C68836	C20566
1-3/64	1.0469	11-1/4	6-5/8	3	C68837	C20567
1-1/16	1.0625	11-1/4	6-5/8	3	C68838	C20568
1-1/16	1.0625	12-1/4	6-5/8	4	C68755	—
1-5/64	1.0781	12-1/2	6-7/8	4	C68839	C20569
1-3/32	1.0938	11-1/2	6-7/8	3	C68756	—
1-3/32	1.0938	12-1/2	6-7/8	4	C68840	C20570
1-7/64	1.1094	11-3/4	7-1/8	3	C68757	—
1-7/64	1.1094	12-3/4	7-1/8	4	C68841	C20571
1-1/8	1.1250	11-3/4	7-1/8	3	C68758	C20040
1-1/8	1.1250	12-3/4	7-1/8	4	C68842	C20572
1-9/64	1.1406	12-7/8	7-1/4	4	C68843	C20573
1-5/32	1.1562	11-7/8	7-1/4	3	C68759	—
1-5/32	1.1562	12-7/8	7-1/4	4	C68844	C20574
1-11/64	1.1719	13	7-3/8	4	C68845	C20575
1-3/16	1.1875	12	7-3/8	3	C68760	—
1-3/16	1.1875	13	7-3/8	4	C68846	C20576

continued on next page


drill diameter	decimal equivalent	overall length	flute length	morse taper number	order number	
					1682 Black Oxide	1894 Black Oxide
1-13/64	1.2031	13-1/8	7-1/2	4	C68847	C20577
1-7/32	1.2188	13-1/8	7-1/2	4	C68848	C20578
1-15/64	1.2344	13-1/2	7-7/8	4	C68849	C20579
1-1/4	1.2500	12-1/2	7-7/8	3	C68761	C20043
1-1/4	1.2500	13-1/2	7-7/8	4	C68850	C20580
1-17/64	1.2656	14-1/8	8-1/2	4	C68851	C20581
1-9/32	1.2812	14-1/8	8-1/2	4	C68852	C20582
1-19/64	1.2969	14-1/4	8-5/8	4	C68853	C20583
1-5/16	1.3125	14-1/4	8-5/8	4	C68854	C20584
1-21/64	1.3281	14-3/8	8-3/4	4	C68855	C20585
1-11/32	1.3438	14-3/8	8-3/4	4	C68856	C20586
1-23/64	1.3594	14-1/2	8-7/8	4	C68857	C20587
1-3/8	1.3750	14-1/2	8-7/8	4	C68858	C20588
1-25/64	1.3906	14-5/8	9	4	C68859	C20589
1-13/32	1.4062	14-5/8	9	4	C68860	C20590
1-27/64	1.4219	14-3/4	9-1/8	4	C68861	C20591
1-7/16	1.4375	14-3/4	9-1/8	4	C68862	C20592
1-29/64	1.4531	14-7/8	9-1/4	4	C68863	—
1-15/32	1.4688	14-7/8	9-1/4	4	C68864	—
1-31/64	1.4844	15	9-3/8	4	C68865	—
1-1/2	1.5000	15	9-3/8	4	C68866	C20596
1-17/32	1.5312	15	9-3/8	4	C68762	—
1-17/32	1.5312	16-3/8	9-3/8	5	C68783	—
1-9/16	1.5625	16-5/8	9-5/8	5	C68784	C20068
1-19/32	1.5938	16-7/8	9-7/8	5	C68785	—
1-5/8	1.6250	15-5/8	10	4	C68763	C20045
1-5/8	1.6250	17	10	5	C68786	C20072
1-21/32	1.6562	17-1/8	10-1/8	5	C68787	—
1-11/16	1.6875	17-1/8	10-1/8	5	C68788	—
1-23/32	1.7188	17-1/8	10-1/8	5	C68764	—
1-3/4	1.7500	16-1/4	10-3/8	4	C68765	—
1-3/4	1.7500	17-1/8	10-3/8	5	C68789	—
1-13/16	1.8125	17-1/8	10-1/8	5	C68790	—
1-7/8	1.8750	17-3/8	10-3/8	5	C68791	—
1-15/16	1.9375	17-3/8	10-3/8	5	C68792	—
2	2.0000	16-5/8	10-5/8	4	C68766	—
2	2.0000	17-3/8	10-3/8	5	C68793	—

Reduced Shank
Silver & Deming

General Application Drills



Styles: 1680, 1681, 1813, 1892, 1877



Note
*Metric sizes made to order (minimum order quantities apply).
1/2" reduced shank.
Style 1877M (Metric) now combined with style 1877.



Style #1680 / 1813 black oxide with round shank



Style #1681 / 1892 black oxide with flatted shank



Style #1877 black & gold split point with flatted shank

					order number				
drill diameter		decimal	overall	flute	1680	1681	1813	1892	1877
fractional	mm	equivalent	length	length	Round Shank Black Oxide	(3)Flatted Shank Black Oxide	Round Shank Black Oxide	(3)Flatted Shank Black Oxide	(3)Flatted Shank Black & Gold
1/2		.5000	6	3-1/8	C68631	C68674	C20732	C20670	—
	13.0	.5118	152	79	—	—	C21070	—	C21170
33/64		.5156	6	3-1/8	C68632	C68675	C20733	C20671	C17031
17/32		.5312	6	3-1/8	C68633	C68676	C20734	C20672	C17032
	13.5	.5315	152	79	—	—	C21071	—	C21171
35/64		.5469	6	3-1/8	C68634	C68677	C20735	C20673	C17033
	14.0	.5512	152	79	—	—	C21072	—	C21172
9/16		.5625	6	3-1/8	C68635	C68678	C20736	C20674	C17034
	14.5	.5709	152	79	—	—	C21073	—	C21173
37/64		.5781	6	3-1/8	C68636	C68679	C20737	C20675	C17035
	15.0	.5906	152	79	—	—	C21074	—	C21174
19/32		.5938	6	3-1/8	C68637	C68680	C20738	C20676	C17036
39/64		.6094	6	3-1/8	C68638	C68681	C20739	C20677	C17037
	15.5	.6102	152	79	—	—	C21075	—	C21175
5/8		.6250	6	3-1/8	C68639	C68682	C20740	C20678	C17038
	16.0	.6299	152	79	—	—	C21076	—	C21176
41/64		.6406	6	3-1/8	C68640	C68683	C20741	C20679	C17039
	16.5	.6496	152	79	—	—	C21077	—	C21177
21/32		.6562	6	3-1/8	C68641	C68684	C20742	C20680	C17040
	17.0	.6693	152	79	—	—	C21078	—	C21178
43/64		.6719	6	3-1/8	C68642	C68685	C20743	C20681	C17041
11/16		.6875	6	3-1/8	C68643	C68686	C20744	C20682	C17042
	17.5	.6890	152	79	—	—	C21079	—	C21179
45/64		.7031	6	3-1/8	C68644	C68687	C20745	C20683	C17043
	18.0	.7087	152	79	—	—	C21080	—	C21180
23/32		.7188	6	3-1/8	C68645	C68688	C20746	C20684	C17044
	18.5	.7283	152	79	—	—	C21081	—	C21181
47/64		.7344	6	3-1/8	C68646	C68689	C20747	C20685	C17045
	19.0	.7480	152	79	—	—	C21082	—	C21182
3/4		.7500	6	3-1/8	C68647	C68690	C20748	C20686	C17046
49/64		.7656	6	3-1/8	C68648	C68691	C20749	C20687	C17047
	19.5	.7677	152	79	—	—	C21083	—	C21183
25/32		.7812	6	3-1/8	C68649	C68692	C20750	C20688	C17048
	20.0	.7874	152	79	—	—	C21084	—	C21184
51/64		.7969	6	3-1/8	C68650	C68693	C20669	—	C17049
13/16		.8125	6	3-1/8	C68651	C68694	C20751	C20689	C17050
	21.0	.8268	152	79	—	—	C21085	—	C21185
53/64		.8281	6	3-1/8	C68652	C68695	C20724	—	C17051
27/32		.8438	6	3-1/8	C68653	C68696	C20752	C20690	C17052
55/64		.8594	6	3-1/8	C68654	C68697	C20725	—	C17053
	22.0	.8661	152	79	—	—	C21086	—	C21186
7/8		.8750	6	3-1/8	C68655	C68698	C20753	C20691	C17054
57/64		.8906	6	3-1/8	C68656	C68699	C20726	—	C17055

continued on next page

HOLEMAKING

Styles: 1680, 1681, 1813, 1892, 1877 (continued)

drill diameter		decimal equivalent	overall length	flute length	order number				
fractional	mm				1680 Round Shank Black Oxide	1681 (3) Flatted Shank Black Oxide	1813 Round Shank Black Oxide	1892 (3) Flatted Shank Black Oxide	1877 (3) Flatted Shank Black & Gold
	23.0	.9055	152	79	—	—	C21087	—	C21187
29/32		.9062	6	3-1/8	C68657	C68700	C20754	C20692	C17056
59/64		.9219	6	3-1/8	C68658	C68701	C20727	—	C17057
15/16		.9375	6	3-1/8	C68659	C68702	C20755	C20693	C17058
	24.0	.9449	152	79	—	—	C21088	—	C21188
61/64		.9531	6	3-1/8	C68660	C68703	C20728	—	C17059
31/32		.9688	6	3-1/8	C68661	C68704	C20756	C20694	C17060
	25.0	.9843	152	79	—	—	C21089	—	C21189
63/64		.9844	6	3-1/8	C68662	C68705	C20729	—	C17061
1		1.0000	6	3-1/8	C68663	C68706	C20757	C20695	C17062
1-1/64		1.0156	6	3-1/8	—	C68707	—	—	—
1-1/32		1.0312	6	3-1/8	C68664	C68708	C20730	—	—
1-3/64		1.0469	6	3-1/8	—	C68709	—	—	—
1-1/16		1.0625	6	3-1/8	C68665	C68710	C20758	C20696	C17066
1-5/64		1.0781	6	3-1/8	—	C68711	—	—	—
1-3/32		1.0938	6	3-1/8	—	C68712	—	—	—
1-7/64		1.1094	6	3-1/8	—	C68713	—	—	—
1-1/8		1.1250	6	3-1/8	C68666	C68714	C20759	C20697	C17070
1-9/64		1.1406	6	3-1/8	—	C68715	—	—	—
1-5/32		1.1562	6	3-1/8	C68667	C68716	C20731	—	—
1-11/64		1.1719	6	3-1/8	—	C68717	—	—	—
1-3/16		1.1875	6	3-1/8	C68668	C68718	C20760	C20698	C17074
1-13/64		1.2031	6	3-1/8	—	C68719	—	—	—
1-7/32		1.2188	6	3-1/8	—	C68720	—	—	—
1-15/64		1.2344	6	3-1/8	—	C68721	—	—	—
1-1/4		1.2500	6	3-1/8	C68669	C68722	C20761	C20699	C17078
1-17/64		1.2656	6	3-1/8	—	C68723	—	—	—
1-9/32		1.2812	6	3-1/8	—	C68724	—	—	—
1-19/64		1.2969	6	3-1/8	—	C68725	—	—	—
1-5/16		1.3125	6	3-1/8	C68670	C68726	C20762	—	C17082
1-21/64		1.3281	6	3-1/8	—	C68727	—	—	—
1-11/32		1.3438	6	3-1/8	—	C68728	—	—	—
1-23/64		1.3594	6	3-1/8	—	C68729	—	—	—
1-3/8		1.3750	6	3-1/8	C68671	C68730	C20763	—	C17086
1-25/64		1.3906	6	3-1/8	—	C68731	—	—	—
1-13/32		1.4062	6	3-1/8	—	C68732	—	—	—
1-27/64		1.4219	6	3-1/8	—	C68733	—	—	—
1-7/16		1.4375	6	3-1/8	C68672	C68734	C20764	—	C17090
1-29/64		1.4531	6	3-1/8	—	C68735	—	—	—
1-31/64		1.4844	6	3-1/8	—	C68736	—	—	—
1-1/2		1.5000	6	3-1/8	C68673	C68737	C20765	—	C17094

HOLEMAKING

SET

Styles: 1680, 1681, 1813, 1892, 1877

**Reduced Shank Sets
Silver & Deming**

Metal Case (unless noted otherwise)

sizes	no. of pieces	order number				
		1680 Round Shank	1681 (3) Flatted Shank	1813 Round Shank	1892 (3) Flatted Shank	1877 (3) Flatted Shank
9/16" - 1" x 1/16"	8	C69039	C69040	C21135	C22761	*C21164
1/2" - 1" x 1/64"	33	—	—	C21134	—	—

*Plastic Case



Masonry
Carbide Tipped

Other Drills / Accessories



Style: **1818**



Parts may vary slightly.
This style was updated;
previous style will be shipped
until inventory is depleted.

Note

Precision: squared tip for better centering.
High grade carbide for longer lasting life.
Use with rotation or rotary percussion drill motors.
Sandblasted finish.



cutting diameter		shank diameter	working length	overall length	order number
fractional	decimal				1818
1/8	.1250	3/32"	1-3/8	3	C20930
3/16	.1875	5/32"	2-1/2	4	C20932
3/16	.1875	5/32"	4	6	C20910
1/4	.2500	7/32"	2-1/2	4	C20934
1/4	.2500	7/32"	4	6	C20935
1/4	.2500	3/16"	10	12	C20911
5/16	.3125	15/64"	2-1/2	4	C20937
5/16	.3125	15/64"	4	6	C20938
5/16	.3125	15/64"	10	12	C20912
3/8	.3750	5/16"	2-1/2	4	C20939
3/8	.3750	5/16"	4	6	C20940
3/8	.3750	5/16"	10	12	C20913
1/2	.5000	3/8"	4	6	C20944
1/2	.5000	3/8"	10	12	C20914
5/8	.6250	1/2"	4	6	C20946
5/8	.6250	1/2"	10	12	C20925
3/4	.7500	1/2"	4	6	C20948
3/4	.7500	1/2"	10	12	C20926
7/8	.8750	1/2"	10	12	C20927
1	1.0000	1/2"	4	6	C20950
1	1.0000	1/2"	10	12	C20928

Masonry
Carbide Tipped

SET

Style: **1818**

Plastic Case



drill sizes	no. of pieces	order number
1/8, 5/32, 3/16, 1/4, 5/16	5	1818 C20929



Masonry
Carbide Tipped

Style: **1841 Tapcon**



Parts may vary slightly. This style
was updated; previous style will be
shipped until inventory is depleted.

Note

Sandblasted finish.
Flat and cylindrical shank.
Squared tip for better centering.
20% More battery life.



cutting diameter		shank diameter	flute length	overall length	order number
fractional	decimal				1841
5/32	.1562	5/32"	3-3/32"	4-1/2	C19010
5/32	.1562	5/32"	3-53/64"	5-1/2	C19012
3/16	.1875	5/32"	2-9/16"	4-1/2	C19011
3/16	.1875	5/32"	3-13/16"	5-1/2	C19013

HOLEMAKING

Style: 1889

Note

Durability in concrete, brick, and brittle materials.
Speeds up dust extraction.
Better resistance to high temperature when drilling.
Use with rotation or rotary percussion drill motors.
Sandblasted finish.



Parts may vary slightly. This style was updated; previous style will be shipped until inventory is depleted.



cutting diameter		shank diameter	flute length	overall length	order number
fractional	decimal				
1/8	.1250	3/32"	1-9/16"	3	C23286
3/16	.1875	5/32"	3-15/16	4	C23270
1/4	.2500	7/32"	2-11/64	4	C23287
1/4	.2500	7/32"	3-3/4	6	C23271
1/4	.2500	7/32"	8-25/32	12	C23272
5/16	.3125	15/64"	2-11/64	4	C23288
5/16	.3125	15/64"	3-3/4	6	C23273
5/16	.3125	15/64"	8-25/32	12	C23274
3/8	.3750	5/16"	2-11/64	4-1/2	C23289
3/8	.3750	5/16"	3-3/4	6	C23275
3/8	.3750	5/16"	8-25/32	12	C23276
1/2	.5000	3/8"	2-11/64	4-1/2	C23278
1/2	.5000	3/8"	3-3/4	6	C23280
1/2	.5000	3/8"	8-25/32	12	C23281
5/8	.6250	1/2"	3-11/32	6	C23282
3/4	.7500	1/2"	3-5/64	6	C23283

Style: 1822

Note

New harder carbide grade. Used dry.
4 Sided design "diamond style" tip improves precision and penetration. Suitable for more materials: non-tempered glass, plastic, composite, brick, marble.
Drills through up to class 3 ceramic tiles.

Parts may vary slightly. This style was updated; previous style will be shipped until inventory is depleted.



cutting diameter		overall length	order number
fractional	decimal		
1/8	.1250	3-5/32	C20718
3/16	.1875	3-5/32	C20719
1/4	.2500	3-15/16	C20720
5/16	.3125	3-15/16	C20721
3/8	.3750	3-15/16	C20722
1/2	.5000	3-15/16	C20723

SET

Style: 1822

drill sizes	no. of pieces	order number
1/8", 1/4", 3/8", 1/2"	4	C21148

Masonry
SDS® Carbide Tipped

Other Drills / Accessories



Style: **1821** SDS® - plus 2 Cutting Premium



Parts may vary slightly.
This style was updated;
previous style will be shipped
until inventory is depleted.

Note

- Carbide Tip. Square Flute.
- Self Centering And Concrete Breaker Tip. Compatible SDS-Plus Shank.
- 160° Tip Angle. Chiseling Effect To Break Concrete.



cutting diameter		shank diameter	working length	overall length	order number
fractional	decimal				
3/16	.1875	SDS + shank 3/8"	2	4	C21032
3/16	.1875	SDS + shank 3/8"	4	6	C20712
3/16	.1875	SDS + shank 3/8"	6	8	C21033
3/16	.1875	SDS + shank 3/8"	10	12	C21020
1/4	.2500	SDS + shank 3/8"	2	4	C21034
1/4	.2500	SDS + shank 3/8"	4	6	C20713
1/4	.2500	SDS + shank 3/8"	6	8	C21035
1/4	.2500	SDS + shank 3/8"	10	12	C21021
5/16	.3125	SDS + shank 3/8"	4	6	C21036
5/16	.3125	SDS + shank 3/8"	10	12	C21022
3/8	.3750	SDS + shank 3/8"	4	6	C20714
3/8	.3750	SDS + shank 3/8"	6	8	C21039
3/8	.3750	SDS + shank 3/8"	10	12	C21040
3/8	.3750	SDS + shank 3/8"	16	18	C21023
1/2	.5000	SDS + shank 3/8"	4	6	C20715
1/2	.5000	SDS + shank 3/8"	6	8	C21042
1/2	.5000	SDS + shank 3/8"	10	12	C21043
1/2	.5000	SDS + shank 3/8"	16	18	C21024
5/8	.6250	SDS + shank 3/8"	6	8	C21025
5/8	.6250	SDS + shank 3/8"	10	12	C21046
5/8	.6250	SDS + shank 3/8"	16	18	C21026
3/4	.7500	SDS + shank 3/8"	6	8	C20717
3/4	.7500	SDS + shank 3/8"	10	12	C21048
3/4	.6250	SDS + shank 3/8"	16	18	C21027
7/8	.8750	SDS + shank 3/8"	8	10	C21028
1	1.0000	SDS + shank 3/8"	10	12	C21029
1	1.0000	SDS + shank 3/8"	16	18	C21030

Masonry
SDS® Carbide Tipped

SET

Styles: **1821**

Plastic Case



drill sizes	no. of pieces	order number
3/16", 1/4", 5/16", 3/8", 1/2" x 6	5	C21031



Note

- Monobloc carbide tip with self centering point.
- 3 Cutting edges.
- 135° Tip angle.
- Combines square and round flute shape.
- Compatible SDS-plus shank.
- The solution for drilling rebar and concrete without cracking.



HOLEMAKING

cutting diameter		shank diameter	working length	overall length	order number
fractional	decimal				
3/16	.1875	SDS + shank 3/8"	2	4	C22100
3/16	.1875	SDS + shank 3/8"	4	6	C22101
1/4	.2500	SDS + shank 3/8"	2	4	C22102
1/4	.2500	SDS + shank 3/8"	4	6	C22103
1/4	.2500	SDS + shank 3/8"	10	12	C22104
5/16	.3125	SDS + shank 3/8"	4	6	C22105
5/16	.3125	SDS + shank 3/8"	10	12	C22106
3/8	.3750	SDS + shank 3/8"	4	6	C22107
3/8	.3750	SDS + shank 3/8"	10	12	C22108
1/2	.5000	SDS + shank 3/8"	4	6	C22109
1/2	.5000	SDS + shank 3/8"	10	12	C22110
9/16	.5625	SDS + shank 3/8"	4	6	C22111
9/16	.5625	SDS + shank 3/8"	10	12	C22112



Masonry

Multi-purpose Carbide Tipped

Style: **1838**

NEW

Note

Carbide tip. Used in low density Wood, Alloy Steel, Non-118° point angle. Ferrous Materials, Slate, Universal use. Composite, and Tile



cutting diameter		shank diameter	working length	overall length	order number
fractional	decimal				
1/8	.1250	7/64"	25/32	2-1/2	1838 C22210
5/32	.1562	5/32"	1-3/8	3	C22211
3/16	.1875	3/16"	1-25/32	3-1/2	C22212
1/4	.2500	7/32"	2-1/2	4	C22213
5/16	.3125	19/64"	3	4-1/2	C22214
3/8	.3750	23/64"	3	4-1/2	C22215
1/2	.5000	31/64"	4	6	C22216
5/8	.6250	1/2"	4	6	C22217

Masonry

Multi-purpose Carbide Tipped

SET

Style: **1838**

drill sizes	no. of pieces	order number
1/8", 5/32", 3/16", 1/4", 5/16"	5	1838 C22218

Masonry

Universal

Style: **1837**

Note

Carbide tip. L shaped flute. Universal use.

Parts only available until inventory is depleted.



cutting diameter		shank diameter	flute length	overall length	order number
fractional	decimal				
1/8	.1250	7/64"	1-11/32	2-3/4	1837 C22200
5/32	.1562	5/32"	1-9/16	3	C22201
3/16	.1875	3/16"	1-31/32	3-5/16	C22202
1/4	.2500	7/32"	2-23/64	3-15/16	C22203
5/16	.3125	19/64"	2-53/64	4-3/4	C22204
3/8	.3750	23/64"	2-53/64	4-3/4	C22205
1/2	.5000	31/64"	3-19/32	5-7/8	C22206
5/8	.6250	1/2"	3-7/64	5-7/8	C22207



Masonry

Universal

SET

Style: **1837**

drill sizes	no. of pieces	order number
1/8", 5/32", 3/16", 1/4", 5/16"	5	1837 C22208



Note

Standard off-the-shelf delivery from stock.



Bright

TiN

Inch Sizes

step description	hole sizes	decimal equivalent	shank diameter	overall length	order number	
					1874 Bright	1874TN TiN
3/16-1/2 x 1/16	3/16-1/2	.1875 - .5000	1/4	3-1/8	C20285	C20295
3/16-7/8 x 1/16	3/16-7/8	.1875 - .8750	3/8	3-1/4	C20288	C20298
1/8-1/2 x 1/32	1/8-1/2	.1250 - .5000	1/4	3-1/8	C20286	C20296
1/4-3/4 x 1/16	1/4-3/4	.2500 - .7500	3/8	2-3/4	C20287	C20297
7/8 - 1-3/8	7/8 - 1-3/8	.8750 - 1.3750	3/8	3-1/4	C20290	—
7/8 - 1-1/8	7/8 - 1-1/8	.8750 - 1.1250	3/8	3-7/64	C20293	—

SET

Metal Case

drilling diameter range	no. of pieces	order number	
		1874 Bright	1874TN TiN
3/16 - 3/4	3	C20325	C20326



3-Piece Set
TiN
#C20326

Note

For use with 1/4" hex shank drills or for 1/4" and 3/8" shank drills.

Installs in 3/8" or larger chucks.

Converts standard power tool chucks to quick-change operation.

No chuck keys needed.



#C20920



#C20958



#C20957

Black
Oxide

description	order number
Quick-change chuck insert converts standard chucks to quick-change operation	1817 C20920
Quick-change chuck for 1/4" hex shank drills	C20955
Dual-drive quick-change chuck for 1/4" and 3/8" hex shank tools	C20956
Extra length (6" OAL) quick-drive quick-change chuck for 1/4" hex shank tools	C20958
Extra length (12" OAL) quick-drive quick-change chuck for 1/4" hex shank tools	C20957

Specialty
Double End

Other Drills / Accessories



Styles: **1683, 1815**



P

Note
Made specifically for sheet metal and other thin materials having a thickness similar to the drill diameter.



order number

drill diameter frac/wire	mm	decimal equivalent	overall length	flute length	1683	1815
					Black Oxide	Black Oxide
	2.00	.0787	38	9	C69005	—
	2.10	.0826	38	9	C69006	—
	2.50	.0984	43	10	C69007	—
	3.00	.1181	46	11	C69008	—
1/8		.1250	1.929	.433	C69021	C20500
	3.20	.1259	49	12	C69009	—
	3.26	.1283	49	12	C69010	—
#30		.1285	1.875	.500	C69028	C23811
	3.30	.1299	49	12	C69012	—
	3.50	.1377	52	14	C69013	—
9/64		.1406	2.047	.551	C69022	C17618
5/32		.1562	2.165	.551	C69023	C17619
	4.00	.1574	55	14	C69014	—
#20		.1610	2.063	.625	C69027	C23810
	4.10	.1614	55	14	C69015	—
	4.20	.1653	55	14	C69016	—
3/16		.1875	2.441	.669	C69024	C20501
#11		.1910	2.344	.688	C69026	C23809
	4.90	.1929	62	17.5	C69017	—
	5.00	.1968	62	17.5	C69018	—
	5.10	.2007	62	17.5	C69019	—
	5.20	.2047	62	17.5	C69020	—
1/4		.2500	2.756	.787	C69025	C20503

Specialty
1/4" Hex Shank

Style: **1816**

P

Note
Use in quick change chucks, Style #1817, shown on previous page for fast size changes.



order number

drill diameter	decimal equivalent	1816
		Bright
1/16	.0625	C20510
5/64	.0781	C20511
3/32	.0938	C20512
7/64	.1094	C20513
1/8	.1250	C20514
9/64	.1406	C20516
5/32	.1562	C20517
3/16	.1875	C20518
7/32	.2188	C20908
1/4	.2500	C20909



Use **CLE-LINE**® rotary chuck drivers on these models:

	# C19019 Spline Drive	# C19020 SDS Max Drive
AEG®	PH350, PH240, PH38, PHD26, PHD38	—
B & D®	5041, 5045, 5059, 5093, 5095, 5096, 5098	5097K, 5099K
Bosch®	11202, 11203, 11205, 11209, 11214, 11216, 11219, 11220, 11232	11214, 11216, 11223, 11227, 11230, 11231, 11309, 11311
Dewalt®	DW539, DW533	545
Hilti®	—	TEF52, TEY54, TEY55, TEF60, TEF72, TEY74, TEY75, TE76, TEF92, TEY94
Hitachi®	DH25, DH38YE, DH50SB	—
Kango®	950S, 637S, 501S, 430S, 728S, 750S, 978S	—
Makita®	HR3851, HR5000	—
Metabo®	RH-32, RH-33, RH-66, 1129, 1130, 6030	—
Milwaukee®	5311, 5312, 5316, 5317, 5334, 5341, 5343, 5344, 5345-21, 5347, 5348, 5352, 5353	5308, 5313, 5346-21

description	order number 1843 Bright
Spline Drive	C19019
SDS Max Drive	C19020



Note

Designed to drill rivet holes and other applications in thin sheet metal.

Ideal for hand drilling.



drill diameter	decimal equivalent	overall length	flute length	order number 2184 Black Oxide
3/32	.0938	1-3/4	7/16	C20259
1/8	.1250	1-7/8	1/2	C20257
5/32	.1562	2-1/16	9/16	C20260
3/16	.1875	2-3/16	9/16	C20258
1/4	.2500	2-1/2	3/4	C20256

Specialty - Metric
Welding Point Drills

Other Drills / Accessories

Styles: **2195, 2185, 2185F**



P

Cobalt

Straw Oxide



Note
Designed to drill rivet holes and other applications in thin sheet metal.
Ideal for hand drilling.



order number

drill diameter (mm)	decimal equivalent	overall length	flute length	2195	2185	2185F
				Cobalt	Cobalt - Straw	Cobalt - Straw w/flats
6.0	.2362	66	28	C20988	C20478	C20878
6.5	.2559	70	31	—	—	C20877
8.0	.3150	79	37	C20989	C20479	C20879
10.0	.3937	89	43	C20990	C20480	C20880

Specialty
Power Wood Bit

Style: **1823**

Note
Unique Turbo Twist™ clears holes of chips.
3 flats on shank.
Easy to re-sharpen.

Black Oxide



order number

drill diameter	decimal equivalent	overall length	1823
			Black Oxide
1/4	.2500	6	C17100
5/16	.3125	6	C17101
3/8	.3750	6	C17102
7/16	.4375	6	C17103
1/2	.5000	6	C17104
9/16	.5625	6	C17105
5/8	.6250	6	C17106
11/16	.6875	6	C17107
3/4	.7500	6	C17108
13/16	.8125	6	C17109
7/8	.8750	6	C17110
15/16	.9375	6	C17111
1	1.0000	6	C17112
1-1/8	1.1250	6	C17113
1-1/4	1.2500	6	C17114
1-3/8	1.3750	6	C17115
1-1/2	1.5000	6	C17116

Style: **2616**

P K

HSS Black Gold LHS RHC

Note
Heavy duty reaming in steel assemblies.
Tapered at the point which is ideal for holes which are out of alignment.
Magnets are 180° apart in the hex shank to reduce the chance of falling out of the socket.



HOLEMAKING

reamer size		point diameter		hex size	overall length	flute length	order number
							2616
							Black & Gold
9/16	.5625	11/32	.344	1-1/16	6-7/8	5-1/8	C36000
5/8	.6250	3/8	.375	1-1/16	7-7/8	6-1/8	C36001
11/16	.6875	3/8	.375	1-1/16	9-1/4	7-1/8	C36002
3/4	.7500	13/32	.406	1-1/4	9-3/8	7-3/8	C36003
13/16	.8125	1/2	.500	1-1/4	9-3/8	7-3/8	C36004
7/8	.8750	9/16	.563	1-7/16	9-3/8	7-3/8	C36005
15/16	.9375	19/32	.594	1-7/16	9-3/8	7-3/8	C36006
1	1.0000	11/16	.687	1-7/16	9-3/8	7-3/8	C36007
1-1/16	1.0625	3/4	.750	1-5/8	9-3/8	7-3/8	C36008
1-1/8	1.1250	13/16	.812	1-5/8	9-3/8	7-3/8	C36009
1-3/16	1.1875	7/8	.875	1-13/16	9-3/8	7-3/8	C36010
1-1/4	1.2500	15/16	.937	1-13/16	9-3/8	7-3/8	C36011
1-5/16	1.3125	1	1.000	2	10	7-3/8	C36012
1-3/8	1.3750	1-1/16	1.062	2	10	7-3/8	C36013
1-7/16	1.4375	1-1/8	1.125	2	10	7-3/8	C36014
1-1/2	1.5000	1-3/16	1.187	2"	10	7-3/8	C36015
1-9/16	1.5625	1-9/16	1.562	2	10	7-3/8	C36016
1-5/8	1.6250	1-5/16	1.312	2	10	7-3/8	C36017

Style: **2618**

Car Length Reamer
Spiral Flute / Hex Shank

P K

HSS Black Gold LHS RHC

Note
Heavy duty reaming in steel assemblies.
Tapered at the point which is ideal for holes which are out of alignment.
Magnets are 180° apart in the hex shank to reduce the chance of falling out of the socket.



reamer size		point diameter		hex size	overall length	flute length	order number
							2618
							Black & Gold
1/2	.5000	9/32	.281	1-1/16	5-1/2	4	C36018
9/16	.5625	11/32	.344	1-1/16	5-7/8	4	C36019
5/8	.6250	11/32	.344	1-1/16	6	4-1/2	C36020
11/16	.6875	3/8	.375	1-1/16	6-3/8	4-1/2	C36021
3/4	.7500	13/32	.406	1-1/4	7	5	C36022
13/16	.8125	1/2	.500	1-1/4	7	5	C36023
7/8	.8750	9/16	.562	1-7/16	7	5	C36024
15/16	.9375	19/32	.594	1-7/16	7	5	C36025
1	1.0000	11/16	.687	1-7/16	7	5	C36026
1-1/16	1.0625	3/4	.750	1-5/8	7	5	C36027
1-1/8	1.1250	13/16	.812	1-5/8	7	5	C36028
1-3/16	1.1875	7/8	.875	1-13/16	7	5	C36029
1-1/4	1.2500	15/16	.937	1-13/16	7	5	C36030
1-5/16	1.3125	1	1.000	2	7-7/8	5	C36031

Specialty

Combined Drill and Countersink

Style: **1824**

HSS Bright

Note

Produces a 60° included angle center, used for most applications.



size	drill diameter	decimal equivalent	body diameter	overall length	order number	
					1824	Bright
0	1/32	.0312	1/8	1-1/8	C20891	
1	3/64	.0469	1/8	1-1/4	C20892	
2	5/64	.0781	3/16	1-7/8	C20893	
3	7/64	.1094	1/4	2	C20894	
4	1/8	.1250	5/16	2-1/8	C20895	
5	3/16	.1875	7/16	2-3/4	C20896	
6	7/32	.2188	1/2	3	C20897	
7	1/4	.2500	5/8	3-1/4	C20898	
8	5/16	.2344	3/4	3-1/2	C20899	

Specialty

Die Drill

Style: **1844**

ASME B94.11M Reduced Shank

Note

Long carbide tip to prevent chipping, to improve cutting, and for better cooling.

Brazed tip for strength, performance and durability.

Special fluting for rapid chip evacuations and heat dissipation.

Specially tempered bodies for strength and longer tool life.

Designed for hardened steel.

Run at 75-100 SFM.



drill diameter	decimal equivalent	shank diameter	overall length	order number	
				1844 Right-Hand	Left-Hand
3/16	.1875	3/16	3	C19000	C19005
1/4	.2500	1/4	4	C19001	C19006
1/4	.2500	1/4	6	C19002	C19007
5/16	.3125	1/4	4	C19003	C19008
3/8	.3750	3/8	4	C19004	C19009

Style: **1829**

P **K** **N**



Note

Removes broken cap screws, set screws, studs, bolts, pipe fittings and other threaded parts without damaging the threads in the hole.



HOLEMAKING

extractor size	small end	large diameter	length of taper	overall length	order number
1	.0625	.1562	3/4	2	1829 Bright C17170
2	.0860	.1800	3/4	2-3/8	C17171
3	.1250	.2500	1	2-3/4	C17172
4	.1875	.3125	1	3	C17173
5	.2500	.4375	1-1/2	3-3/8	C17174

extractor size	small end	large diameter	length of taper	overall length	order number
6	.3750	.5938	1-3/4	3-3/4	1829 Bright C17176
7	.5000	.7812	2-1/4	4-1/8	C17178
8	.7500	1.0312	2-1/4	4-3/8	C17180
9	1.0000	1.2812	2-1/4	4-5/8	C24750
10	1.2500	1.5625	2-1/2	5	C24751

SET

Style: **1829**

Specialty
Screw Extractors

P **K** **H**

Fold-up Pouch



size range	no. of pieces	order number
#1 - #5	5	1829 Bright C21149

SET

Style: **1864**

Specialty
Drill & Screw Extractors

P **K** **H**

Black Gold

NEW

Note

Drill style: **1878** Black & Gold



jobber drill	screw extractor	no. of pcs.	order number
5/64	#1	2	1864 C22311
7/64	#2	2	C22312
5/32	#3	2	C22313

jobber drill	screw extractor	no. of pcs.	order number
1/4", E	#4	2	1864 C22314
17/64"	#5	2	C22315
13/32"	#6	2	C22316

SET

Cost Saving Drill Sets

See product specific page for additional information

SETS

size range	no. of pcs.	drill description	case type	style	order number
Jobber Length - Drills & Tap Set					
36 / 6-32	2	Bright, Drill: #36 Tap: 6-32 spiral point	plastic tube	1860	C22305
29 / 8-32	2	Bright, Drill: #29 Tap: 8-32 spiral point	plastic tube	1860	C22304
25 / 10-24	2	Bright, Drill: #25 Tap: 10-24 spiral point	plastic tube	1860	C22307
21 / 10-32	2	Bright, Drill: #21 Tap: 10-32 spiral point	plastic tube	1860	C22306
7 / 1/4-20	2	Bright, Drill: #7 Tap: 1/4-20 spiral point	plastic tube	1860	C22308
F / 5/16-18	2	Bright, Drill: F Tap: 5/16-18 spiral point	plastic tube	1860	C22300
5/16" / 3/8-16	2	Bright, Drill: 5/16" Tap: 3/8-16 spiral point	plastic tube	1860	C22303
U / 7/16-14	2	Bright, Drill: U Tap: 7/16-14 spiral point	plastic tube	1860	C22302
27/64" / 1/2-13	2	Bright, Drill: 27/64" Tap: 1/2-13 spiral point	plastic tube	1860	C22301
36, 29, 25, 21, 7, F, 5/16, U, 27/64, Taps: 6-32, 8-32, 10-24, 10-32, 1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13	18	Bright, drill & hand tap set	metal	1898	C21190
		Black & gold HD drill, Bright hand tap set	metal	1878	C21191
		Black & gold split pt. HD drill, Black oxide tap	metal	1878	C21192
Jobber Length - Drills Set					
1/16" - 3/8" x 1/32"	11	Bright, general purpose, 118° point	metal	1898	C21100
		Black, general purpose, 118° point	metal	1899	C21101
1/16" - 1/4" x 1/64"	13	Black Oxide, general purpose, 118° point	metal	1600	C69034
		Bright, general purpose, 118° point	metal	1898	C21104
		Black, general purpose, 118° point	metal	1899	C21105
		Heavy duty, 135° split point	metal	1801	C21157
		Black & gold, heavy duty 135° split point	metal	1604	C69030
		Black & gold, heavy duty 135° split point	metal	1878	C18123
		Heavy duty parabolic, 135° split point	metal	1872	C18619
		TiN heavy duty parabolic, 135° split point	metal	1872TN	C18700
		Cobalt heavy duty, 135° split point	metal	1603	C69377
		Cobalt heavy duty, 135° split point	metal	1802	C21107
Black & gold heavy duty, flats on shank	metal	1607	C68343		
1/16" - 1/2" x 1/32"	15	Bright, general purpose, 118° point	metal	1898	C21108
		Black, general purpose, 118° point	plastic	1600	C69035
		Black, general purpose, 118° point	metal	1899	C21109
		Black, general purpose, 3/8" shank, 118° pt	metal	1900	C21156
		TiN general purpose, 118° point	metal	1898T	C19210
		Heavy duty, 135° split point	metal	1801	C21110
		Black & gold, heavy duty	metal	1878	C18124
		Black & gold, heavy duty, 135° split point	plastic	1604	C69031
		Heavy duty parabolic, 135° split point	metal	1872	C18620
		TiN heavy duty parabolic, 135° split point	metal	1872TN	C18701
		Heavy duty parabolic 3/8" shank	metal	1872/1873	C18719
		Cobalt heavy duty, 135° split point	metal	1603	C69378
		Cobalt heavy duty, 135° split point	metal	1802	C21112
Black & gold heavy duty, flats on shank	plastic	1607	C68461		
1/16" - 3/8" x 1/64"	21	Bright, general purpose, 118° point	metal	1898	C21113
		Black, general purpose, 118° point	metal	1600	C69036
		Black, general purpose, 118° point	metal	1899	C21114
		Heavy duty, 135° split point	metal	1801	C21115
		Heavy duty parabolic, 135° split point	metal	1872	C18621
		TiN heavy duty parabolic, 135° split point	metal	1872TN	C18702
1/16" - 1/2" x 1/64"	29	Bright, general purpose, 118° point	metal	1898	C21117
		Black, general purpose, 118° point	plastic	1600	C69037
		Black, general purpose, 118° point	metal	1899	C21118
		Black, general purpose, 3/8" shank, 118°	metal	1899/1900	C21159
		TiN, general purpose, 118° point	metal	1898T	C19211
		Black & Gold, heavy duty	metal	1878	C18125
		Black & gold, heavy duty	Bit Barrel™	1878	C18128



2 Piece Set
Bright, Drill & Tap
#C22304



13 Piece Set
Bright
#C21104



15 Piece Set
Black & Gold
#C18124



29 Piece Set
Bright
#C21117

continued on next page

SET

Cost Saving Drill Sets (continued)


See product specific page for additional information

size range	no. of pcs.	drill description	case type	style	order number
Jobber Length - Drills Set (Continued)					
1mm to 6mm	11	Metric Black & Gold, flatted shank		1878	C74058
1mm to 13mm	25	Metric Black & Gold, flatted shank		1878	C74059
1/16"-1/2" x 1/64"	29	Black & Gold, Heavy Duty, 3/8" shank	metal	1878/1879	C18122
		Black & gold heavy duty, 135° split point	plastic	1604	C69032
		Black & gold HD, 3/8" shank, 135° split pt	plastic	1605	C69033
		Black & gold HD, flats on shank, 135° split pt	plastic	1607	C69368
		Heavy Duty, 135° split	metal	1801	C21119
		Heavy duty parabolic, 135° split point	metal	1872	C18622
		TiN heavy duty parabolic, 135° split point	metal	1872TN	C18703
		Heavy duty parabolic 3/8" shank	metal	1872/1873	C18718
		Cobalt heavy duty, 135° split point	plastic	1603	C69379
		Cobalt heavy duty, 135° split	metal	1802	C21121
		Cobalt hex shank, 135° split point	metal	1804	C10629
A - Z	26	Black, general purpose, 118° point	metal	1899	C21158
#1 - #60	60	Bright, general purpose, 118° point	metal	1898	C21122
		Black, general purpose, 118° point	metal	1899	C21123
		Heavy duty, 135° split point	metal	1801	C21124
		Cobalt heavy duty, 135° split point	metal	1603	C69380
		Cobalt heavy duty, 135° split point	metal	1802	C21125
1/16"-1/2" x 1/64", #1- #60, A - Z	115	Bright, general purpose, 118° point	metal	1898	C21126
		Black, general purpose, 118° point	metal	1899	C21127
		Heavy duty, 135° split point	metal	1801	C21128
1mm-6mm x 0.5mm	11	Cobalt, 135° split point	metal	1802	C21129
		Black, 118° point	metal	1899	C21130
		Heavy duty parabolic, 135° split point	metal	1872	C18626
1mm-10mm x 0.5mm	19	TiN heavy duty parabolic, 135° split point	metal	1872TN	C18704
		TiN, general purpose, 118° point	metal	1898T	C24380
1mm-13mm x 0.5mm	25	Black, general purpose, 118° point	plastic	1600	C69038
		Bright, general purpose, 118° point	metal	1898	C18127
		Black, general purpose, 118° point	metal	1899	C21131
		TiN, general purpose, 118° point	metal	1898T	C24381
		Heavy duty parabolic, 135° split point	metal	1872	C18628
TiN heavy duty parabolic, 135° split point	metal	1872TN	C18706		
Mechanics Length					
1/16" - 1/4" x 1/64"	13	Black & gold, gen purpose, 135° sp point	metal	1620	C69029
		Black & gold, heavy duty, 135° split point	metal	1875R	C18126
1/16" - 3/8" x 1/64"	21	Black & gold, heavy duty, 135° split point	metal	1875R	C21161
1/16" - 1/2" x 1/64"	29	Black & gold, gen purpose, 135° sp point	metal	1620	C69041
		Black & gold, gen purpose, 135° sp point	Bit Barrel™	1620	C69384
		Black & gold, heavy duty, 135° split point	metal	1875R	C21162
		Black & gold, heavy duty	Bit Barrel™	1875R	C21165
		Black & gold, 3/8" shank, 135° split point	metal	1875/1876	C21163
1/16" - 1/2" x 1/32"	15	Black & gold, heavy duty, 135° split point	metal	1875R	C21160
1/16" - 1/4" x 1/16"	4	Black & gold, heavy duty, 135° split point	plastic tube	1875R	C22310
1/16" - 3/8" x 1/16"	6	Black & gold, heavy duty, 135° split point	plastic tube	1875R	C22309
Screw Machine Length					
1/16" - 1/2" x 1/64"	29	Black heavy duty, 135° split point	metal	1896	C21133
#1 - #60	60	Black heavy duty, 135° split point	metal	1896	C21947

continued on next page



60 Piece Set
Cobalt Heavy Duty
#C21125



115-Piece Set
Black Oxide #C21127



25-Piece Set
Black Oxide
#C69038



29-Piece Set
Black & Gold
#C21165



60-Piece Set
Black Oxide
#C21947

SETS

size range	no. of pcs.	drill description	case type	style	order number
Reduced Shank					
9/16" - 1" x 1/16"	8	1/2" reduced round shank, black	metal	1680	C69039
		1/2" reduced shank with flats, black	metal	1681	C69040
Silver & Deming					
9/16" - 1" x 1/16"	8	1/2" reduced round shank, black	metal	1813	C21135
		1/2" reduced shank with flats, black	metal	1892	C22761
		1/2" reduced shank with flats, black & gold	metal	1877	C21164
	33	1/2" reduced round shank, black	metal	1813	C21134
Step Drills					
3/16 - 3/4"	3	Bright, 118° split point	metal	1874	C20325
		TiN, 118° split point	metal	1874TN	C20326
Masonry					
1/8, 5/32, 3/16, 1/4, 5/16"	5	Carbide Tipped	plastic	1818	C20929
3/16, 1/4, 5/16, 3/8, 1/2" x 6"	5	Carbide Tipped - SDS® plus 2 Cutting Premium	plastic	1821	C21031
1/8, 1/4, 3/8, 1/2"	4	Glass & Tile	plastic	1822	C21148
1/8, 5/32, 3/16, 1/4, 5/16"	5	Multi-purpose	plastic	1837	C22208
1/8", 5/32", 3/16", 1/4", 5/16"	5	Multi-purpose		1838	C22218
Screw Extractor Set in Fold-up Pouch					
#1 - #5	5	Screw extractors	fold-up	1829	C21149
Screw Extractor & Drill Set					
Extractor #1	2	5/64" drill - black and gold	plastic tube	1864	C22311
Extractor #2		7/64" drill - black and gold	plastic tube	1864	C22312
Extractor #3		5/32" drill - black and gold	plastic tube	1864	C22313
Extractor #4		1/4"(E) drill - black and gold	plastic tube	1864	C22314
Extractor #5		17/64" drill - black and gold	plastic tube	1864	C22315
Extractor #6		13/32" drill - black and gold	plastic tube	1864	C22316
Drill Dispensers					
1/16" - 1/2"		Dispenser Only	metal	1867	C23992
Letter A - Z		Dispenser Only	metal	1867	C23993
#1 - #60		Dispenser Only	metal	1867	C23994
Tap, Die and Drill - For additional sets with taps and drills - see Jobber Drills - Drill & Tap Set					
451	5 sizes	M6 x 1.0, M7 x 1.0, M8 x 1.25, M10 x 1.5, M12 x 1.75, 5.0mm, 6.0mm, 6.7mm, 8.5mm, 10.2mm	metal		C00451



33 piece Set
Silver & Deming
#C21134



5 piece Set
Masonry, Carbide
Tipped #C20929



Drill Dispenser
#C23992



5-Size Set
Tap, Die and Drill
#C00451

Diameter Tolerances

Diameter Range	Plus (+)	Minus (-)
through 1/8	.0000	.0005
over 1/8 through 1/4	.0000	.0007
over 1/4 through 1/2	.0000	.0010
over 1/2 through 1	.0000	.0012
over 1 through 2	.0000	.0015
over 2 through 3-1/2	.0000	.0020

Lip Height Tolerances

Diameter Range	Total Indicator Variation
1/16 through 1/8	.0020
over 1/8 through 1/4	.0030
over 1/4 through 1/2	.0040
over 1/2 through 1	.0050
over 1 through 3-1/2	.0060

Point Angle Tolerances

Diameter Range	Included Angle	Tolerance
1/16 through 1/2	118° / 135°	± 5°
over 1/2 through 1-1/2	118°	± 3°
over 1-1/2 through 3-1/2	118°	± 2°

Overall Length and Flute Length Tolerances

Diameter Range	Plus (+)	Minus (-)
#80 through 1/8	.1250	.0625
over 1/8 through 1/2	.1250	.1250
over 1/2 through 1	.2500	.1250
over 1 through 2	.2500	.2500
over 2 through 3-1/2	.3750	.3750

Tap Drill Sizes

Machine Screw and Fractional Sizes

nominal tap size	drill size	decimal equivalent	nominal tap size	drill size	decimal equivalent
0-80	3/64	.0469	5/16-18	F	.2570
1-64	53	.0595	5/16-24	I	.2720
1-72	53	.0595	3/8-16	5/16	.3125
2-56	50	.0700	3/8-24	Q	.3320
2-64	50	.0700	7/16-14	U	.3680
3-48	47	.0785	7/16-20	25/64	.3906
3-56	46	.0810	1/2-13	27/64	.4219
4-40	43	.0890	1/2-20	29/64	.4531
4-48	42	.0935	9/16-12	31/64	.4844
5-40	38	.1015	9/16-18	33/64	.5156
5-44	37	.1040	5/8-11	17/32	.5312
6-32	36	.1065	5/8-18	37/64	.5781
6-40	33	.1130	3/4-10	21/32	.6562
8-32	29	.1360	3/4-16	11/16	.6875
8-36	29	.1360	7/8-9	49/64	.7656
10-24	26	.1470	7/8-14	13/16	.8125
10-32	21	.1590	1-8	7/8	.8750
12-24	16	.1770	1-12	59/64	.9219
12-28	15	.1800			
1/4-20	7	.2010			
1/4-28	3	.2130			

Metric Sizes

nominal tap size	drill size	decimal equivalent	nominal tap size	drill size	decimal equivalent
M1.6 x 0.35	1.25	.0492	M18 x 2.5	15.5	.6102
M1.8 x 0.35	1.45	.0571	M18 x 1.5	16.5	.6496
M2 x 0.4	1.6	.0630	M20 x 2.5	17.5	.6890
M2.2 x 0.45	1.75	.0689	M20 x 1.5	18.5	.7283
M2.5 x 0.45	2.05	.0807	M22 x 2.5	19.5	.7677
M3 x 0.5	2.5	.0984	M22 x 1.5	20.5	.8071
M3.5 x 0.6	2.9	.1142	M24 x 3.0	21.0	.8268
M4 x 0.7	3.3	.1299	M24 x 2.0	22.0	.8661
M4.5 x 0.75	3.7	.1457	M27 x 3.0	24.0	.9449
M5 x 0.8	4.2	.1654	M27 x 2.0	25.0	.9843
M6 x 1.0	5.0	.1969	M30 x 3.5	26.5	1.0433
M7 x 1.0	6.0	.2362	M30 x 2.0	28.0	1.1024
M8 x 1.25	6.7	.2638	M33 x 3.5	29.5	1.1614
M8 x 1.0	7.0	.2756	M33 x 2.0	31.0	1.2205
M10 x 1.5	8.5	.3346	M36 x 4.0	32.0	1.2598
M10 x 1.25	8.7	.3425	M36 x 3.0	33.0	1.2992
M12 x 1.75	10.2	.4016			
M12 x 1.25	10.8	.4252			
M14 x 2.0	12.0	.4724			
M16 x 2.0	14.0	.5512			
M16 x 1.5	14.5	.5709			

Pipe Sizes

nominal tap size	NPT, NPTF		NPSM	NPSC	NPSF
	w/o reamer	w/reamer			
1/16-27	C (.242)	A (.234)	—	1/4	D (.246)
1/8-27	Q (.332)	21/64	T (.358)	11/32	R (.339)
1/4-18	7/16	27/64	15/32	7/16	7/16
3/8-18	9/16	9/16	(.603 special)	37/64	37/64
1/2-14	45/64	11/16	19mm	23/32	45/64
3/4-14	29/32	57/64	61/64	59/64	59/64
1-11½	1-9/64	1-1/8	1-13/64	1-5/32	1-5/32
1¼-11½	1-31/64	1-15/32	1-35/64	1-1/2	—
1½-11½	1-23/32	1-45/64	1-25/32	1-3/4	—
2-11½	2-3/16	2-11/64	2-1/4	2-7/32	—

Drill Feeds

Diameter Range (in)	Normal Feeds (IPR)	Heavy Feeds (IPR)
1/16 thru 1/8	.001-.002	.002-.004
over 1/8 thru 1/4	.002-.004	.004-.008
over 1/4 thru 1/2	.004-.008	.008-.016
over 1/2 thru 1	.008-.016	.016-.024
over 1	.016-.024	.024-.032

Recommended Drill Speeds and Coolants


Ferrous Materials

		Brinell	Surface Feet per Minute	Coolant
Low Carbon Steel	85-125	80-95	Soluble Oil	
Medium Carbon Steel		125-175	70-85	Soluble Oil
High Carbon Steel	175-225	45-65	Soluble Oil	
Steels Alloyed		Under 200	60-90	Soluble Oil
		200-300	40-70	Soluble Oil
		Over 300	20-30	Soluble Oil
Steel Drop Forgings		330-370	30-40	Cutting Oil
Heat Treated		370-420	20-30	Cutting Oil
		Over 420	10-20	Cutting Oil
Grey Cast Iron	Soft	125	140-150	Dry
	Medium	120-200	50-80	Soluble Oil
	Hard	Up to 350	25-40	Soluble Oil
Titanium Alloys	Ti-75A	300-440	50-60	Cutting Oil
	Ti-150A, RS-120	300-440	40-50	Cutting Oil
	Ti-140A, RC 130B	300-440	30-40	Cutting Oil
	Ti-6AL -4V	300-440	20-30	Cutting Oil
Stainless Steel	300 Series	120-200	20-40	Cutting Oil
	400 Series	200-300	40-70	Cutting Oil
	Martensitic 416, 420, F416 Plus K, 400F,4165SE, 440F	135-185	40-50	Cutting Oil
	Precipitation Hardening	325-375	30	Cutting Oil
	Cast Stainless Steel	400-450	20	Cutting Oil
Heat Resisting Steels		175-225	10-25	Cutting Oil
Nimonic Alloys		200-300	10-20	Cutting Oil
Manganese	12-14% min	125-220	10-12	Cutting Oil
Spring Steels		402	15-30	Soluble Oil

Non-Ferrous Materials

		Brinell	Surface Feet per Minute	Coolant
Aluminum	Pure	140-350	130-200	Soluble Oil
	Aluminum Alloys	140-330	150-300	Soluble Oil
	Leaded	40-100	200-325	Soluble Oil
	Silicon Alloy Die Cast	40-100	25-50	Soluble Oil
Brass		190-210	200-250	Cutting or Soluble Oil
Bronze		150-200	200-250	Soluble Oil
Copper, Nickel & Copper Tin Alloy		65-100	140-200	Cutting or Soluble Oil
Copper Aluminum Alloys		30-100	120-200	Cutting or Soluble Oil
Magnesium Alloys	Wrought	50-90	140-330	Cutting or Soluble Oil
	Cast	50-90	140-365	Cutting or Soluble Oil
Nickel Alloys- Wrought and Cast	Monel	80-170	70	Cutting or Soluble Oil
Beryllium Nickel		115-240	55	Cutting or Soluble Oil
Zinc Alloy		200-250	12	Soluble Oil
Armor Plate		112-126	200-250	Soluble Oil
		200-250	40	Soluble Oil
		250-300	35	Soluble Oil
		300-350	30	Cutting Oil

Morse Taper Shank Specifications



morse taper shank no.	taper per foot	taper per inch	D5 max shank diameter	LS length of shank	Lx shank length to gage line	Lz length of tang	W thickness of tang	R radius
1	.5985	.0498	.475	2.56	2.44	.37	.20	.19
2	.5994	.0499	.700	3.12	2.94	.44	.25	.25
3	.6023	.0501	.938	3.87	3.69	.56	.31	.28
4	.6232	.0519	1.231	4.87	4.62	.62	.47	.31
5	.6315	.0526	1.749	6.12	5.87	.75	.62	.37
6	.6256	.0521	2.494	8.56	8.25	1.12	.75	.50


TECHNICAL

How - To

Screw Extractor
How to Use

Screw extractors are used to remove broken screws, bolts, or other threaded parts. To remove a broken screw, follow this procedure.

- Drill a hole into the broken screw using the recommended drill size from the table at right.
- Insert the proper screw extractor into the hole and start a counter-clockwise (left-hand) rotation using a tap wrench on the square on the shank.
- The extractor will grip the wall of the hole in the screw and back the screw out without damaging the threads.
- A penetrating oil can be helpful in removing rusty or corroded parts.



extractor size	use on this size		
	screw or bolt	pipe drill size	use
1	#8 to 1/4	—	5/64
2	#12 to 5/16	—	7/64
3	5/16 to 7/16	—	5/32
4	7/16 to 9/16	1/8	1/4
5	9/16 to 3/4	1/8	17/64
6	3/4 to 1	3/8	13/32
7	1 to 1-3/8	—	17/32
8	1-3/8 to 1-3/4	3/4	13/16



Set Sections

All Available Sets 85-86



Technical Information

Drill & Tap Recommendations 61

THREADING / DIES

Style/Surface Treatment	Image	Page	Sets Page
Straight Flute			
1690 - Taper Chamfer, HSS		66	66
1691 - Plug Chamfer, HSS		66	66
1692 - Bottoming Chamfer, HSS		66	66
1696 - Taper Chamfer, Carbon		66	66
1697 - Plug Chamfer, Carbon		66	66
1698 - Bottoming Chamfer, Carbon		66	66
Spiral Point Taps			
0401 - Taper Chamfer		67-68	67-68
0402 - Plug Chamfer		67-68	67-68
0403 - Bottoming Chamfer		67-68	67-68
Pipe Taps			
Taper Pipe			
1686 - Regular Threads, HSS		71	
1700 - Regular Threads, carbon		71	
0462 - Regular Threads, HSS		71	
1688 - Interrupted Threads, HSS		71	
0464 - Interrupted Threads, HSS		71	
Straight Pipe			
1687 - Bright		71	
0463 - Bright		71	
Combination Drill & Tap			
0450 - Bright		72	

Style/Surface Treatment	Image	Page	Sets Page
Dies - Hexagon			
0650 - Re-Threading, Carbon Steel		72-73	74
492 - Re-Threading, HSS		72-73	—
0660 - Taper Pipe, Carbon Steel		73	—
Dies - Round Adjustable			
0610 - Carbon Steel		75-76	
0710 - HSS		75-76	77
0620 - Taper Pipe, Carbon Steel		76	
222 - Die Stocks		76	77
Quick-Set® Two-Piece Die Systems			
0554 - Die Assemblies		79-80	
0550 - Die Only		79-80	
0551 - Cap		79-80	82, 85-86
0552 - Guide		79-80	
0553 - Collet (Combined Cap & Guide)		79-80	
Quick Two-Piece Die System			
223 - Quick Two-Piece Die System		81	
225 - Jr. Quick Die Stock		81	
226 - Spanner Wrench		81	
055 - Quick Die Sets		82	
Sets			
Complete listing of available sets			85-86

Material

- M** Steel
- S** Super Alloys
- P** Alloy/Steel
- K** Cast Iron
- N** Aluminum
- H** Hardened Steel

Refer to the Icon Glossary in the Drilling section for more detailed information

Surface Treatment

- Bright** 
- Black Oxide** 
- TiN** 

Additional treatments available upon request.

Base Material

- HSS**
- Carbon Steel**

Standard

- ASME B94.9**

Chamfers

- Taper 7-10** 
- Plug 3-5** 
- Pipe 3-1/2** 
- Bottoming 1-1/2-2** 

Thread Form

- 302** 
- 302A** 

Styles: 1690, 1691, 1692, 1693, 1696, 1697, 1698, 1699

Note

General use:

- Taper chamfer: hand operations
- Plug chamfer: general purpose applications
- Bottoming chamfer: thread close to an obstruction or blind hole.

Styles: #1693 and 1699 Set -
1 each of taper, plug, bottoming tap.

Style **169 M** (Metric) now combined with
corresponding style below.



Taper Chamfer



Plug Chamfer



Bottoming Chamfer



Set:
1 each

order number

tap size	tap size	dec.	no. of	overall	thread	1690	1691	1692	1693	1696	1697	1698	1699
TPI	series	equiv.	flutes	length	length	taper HSS	plug HSS	bottoming HSS	set 1 ea. HSS	taper Carbon	plug Carbon	bottoming Carbon	set 1 ea. Carbon
4-40	UNC	.1120	3	1-7/8	9/16	C69079	C69080	C69081	C69082	—	—	—	—
	M3 x 0.5	.1181	3	49	16	C69267	C69268	C69269	C69270	C69513	C69514	C69515	C69516
5-40	UNC	.1250	3	1-15/16	5/8	C69083	C69084	C69085	C69086	—	—	—	—
6-32	UNC	.1380	3	2	11/16	C69087	C69088	C69089	C69090	—	—	—	—
	M4 x 0.7	.1575	4	54	19	C69271	C69272	C69273	C69274	C69517	C69518	C69519	C69520
8-32	UNC	.1640	4	2-1/8	3/4	C69091	C69092	C69093	C69094	—	—	—	—
10-24	UNC	.1900	4	2-3/8	7/8	C69095	C69096	C69097	C69098	—	—	—	—
10-32	UNF	.1900	4	2-3/8	7/8	C69099	C69100	C69101	C69102	—	—	—	—
	M5 x 0.8	.1969	4	60	22	C69275	C69276	C69277	C69278	C69521	C69522	C69523	C69524
12-24	UNC	.2160	4	2-3/8	15/16	C69103	C69104	C69105	C69106	—	—	—	—
	M6 x 1	.2362	4	63.5	25.4	C69279	C69280	C69281	C69282	C69526	C69527	C69528	C69529
1/4-20	UNC	.2500	4	2-1/2	1	C69107	C69108	C69109	C69110	C69409	C69410	C69411	C69412
1/4-28	UNF	.2500	4	2-1/2	1	C69111	C69112	C69113	C69114	C69413	C69414	C69415	C69416
	M7 x 1	.2756	4	69	29	C69283	C69284	C69285	C69286	—	—	—	—
5/16-18	UNC	.3125	4	2-23/32	1-1/8	C69115	C69116	C69117	C69118	C69417	C69418	C69419	C69420
5/16-24	UNF	.3125	4	2-23/32	1-1/8	C69119	C69120	C69121	C69122	C69421	C69422	C69423	C69424
	M8 x 1.25	.3150	4	69	29	C69287	C69288	C69289	C69290	C69531	C69532	C69533	C69534
3/8-16	UNC	.3750	4	2-15/16	1-1/4	C69123	C69124	C69125	C69126	C69425	C69426	C69427	C69428
3/8-24	UNF	.3750	4	2-15/16	1-1/4	C69127	C69128	C69129	C69130	C69429	C69430	C69431	C69432
	M10 x 1.5	.3937	4	75	31.75	C69291	C69292	C69293	C69294	C69535	C69536	C69537	C69538
7/16-14	UNC	.4375	4	3-5/32	1-7/16	C69131	C69132	C69133	C69134	C69433	C69434	C69435	C69436
7/16-20	UNF	.4375	4	3-5/32	1-7/16	C69135	C69136	C69137	C69138	C69437	C69438	C69439	C69440
	M12 x 1.75	.4724	4	86	42	C69295	C69296	C69297	C69298	C69539	C69540	C69541	C69542
1/2-13	UNC	.5000	4	3-3/8	1-21/32	C69139	C69140	C69141	C69142	C69441	C69442	C69443	C69444
1/2-20	UNF	.5000	4	3-3/8	1-21/32	C69143	C69144	C69145	C69146	C69445	C69446	C69447	C69448
	M14 x 2	.5512	4	91	42	C69299	C69300	C69301	C69302	C69543	C69544	C69545	C69546
9/16-12	UNC	.5625	4	3-19/32	1-21/32	C69147	C69148	C69149	C69150	C69449	C69450	C69451	C69452
9/16-18	UNF	.5625	4	3-19/32	1-21/32	C69151	C69152	C69153	C69154	C69453	C69454	C69455	C69456
5/8-11	UNC	.6250	4	3-13/16	1-13/16	C69155	C69156	C69157	C69158	C69457	C69458	C69459	C69460
5/8-18	UNF	.6250	4	3-13/16	1-13/16	C69159	C69160	C69161	C69162	C69461	C69462	C69463	C69464
	M16 x 2	.6299	4	96	46	C69303	C69304	C69305	C69306	C69547	C69548	C69549	C69550
	M18 x 2.5	.7087	4	102	46	C69307	C69308	C69309	C69310	—	—	—	—
3/4-10	UNC	.7500	4	4-1/4	2	C69163	C69164	C69165	C69166	C69465	C69466	C69467	C69468
3/4-16	UNF	.7500	4	4-1/4	2	C69167	C69168	C69169	C69170	C69469	C69470	C69471	C69472
	M20 x 2.5	.7874	4	113.5	50.8	C69311	C69312	C69313	C69314	C69551	C69552	C69553	C69554
7/8-9	UNC	.8750	4	4-11/16	2-7/32	C69171	C69172	C69173	C69174	—	—	—	—
7/8-14	UNF	.8750	4	4-11/16	2-7/32	C69175	C69176	C69177	C69178	C69473	C69474	C69475	C69476
1-8	UNC	1.0000	4	5-1/8	2-1/2	C69179	C69180	C69181	C69182	C69477	C69478	C69479	C69480
1-12	UNF	1.0000	4	5-1/8	2-1/2	C69183	C69184	C69185	C69186	C69481	C69482	C69483	C69484
1-14	UNS	1.0000	4	5-1/8	2-1/2	C69187	C69188	C69189	C69190	—	—	—	—

Note


General use:

- Taper chamfer: hand operations
- Plug chamfer: general purpose applications
- Bottoming chamfer: to thread close to an obstruction or blind hole.

Styles: #0404 Set -1 each of taper, plug, bottoming tap.

Inch products provided with H-limits, Metric products provided with D-limits.

Style 040 M (Metric) now combined with corresponding style below.



Taper Chamfer style 0401



Plug Chamfer style 0402



Bottoming Chamfer style 0403



tap size TPI	series	tap size pitch	decimal equiv.	no. of flutes	limit	overall length	thread length	order number			
								0401 Taper	0402 Plug	0403 Bottoming	0404 Set of 1 each
0-80	UNF		.0600	2	H1	1-5/8	5/16	C00761	C00766	C00770	—
1-64	UNC		.0730	2	H1	1-11/16	3/8	C00762	C00767	C00771	—
1-72	UNF		.0730	2	H1	1-11/16	3/8	C00763	C00700	C00772	—
2-56	UNC		.0860	3	H2	1-3/4	7/16	C00764	C00768	C00701	C00323
2-64	UNF		.0860	3	H2	1-3/4	7/16	C00765	C00769	C00773	—
3-48	UNC		.0990	3	H2	1-13/16	1/2	C00702	C00703	C00704	C00325
3-56	UNF		.0990	3	H2	1-13/16	1/2	C00705	C00706	C00707	C00326
4-40	UNC		.1120	3	H2	1-7/8	9/16	C62001	C62002	C62003	C62004
4-48	UNF		.1120	3	H2	1-7/8	9/16	C00708	C00709	C00710	C00327
		M3 x 0.5	.1181	3	D3	49	16	C63201	C63202	C63203	C63204
5-40	UNC		.1250	2	H2	1-15/16	5/8	—	C00711	C00712	—
5-40	UNC		.1250	3	H2	1-15/16	5/8	C62005	C62006	C62007	C62008
5-44	UNF		.1380	3	H2	1-15/16	5/8	C00713	C00714	C00715	C00328
6-32	UNC		.1380	3	H2	2	11/16	C00716	C00717	C00718	C00329
6-32	UNC		.1380	3	H3	2	11/16	C62009	C62010	C62011	C62012
6-40	UNF		.1380	3	H2	2	11/16	C00719	C00720	C00721	C00330
		M4 x 0.7	.1575	4	D4	54	19	C63209	C63210	C63211	C63212
8-32	UNC		.1640	4	H2	2-1/8	3/4	C00722	C00723	C00724	C00331
8-32	UNC		.1640	4	H3	2-1/8	3/4	C62013	C62014	C62015	C62016
8-36	UNF		.1640	4	H2	2-1/8	3/4	C00725	C00726	C00727	C00332
10-24	UNC		.1900	4	H2	2-3/8	7/8	C00728	C00729	C00730	C00333
10-24	UNC		.1900	4	H3	2-3/8	7/8	C62017	C62018	C62019	C62020
10-32	UNF		.1900	4	H2	2-3/8	7/8	C00731	C00732	C00733	C00334
10-32	UNF		.1900	4	H3	2-3/8	7/8	C62021	C62022	C62023	C62024
		M5 x 0.8	.1969	4	D4	60	22	C63217	C63218	C63219	C63220
12-24	UNC		.2160	4	H3	2-3/8	15/16	C62025	C62026	C62027	C62028
12-28	UNF		.2160	4	H3	2-3/8	15/16	C00734	C00735	C00736	C00335
		M6 x 1	.2362	4	D5	63.5	25.4	C63221	C63222	C63223	C63224
1/4-20	UNC		.2500	4	H3	2-1/2	1	C62029	C62030	C62031	C62032
1/4-20	UNC		.2500	4	H5	2-1/2	1	—	C00737	C00738	—
1/4-17	UNF		.2500	4	H2	2-1/2	1	—	C00739	C00740	—
1/4-28	UNF		.2500	4	H3	2-1/2	1	C62033	C62034	C62035	C62036
		M7 x 1	.2756	4	D5	69	29	C63225	C63226	C63227	C63228
5/16-18	UNC		.3125	4	H3	2-23/32	1-1/8	C62037	C62038	C62039	C62040
5/16-18	UNC		.3125	4	H5	2-23/32	1-1/8	—	C00741	C00742	—
5/16-24	UNF		.3125	4	H3	2-23/32	1-1/8	C62041	C62042	C62043	C62044
		M8 x 1.25	.3150	4	D5	69	29	C63229	C63230	C63231	C63232
3/8-16	UNC		.3750	4	H3	2-15/16	1-1/4	C62045	C62046	C62047	C62048
3/8-16	UNC		.3750	4	H5	2-15/16	1-1/4	—	C00743	C00744	—
3/8-24	UNF		.3750	4	H3	2-15/16	1-1/4	C62049	C62050	C62051	C62052
		M10 x 1.5	.3937	4	D6	75	31.75	C63233	C63234	C63235	C63236
7/16-14	UNC		.4375	4	H3	3-5/32	1-7/16	C62053	C62054	C62055	C62056

continued on next page

Hand Taps

Styles: **0401, 0402, 0403, 0404** (continued)

tap size TPI	series	tap size pitch	decimal equiv.	no. of flutes	limit	overall length	thread length	order number			
								0401 Taper	0402 Plug	0403 Bottoming	0404 Set of 1 each
7/16-14	UNC		.4375	4	H5	3-5/32	1-7/16	—	C00745	C00746	—
7/16-20	UNF		.4375	4	H3	3-5/32	1-7/16	C62057	C62058	C62059	C62060
7/16-20	UNF		.4375	4	H5	3-5/32	1-7/16	—	C00747	C00748	—
		M12 x 1.75	.4724	4	D6	86	42	C63237	C63238	C63239	C63240
1/2-13	UNC		.5000	4	H3	3-3/8	1-21/32	C62061	C62062	C62063	C62064
1/2-13	UNC		.5000	4	H5	3-3/8	1-21/32	—	C00749	C00750	—
1/2-20	UNF		.5000	4	H3	3-3/8	1-21/32	C62065	C62066	C62067	C62068
1/2-20	UNF		.5000	4	H5	3-3/8	1-21/32	—	C00751	—	—
		M14 x 2	.5512	4	D7	91	42	C63241	C63242	C63243	C63244
9/16-12	UNC		.5625	4	H3	3-19/32	1-21/32	C62069	C62070	C62071	C62072
9/16-18	UNF		.5625	4	H3	3-19/32	1-21/32	C62073	C62074	C62075	C62076
5/8-11	UNC		.6250	4	H3	3-13/16	1-13/16	C62077	C62078	C62079	C62080
5/8-11	UNC		.6250	4	H5	3-13/16	1-13/16	—	C00752	C00753	—
5/8-18	UNF		.6250	4	H3	3-13/16	1-13/16	C62081	C62082	C62083	C62084
		M16 x 2	.6299	4	D7	96	46	C63245	C63246	C63247	C63248
11/16-11	UNS		.6875	4	H3	4-1/32	1-13/16	C00754	C00756	C00757	C00336
11/16-16	UNS		.6875	4	H3	4-1/32	1-13/16	C00758	C00759	C00760	C00337
		M18 x 2.5	.7087	4	D7	102	46	C63249	C63250	C63251	C63252
3/4-10	UNC		.7500	4	H3	4-1/4	2	C62085	C62086	C62087	C62088
3/4-16	UNF		.7500	4	H3	4-1/4	2	C62089	C62090	C62091	C62092
		M20 x 2.5	.7874	4	D7	113.5	50.8	C63253	C63254	C63255	C63256
7/8-9	UNC		.8750	4	H4	4-11/16	2-7/32	C62093	C62094	C62095	C62096
7/8-14	UNF		.8750	4	H4	4-11/16	2-7/32	C62097	C62098	C62099	C62100
1-8	UNC		1.0000	4	H4	5-1/8	2-1/2	C62101	C62102	C62103	C62104
1-12	UNF		1.0000	4	H4	5-1/8	2-1/2	C62105	C62106	C62107	C62108
1-14	UNS		1.0000	4	H4	5-1/8	2-1/2	C62109	C62110	C62111	C62112

THREADING / DIES

Hand Tap & Die Sets

Quick-Set Die

SET

Style: **0402**

Plastic Case

Note

All use Cap Style #1383 and Guide style #1384, unless noted with an asterisks.



20 cutting sizes
#C00608

set no.	number of cutting sizes	Tap: 0402 threading sizes	collet 055 number	wrench number	die stock 380 number	order number
558	20	1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13, 9/16-12, 5/8-11, 3/4-10, 7/8-9, 1-8	—	#5, #7	#1, #5	C00608
559	7	4-40, 6-32, 8-32, 10-24, 10-32, 12-24, 1/4-20	A1	T9, A1	A1	C00609
5510	5	1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13	1	#5	#1	C00610
5511	10	1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13, 9/16-12, 5/8-11, 3/4-10, 7/8-9, 1-8	5	#5, #7	5A	C00611
5512	10	1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13	1	#5	#1	C00612
5513	20	1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13, 9/16-12, 5/8-11, 3/4-10, 7/8-9, 1-8	1,5	#5, #7	#1, #5B	*C00613

*No Cap included

Note

General use:

- Spiral point: pushes chips forward for through hole applications.
- Plug chamfer for general purpose applications.

Style 1694 are maintenance taps.

Style 0411 provided with H-limits.

Style **1694M, 0411M** (Metric) now combined with corresponding style below.



tap size TPI	series	tap size pitch	decimal equivalent	no. of flutes	overall length	thread length	order number		
							1694 Plug	0411 Plug	limit
0-80	UNF		.0600	2	1-11/16	3/8	—	C00775	H2
1-64	UNC		.0730	2	1-11/16	3/8	—	C00776	H2
1-72	UNF		.0730	2	1-11/16	3/8	—	C00777	H2
		M2 x 0.4	.0787	2	44	11	*C69205	C62172	D3
2-56	UNC		.0860	2	1-3/4	7/16	—	C00778	H2
2-64	UNF		.0860	2	1-3/4	7/16	—	C00779	H2
3-48	UNC		.0990	2	1-13/16	1/2	—	C00780	H2
3-56	UNF		.0990	2	1-13/16	1/2	—	C00781	H2
4-40	UNC		.1120	2	1-7/8	9/16	*C69191	C62151	H2
4-48	UNF		.1120	2	1-7/8	9/16	—	C00782	H2
		M3 x 0.5	.1181	2	49	16	*C69206	C62175	D3
5-40	UNC		.1250	2	1-15/16	5/8	*C69192	C62152	H2
6-32	UNC		.1380	2	2	11/16	—	C00783	H2
6-32	UNC		.1380	2	2	11/16	*C69193	C62153	H3
6-40	UNF		.1380	2	2	11/16	—	C00784	H2
		M4 x 0.7	.1575	2	54	19	*C69207	C62177	D4
8-32	UNC		.1640	2	2-1/8	3/4	—	C00785	H2
8-32	UNC		.1640	2	2-1/8	3/4	*C69194	C62154	H3
8-36	UNF		.1640	2	2-1/8	3/4	—	C00786	H2
10-24	UNC		.1900	2	2-3/8	7/8	—	C00787	H2
10-24	UNC		.1900	2	2-3/8	7/8	*C69195	C62155	H3
10-32	UNF		.1900	2	2-3/8	7/8	—	C00788	H2
10-32	UNF		.1900	2	2-3/8	7/8	*C69196	C62156	H3
		M5 x 0.8	.1969	2	60	22	*C69208	C62179	D4
12-24	UNC		.2160	2	2-3/8	15/16	*C69197	C62157	H3
12-28	UNF		.2160	2	2-3/8	15/16	—	C00789	H3
		M6 x 1	.2362	2	63.5	25.4	*C69209	C62180	D5
1/4-20	UNC		.2500	2	2-1/2	1	*C69198	C62158	H3
1/4-20	UNC		.2500	3	2-1/2	1	—	C00790	H3
1/4-20	UNC		.2500	3	2-1/2	1	—	C00791	H5
1/4-28	UNF		.2500	2	2-1/2	1	*C69199	C62159	H3
5/16-18	UNC		.3125	2	2-23/32	1-1/8	*C69200	C62160	H3
5/16-18	UNC		.3125	3	2-23/32	1-1/8	—	C00793	H3
5/16-18	UNC		.3125	3	2-23/32	1-1/8	—	C00794	H5
5/16-24	UNF		.3125	2	2-23/32	1-1/8	*C69201	C62161	H3
		M8 x 1.25	.3150	2	69	29	*C69210	C62183	D5
3/8-16	UNC		.3750	3	2-15/16	1-1/4	*C69202	C62162	H3
3/8-16	UNC		.3750	3	2-15/16	1-1/4	—	C00795	H5
3/8-24	UNF		.3750	3	2-15/16	1-1/4	*C69203	C62163	H3
		M10 x 1.5	.3937	3	75	31.75	*C69211	C62185	D6
7/16-14	UNC		.4375	3	3-5/32	1-7/16	—	C00796	H3
7/16-14	UNC		.4375	3	3-5/32	1-7/16	—	C00797	H5
7/16-20	UNF		.4375	3	3-5/32	1-7/16	—	C00798	H3
7/16-20	UNF		.4375	3	3-5/32	1-7/16	—	C00799	H5

*No H-limit

continued on next page

Spiral Point Tap

Styles: **1694**, **0411** (continued)

tap size TPI	series	tap size pitch	decimal equivalent	no. of flutes	overall length	thread length	order number		
							1694 Plug	0411 Plug	limit
		M12 x 1.75	.4724	3	86	42	*C69212	C62187	D6
1/2-13	UNC		.5000	3	3-3/8	1-21/32	*C69204	C62164	H3
1/2-13	UNC		.5000	3	3-3/8	1-21/32	—	C00800	H5
1/2-20	UNF		.5000	3	3-3/8	1-21/32	—	C00801	H3
5/8-11	UNC		.6250	3	3-13/16	1-13/16	—	C00802	H3
5/8-11	UNC		.6250	3	3-13/16	1-13/16	—	C00803	H5
5/8-18	UNF		.6250	3	3-13/16	1-13/16	—	C00804	H3
		M16 x 2	.6299	3	96	46	*C69213	C62191	D7
3/4-10	UNC		.7500	3	4-1/4	2	—	C00805	H3
3/4-10	UNC		.7500	3	4-1/4	2	—	C00806	H5
3/4-16	UNF		.7500	3	4-1/4	2	—	C00774	H3

*No H-limit

THREADING / DIES

Spiral Point Tap & Die Set

SET

See description below

Plastic Case

Note

Uses Cap Style #1383 and Guide style #1384
Uses Cleveland® Brand Tap Style #1011 unless noted otherwise.

set no.	number of cutting sizes	Tap: 0411 threading sizes	collet 055 number	wrench number	die stock 380 number	order number
448	7	M2.5 x 0.45, M3 x 0.5, M3.5 x 0.6, M4 x 0.7, M4.5 x 0.75, M5 x 0.8, M6 x 1.0				C00448
449	5	M6 x 1.0, M7 x 1.0, M8 x 1.25, M10 x 1.5, M12 x 1.75				C00449
5514	7	M6 x 1, M8 x 1.25, M10 x 1.5, M12 x 1.75, *M14 x 2, M16 x 2, *M18 x 2.5	5	#6	#5	C00614

*Uses Cleveland® Brand Tap Style #1002

Spiral Point Tap, Die, & Drill Set

SET

See description below

Plastic Case

set no.	number of cutting sizes	Tap: 0411 threading sizes	Drill: 1899 drill sizes (mm)	collet 055 number	wrench number	die stock 710 number	order number
451	5	M6 x 1.0, M7 x 1.0, M8 x 1.25, M10 x 1.5, M12 x 1.75	5.0, 6.0, 6.7, 8.5, 10.2	—	—		C00451

Styles: **1686, 1700, 0462, 1688, 0464**

Note

3-1/2 thread chamfer.

- Style #0462: regular NPT thread design
- Style #0464: interrupted thread for better lubrication and chip clearance.

HSS Carbon Steel Bright 311 NPT



Regular NPT Thread



Interrupted NPT Thread

tap size	tap TPI	tap series	decimal equiv.	shank diameter	overall length	thread length	flutes	order number regular threads			order number interrupted thread		
								1686 HSS	1700 carbon	0462 HSS	1688 HSS	0464 HSS	
1/8	27	NPT	.1250	.3125	2-1/8	3/4	4	C69315	C69507	C64213	5	C69325	C64223
*1/8	27	NPT	.1250	.4375	2-1/8	3/4	4	C69316	—	C64214	5	C69326	C64224
1/4	18	NPT	.2500	.5626	2-7/16	1-1/16	4	C69317	C69508	C64215	5	C69327	C64225
3/8	18	NPT	.3750	.7000	2-9/16	1-1/16	4	C69318	C69509	C64216	5	C69328	C64226
1/2	14	NPT	.5000	.6875	3-1/8	1-3/8	4	C69319	C69510	C64217	5	C69329	C64227
3/4	14	NPT	.7500	.9063	3-5/8	1-3/8	5	C69320	C69511	C64218	5	C69330	C64228
1	11-1/2	NPT	1.0000	1.1250	3-3/4	1-3/4	5	C69321	C69512	C64219	5	C69331	C64229
1-1/4	11-1/2	NPT	1.2500	1.3125	4	1-3/4	5	C69322	—	C64220	5	C69332	C64230
1-1/2	11-1/2	NPT	1.5000	1.5000	4-1/4	1-3/4	7	C69323	—	C64221	—	—	—
2	11-1/2	NPT	2.0000	1.8750	4-1/2	1-3/4	7	C69324	—	C64222	—	—	—

*large shank

THREADING / DIES

Styles: **1687, 0463**

Pipe Tap
Straight Pipe Taps

Note

3-1/2 thread chamfer.

NPS thread design
- suitable for NPSC or NPSM.

HSS Bright NPS



tap size	tap TPI	tap series	decimal equivalent	no. of flutes	shank diameter	overall length	thread length	order number	
								1687 Bright	0463 Bright
1/8	27	NPSC	.1250	4	.4375	2-1/8	3/4	C69333	C64231
1/4	18	NPSC	.2500	4	.5626	2-7/16	1-1/16	C69334	C64232
3/8	18	NPSC	.3750	4	.7000	2-9/16	1-1/16	C69335	C64233
1/2	14	NPSC	.5000	4	.6875	3-1/8	1-3/8	C69336	C64234
3/4	14	NPSC	.7500	5	.9063	3-1/4	1-3/8	C69337	C64235
1	11-1/2	NPSC	1.0000	5	1.1250	3-3/4	1-3/8	C69338	C64236

Other Tools
Combination Drill & Tap

General Purpose Taps / Dies



Style: **0450**

Note

Drill and tap in one operation without changing tools.

Two flutes run length of the tool.

HSS

Bright



tap size	tap TPI	thread series	decimal equivalent	no. of flutes	overall length	thread length	drill length	drill size	order number
									0450 Bright
6	32	UNF	.1380	2	2	7/16	5/16	.1095	C64937
8	32	UNC	.1640	2	2-1/8	1/2	3/8	.1360	C64960
10	32	UNF	.1900	2	2-3/8	5/8	13/32	.1610	C64961
1/4	20	UNC	.2500	2	2-1/2	25/32	17/32	.2010	C64949
5/16	18	UNC	.3125	2	3	15/16	11/16	.2570	C64952
3/8	16	UNC	.3750	2	3-1/2	1-1/16	13/16	.3225	C64955

THREADING / DIES

Die - Hexagon
Re-Threading

Styles: **0650, 492**

Note

Used in repair work for dressing over bruised and rusty threads.

Can be used only in free machining materials.

Style **0650M** (Metric) now combined with style 0650.

HSS

Carbon Steel

Bright



die diameter TPI	series	die diameter pitch	decimal equivalent	length across flats	thickness	order number	order number
						0650 Carbon Steel	492 High-Speed Steel
		M5 x 0.8	.1969	19/32	1/4	C65580	—
		M6 x 1	.2362	19/32	1/4	C65581	—
1/4-20	UNC		.2500	19/32	1/4	C65601	C77600
1/4-28	UNF		.2500	19/32	1/4	C65602	C77602
5/16-18	UNC		.3125	11/16	5/16	C65603	C77604
5/16-24	UNF		.3125	11/16	5/16	C65605	C77606
		M8 x 1.25	.3150	11/16	5/16	C65582	—
3/8-16	UNC		.3750	25/32	3/8	C65606	C77608
3/8-24	UNF		.3750	25/32	3/8	C65607	C77610
		M10 x 1.5	.3937	7/8	7/16	C65583	—
7/16-14	UNC		.4375	7/8	7/16	C65608	C77612
7/16-20	UNF		.4375	7/8	7/16	C65609	C77614
		M12 x 1.75	.4724	1-1/16	1/2	C65584	—
1/2-13	UNC		.5000	1-1/16	1/2	C65610	C77616
1/2-20	UNF		.5000	1-1/16	1/2	C65611	C77618
		M14 x 2	.5512	1-1/16	1/2	C65585	—
9/16-12	UNC		.5625	1-1/16	1/2	C65612	C77620
9/16-18	UNF		.5625	1-1/16	1/2	C65613	C77622

die diameter TPI	series	die diameter pitch	decimal equivalent	length across flats	thickness	order number	
						0650 Carbon Steel	492 High-Speed Steel
5/8-11	UNC		.6250	1-1/4	5/8	C65614	C77624
5/8-18	UNF		.6250	1-1/4	5/8	C65615	C77626
		M16 x 2	.6299	1-1/4	5/8	C65586	—
11/16-11	NS		.6875	1-7/16	3/4	C65616	—
11/16-16	NS		.6875	1-7/16	3/4	C65617	—
3/4-10	UNC		.7500	1-7/16	3/4	C65618	C77628
3/4-16	UNF		.7500	1-7/16	3/4	C65619	C77630
		M20 x 2.5	.7874	1-5/8	7/8	C65587	—
7/8-9	UNC		.8750	1-5/8	7/8	C65620	C77632
7/8-14	UNF		.8750	1-5/8	7/8	C65621	C77634
1-8	UNC		1.0000	1-13/16	1	C65622	C77636
1-12	UNF		1.0000	1-13/16	1	C65623	C77638
1-14	NS		1.0000	1-13/16	1	C65624	C77640
1-1/8-7	UNC		1.1250	2	1	C65625	C77642
1-1/8-12	UNF		1.1250	2	1	C65627	C77644
1-1/4-7	UNC		1.2500	2-3/16	1	C65628	C77646
1-1/4-12	UNF		1.2500	2-3/16	1	C65629	—
1-3/8-6	UNC		1.4100	2-3/8	1	C65630	C77648
1-3/8-12	UNF		1.4100	2-3/8	1	C65631	—
1-1/2-6	UNC		1.5000	2-9/16	1	C65632	C77650
1-1/2-12	UNF		1.5000	2-9/16	1	C65633	—

THREADING / DIES

Style: **0660**

Die - Hexagon
Taper Pipe - Carbon Steel



Carbon Steel Bright NPT

die diameter TPI and series	decimal equivalent	length across flats	thickness	order number
				0660 Carbon Steel
1/8 27 NPT	.1250	1-1/16	3/8	C65571
1/4 18 NPT	.2500	1-1/4	5/8	C65572
3/8 18 NPT	.3750	1-7/16	5/8	C65573
1/2 14 NPT	.5000	1-5/8	3/4	C65574
3/4 14 NPT	.7500	2	13/16	C65575
1 11-1/2 NPT	1.0000	2-3/8	1	C65576

Die - Hexagon Sets
Re-Threading Sets

SET

Styles: **0650**

Plastic Case

Carbon Steel

UNC
UNF

Note
NC or NF sets
1 each of die sizes listed

THREADING / DIES

set number	number of sizes	die sizes		order number
42NC	8	1/4-20 NC	1/2-13 NC	C67275
		5/16-18 NC	9/16-12 NC	
		3/8-16 NC	5/8-11 NC	
		7/16-14 NC	3/4-10 NC	
42NF	8	1/4-28 NF	1/2-20 NF	C67276
		5/16-24 NF	9/16-18 NF	
		3/8-24 NF	5/8-11 NF	
		7/16-20 NF	3/4-16 NF	
44NC	10	1/4-20 NC	9/16-12 NC	C67278
		5/16-18 NC	5/8-11 NC	
		3/8-16 NC	3/4-10 NC	
		7/16-14 NC	7/8-9 NC	
		1/2-13 NC	1-8 NC	
45NCNF	20	1/4-20 NC	1/4-28 NF	C67282
		5/16-18 NC	5/16-24 NF	
		3/8-16 NC	3/8-24 NF	
		7/16-14 NC	7/16-20 NF	
		1/2-13 NC	1/2-20 NF	
		9/16-12 NC	9/16-18 NF	
		5/8-11 NC	5/8-18 NF	
		3/4-10 NC	3/4-16 NF	
		7/8-9 NC	7/8-14 NF	
		1-8 NC	1-14 NF	
NC/NF	10	1/4-20NC	1/4-28NF	C67284
		5/16-18NC	5/16-24NF	
		3/8-16NC	3/8-24NF	
		7/16-14NC	7/16-20NF	
		1/2-13NC	1/2-20NF	

set number	number of sizes	die sizes	order number
49Metric	7	M6 x 1	C67283
		M8 x 1.25	
		M10 x 1.5	
		M12 x 1.75	
		M14 x 2	
		M16 x 2	
		M20 x 2.5	



8-Piece Die Set
#C67275



20-Piece Die Set
#C67282

Note

- Short chamfer on both sides of die to extend tool life.*
- Adjustable for wear and size.*
- Cut external threads when held in a die stock.*
- Produce UN thread form.*
- Can be used for close to shoulder work.*

Style **0710M** (Metric) now combined with style 0710.



HSS

Bright

Carbon Steel

diameter TPI	series	diameter pitch	decimal equiv.	outside dia.	thick- ness	order number	
						0610 Carbon Steel	0710 HSS
0-80	UNF		.0600	13/16	1/4	C65022	—
1-64	UNC		.0730	13/16	1/4	C65026	—
1-72	UNF		.0730	13/16	1/4	C65027	—
2-56	UNC		.0860	13/16	1/4	C65036	—
2-64	UNF		.0860	13/16	1/4	C65037	—
		M2.5x 0.45	.0984	21	6	—	C65721
3-48	UNC		.0990	13/16	1/4	C65045	—
3-56	UNF		.0990	13/16	1/4	C65046	—
4-40	UNC		.1120	13/16	1/4	C65048	—
4-48	UNF		.1120	13/16	1/4	C65049	—
		M3 x 0.5	.1181	21	6	—	C65724
5-40	UNC		.1250	13/16	1/4	C65057	C65729
5-44	UNF		.1250	13/16	1/4	C65058	C65730
		M3.5 x 0.6	.1378	21	6	—	C65732
6-32	UNC		.1380	13/16	1/4	C65061	C65733
6-32	UNC		.1380	1	3/8	C65114	C65785
6-40	UNF		.1380	13/16	1/4	C65062	C65734
		M4 x 0.7	.1575	21	6	—	C65737
8-32	UNC		.1640	13/16	1/4	C65069	C65739
8-32	UNC		.1640	1	3/8	C65119	C65789
8-36	UNF		.1640	13/16	1/4	C65070	C65740
		M4.5 x 0.75	.1772	21	6	—	C65742
10-24	UNC		.1900	13/16	1/4	C65075	C65743
10-24	UNC		.1900	1	3/8	C65124	C65792
10-32	UNF		.1900	13/16	1/4	C65076	C65744
10-32	UNF		.1900	1	3/8	C65125	C65793
		M5 x 0.8	.1969	21	6	—	C65747
12-24	UNC		.2160	13/16	1/4	C65083	C65751
12-24	UNC		.2160	1	3/8	C65132	C65798
12-28	UNF		.2160	13/16	1/4	C65084	C65752
		M6 x 1	.2362	21	6	—	C65757
		M6 x 1	.2362	25.4	9.5	—	C65801
1/4-20	UNC		.2500	13/16	1/4	C65093	C65760
1/4-20	UNC		.2500	1	3/8	C65140	C65804
1/4-20	UNC		.2500	1-1/2	1/2	C65192	C65839
1/4-20	UNC		.2500	2	5/8	C65264	—
1/4-28	UNF		.2500	13/16	1/4	—	C65761
1/4-28	UNF		.2500	1	3/8	C65142	C65805
1/4-28	UNF		.2500	1-1/2	1/2	C65193	C65840
1/4-28	UNF		.2500	2	5/8	C65265	—
		M7 x 1	.2756	25.4	9.5	—	C65807
5/16-18	UNC		.3125	13/16	1/4	—	C65766
5/16-18	UNC		.3125	1	3/8	C65147	C65808
5/16-18	UNC		.3125	1-1/2	1/2	C65197	C65844
5/16-18	UNC		.3125	2	5/8	C65269	—
5/16-24	UNF		.3125	13/16	1/4	—	C65767
5/16-24	UNF		.3125	1	3/8	C65148	C65809

diameter TPI	series	diameter pitch	decimal equiv.	outside dia.	thick- ness	order number	
						0610 Carbon Steel	0710 HSS
5/16-24	UNF		.3125	1-1/2	1/2	C65198	C65845
5/16-24	UNF		.3125	2	5/8	C65270	—
		M8 x 1.25	.3150	25.4	9.5	—	C65813
3/8-16	UNC		.3750	1	3/8	C65159	C65816
3/8-16	UNC		.3750	1-1/2	1/2	C65208	C65855
3/8-16	UNC		.3750	2	5/8	C65280	—
3/8-24	UNF		.3750	1	3/8	C65160	C65817
3/8-24	UNF		.3750	1-1/2	1/2	C65209	C65856
3/8-24	UNF		.3750	2	5/8	C65281	—
		M10 x 1.5	.3937	25.4	9.5	—	C65824
7/16-14	UNC		.4375	1	3/8	C65171	C65828
7/16-14	UNC		.4375	1-1/2	1/2	C65220	C65865
7/16-14	UNC		.4375	2	5/8	C65292	—
7/16-20	UNF		.4375	1	3/8	C65172	C65829
7/16-20	UNF		.4375	1-1/2	1/2	C65221	C65866
7/16-20	UNF		.4375	2	5/8	C65293	—
		M12 x 1.75	.4724	25.4	9.5	—	C65833
1/2-13	UNC		.5000	1	3/8	C65470	—
1/2-13	UNC		.5000	1-1/2	1/2	C65232	C65875
1/2-13	UNC		.5000	2	5/8	C65303	—
1/2-20	UNF		.5000	1	3/8	C65471	—
1/2-20	UNF		.5000	1-1/2	1/2	C65233	C65876
1/2-20	UNF		.5000	2	5/8	C65304	—
		M14 x 2	.5512	38	13	—	C65880
9/16-12	UNC		.5625	1-1/2	1/2	C65239	C65881
9/16-12	UNC		.5625	2	5/8	C65311	—
9/16-18	UNF		.5625	1-1/2	1/2	C65240	C65882
9/16-18	UNF		.5625	2	5/8	C65312	—
5/8-11	UNC		.6250	1-1/2	1/2	C65243	C65884
5/8-11	UNC		.6250	2	5/8	C65315	C65946
5/8-11	UNC		.6250	2-1/2	3/4	C65374	—
5/8-18	UNF		.6250	1-1/2	1/2	C65244	C65885
5/8-18	UNF		.6250	2	5/8	C65316	C65947
		M16 x 2	.6300	38	13	—	C65889
		M18 x 2.5	.7087	38	13	—	C65896
3/4-10	UNC		.7500	1-1/2	1/2	C65250	—
3/4-10	UNC		.7500	2	5/8	C65328	C65957
3/4-10	UNC		.7500	2-1/2	3/4	C65384	—
3/4-16	UNF		.7500	1-1/2	1/2	C65251	—
3/4-16	UNF		.7500	2	5/8	C65329	C65958
3/4-16	UNF		.7500	2-1/2	3/4	C65385	—
		M20 x 2.5	.7874	38	13	—	C65901
7/8-9	UNC		.8750	2	5/8	C65339	C65966
7/8-9	UNC		.8750	2-1/2	3/4	C65395	—
7/8-14	UNF		.8750	2	5/8	C65340	C65967
7/8-14	UNF		.8750	2-1/2	3/4	C65396	—

THREADING / DIES

continued on next page

Die
Round and Taper Pipe

General Purpose Taps / Dies

Styles: **0610, 0710, 0620**



THREADING / DIES

diameter TPI	series	diameter pitch	decimal equiv.	outside dia.	thick- ness	order number	
						0610 Carbon Steel	0710 HSS
1-8	UNC		1.0000	2	5/8	C65349	—
1-8	UNC		1.0000	2-1/2	3/4	C65405	—
1-8	UNC		1.0000	3	1	C65416	—
1-12	UNF		1.0000	2	5/8	C65350	—
1-12	UNF		1.0000	2-1/2	3/4	C65406	—
1-12	UNF		1.0000	3	1	C65417	—
1-14	UNF		1.0000	2	5/8	C65407	—
1-1/8-7	UNC		1.1250	3	1	C65426	—
1-1/8-12	UNF		1.1250	3	1	C65427	—
1-1/4-7	UNC		1.2500	3	1	C65433	—
1-1/4-12	UNF		1.2500	3	1	C65434	—
1-3/8-6	UNC		1.3750	3	1	C65441	—
1-3/8-12	UNF		1.3750	3	1	C65442	—
1-1/2-6	UNC		1.5000	3	1	C65449	—
1-1/2-12	UNF		1.5000	3	1	C65450	—

Taper pipe sizes — Carbon Steel

die diameter TPI and series	decimal equiv.	outside dia.	thick- ness	order number	
				0620 Carbon Steel	
1/8 27 NPT	.1250	1	3/8	C65491	
1/8 27 NPT	.1250	1-1/2	1/2	C65492	
1/4 18 NPT	.2500	1-1/2	1/2	C65493	
1/4 18 NPT	.2500	2	5/8	C65495	
3/8 18 NPT	.3750	1-1/2	1/2	C65494	
3/8 18 NPT	.3750	2	5/8	C65496	
1/2 14 NPT	.5000	2	5/8	C65497	

Note: Pipe size round adjustable dies are not split.

Die Stock
Round Adjustable

Styles: **222**

Note

Style #222: holds round adjustable dies with three adjusting screws.

Style #224: stocks have built-in workpiece guide and lock in place with two set screws.



Style #222 Die Stock

product number	die O.D.	overall length	order number
			222
2	13/16	7	C67223
3	1	9-1/4	C67224
5	1-1/2	13-1/4	C67226
6	2	15-3/8	C67227
7	2-1/2	19-1/2	C67228
8	3	23	C67229

SET

Descriptions below

Note

Each includes:
Combination UNC/UNF sizes.
1 each of tap and die sizes listed.
Tap wrench and die stock included
HSS Maintenance Hand Taps and
Carbon Steel Round Adjustable Die.

HSS Carbon Steel UNC UNF



8 Size Set
#C67271

set number	number of sizes	tap and die sizes		order number
26S	8	2-56 UNC	8-32 UNC	C67271
		3-48 UNC	10-24 UNC	
		4-40 UNC	10-32 UNF	
		6-32 UNC	12-24 UNC	
517	7	4-40 UNC	10-24 UNC	C00517
		6-32 UNC	10-32 UNF	
		8-32 UNC	12-24 UNC	
			1/4-20 UNC	
518	5	1/4-20 UNC	3/8-16 UNC	C00518
		5/16-18 UNC	7/16-14 UNC	
525	8	0-80 UNF	4-40 UNC	C00525
		1-72 UNF	6-32 UNC	
		2-56 UNC	8-32 UNC	
		3-48 UNC	10-24 UNC	
526	10	4-40 UNC	4-48 UNF	C00526
		6-32 UNC	6-40 UNF	
		8-32 UNC	8-36 UNF	
		10-24 UNC	10-32 UNF	
		12-24 UNC	12-28 UNF	
528	11	1/4-20 UNC	1/4-28 UNF	C00528
		5/16-18 UNC	5/16-24 UNF	
		3/8-16 UNC	3/8-24 UNF	
		7/16-14 UNC	7/16-20 UNF	
		1/2-13 UNC	1/2-20 UNF	
		pipe size	1/8-27 (short shank)	
532	21	1/4-20 UNC	1/4-28 UNF	C00532
		5/16-18 UNC	5/16-24 UNF	
		3/8-16 UNC	3/8-24 UNF	
		7/16-14 UNC	7/16-20 UNF	
		1/2-13 UNC	1/2-20 UNF	
		9/16-12 UNC	9/16-18 UNF	
		5/8-11 UNC	5/8-18 UNF	
		3/4-10 UNC	3/4-16 UNF	
		7/8-9 UNC	7/8-14 UNF	
		1-8 UNC	1-14 UNS	
		pipe size	1/8-27 (long shank)	

set number	number of sizes	tap and die sizes		order number	
815	20	1/4-20 UNC	1/4-28 UNF	C67293	
		5/16-18 UNC	5/16-24 UNF		
		3/8-16 UNC	3/8-24 UNF		
		7/16-14 UNC	7/16-20 UNF		
		1/2-13 UNC	1/2-20 UNF		
		9/16-12 UNC	9/16-18 UNF		
		5/8-11 UNC	5/8-18 UNF		
		3/4-10 UNC	3/4-16 UNF		
		7/8-9 UNC	7/8-14 UNF		
		1-8 UNC	1-12 UNF		
533	28 Taps 15 Dies	4-40 UNC	1/4-20 UNC	C00533	
		6-32 UNC	1/4-28 UNF		
		8-32 UNC	5/16-18 UNC		
		10-24 UNC	5/16-24 UNF		
		10-32 UNF	3/8-16 UNC		
		12-24 UNC	3/8-24 UNF		
		7/16-14 UNC	7/16-20 UNF		
		1/2-13 UNC	1/2-20 UNF		
		9/16-12 UNC	9/16-18 UNF		
			5/8-18 UNC		
			3/4-16 UNC		
			7/8-14 UNC		
			1-14 UNS		
			pipe sizes		1/8-27 (long shank)
					1/4-18
		3/8-18			
		1/2-14			
		M14 x 1.5			
		M18 x 1.5			
		metric sizes			

THREADING / DIES

Tap & Die Sets

Metric Round - Adjustable

General Purpose Taps / Dies



Descriptions below

Note

Tap & Die Sets with Maintenance Hand Taps and HSS Round Adjustable Dies (metric sizes).

HSS



set number	number of sizes	tap and die sizes		order number
448	7	M2.5 x 0.45	M4 x 0.7	C00448
		M3 x 0.5	M4.5 x 0.75	
		M3.5 x 0.6	M5 x 0.8	
			M6 x 1.0	
449	5	M6 x 1.0	M8 x 1.25	C00449
		M7 x 1.0	M10 x 1.5	
			M12 x 1.75	

Tap, Die & Drill Set

Metric Round - Adjustable

Description below

Note

Each includes:
1 HSS tap, die, and black jobber drill sizes listed.
Tap wrench, die stock, and screwdriver.
Metal case.

HSS

set number	number of sizes	tap and die sizes	drill size	order number
451	5	M6 x 1.0	5.0mm	C00451
		M7 x 1.0	6.0mm	
		M8 x 1.25	6.7mm	
		M10 x 1.5	8.5mm	
		M12 x 1.75	10.2mm	



5 Size Set #C00451

Jobber Drill & Tap Sets

SET


Styles: 1860

Note

Drill style: 1898 bright
Uses Cle-Line Tap Style: #0411 Spiral Point

NEW

jobber drill sizes	plug tap spiral point	no. of pieces	order number
			1860
36	6-32	2	C22305
29	8-32	2	C22304
25	10-24	2	C22307
21	10-32	2	C22306
7	1/4-20	2	C22308
F	5/16-18	2	C22300
5/16"	3/8-16	2	C22303
U	7/16-14	2	C22302
27/64"	1/2-13	2	C22301



- Quick-Set Two-Piece Die System consists of these parts
Series 0550 — Die
Series 0551 — Cap
Series 0552 — Guide
Series 0553 — Collet
- Inch sizes are sold as a complete assembly (see table below), or in their component parts.
- Metric sizes are sold in their component parts only.
- Use with Quick-Set die stocks; see styles 0650, 0610, and 0710.

- Collets for use with Quick-Set dies consist of a cap and a guide; order cap and guide separately, or assembled as a collet (see below).
- Die halves are seated in the beveled cap slot and held in place by the guide, which screws into the underside of the cap.
- Die is adjusted by the set screws at either end of the slot.
- Caps of a given outside diameter are made with several different sizes of slots to take different sizes of dies as

indicated in the table below.

- Separate guide is required for each cutting size.
- To order separate guides, specify cutting size of the die and the size of the collet for 1/4" and 1/2" dies.

Application Information:

- Use in most maintenance applications.
- Ideal for hand threading operations.

Styles: **0550, 0551, 0552, 0553, 0554**

Collet Assembly and Components

Note

Most cutting sizes may be ordered by size only; however, sizes 1/4" and 1/2" can be furnished in two different blanks, which should be ordered by size and collet number.

Unified and American National thread form standard.

Two-piece construction with two cutting edges in each piece.

Easy to sharpen.

One side has a 2 to 3 thread chamfer for threading; the other side has a 1 to 1-1/2 thread chamfer for threading close to a shoulder.

Unified and American National thread form standard.

Enables a wide range of adjustments.



Assembly
(combined Die & Collet)



Die



Cap



Guide



Collet
(combined Cap & Guide)

nominal dia. TPI	nominal dia. series	decimal pitch	decimal equivalent	collet no.	collet O.D.	order number		order number			order number		
						0554 assembly	die blank no.	0550 die	cap O.D.	0551 cap	0552 guide	0553 collet	
4-40	UNC		.1120	A1	1-1/4	C66782	A1	C66693	1-1/4	C66727	C66681	C66754	
6-32	UNC		.1380	A1	1-1/4	C66783	A1	C66694	1-1/4	C66727	C66682	C66755	
8-32	UNC		.1640	A1	1-1/4	C66784	A1	C66695	1-1/4	C66727	C66683	C66756	
10-24	UNC		.1900	A1	1-1/4	C66785	A1	C66696	1-1/4	C66727	C66684	C66757	
10-32	UNF		.1900	A1	1-1/4	C66786	A1	C66697	1-1/4	C66727	C66684	C66757	
12-24	UNC		.2160	A1	1-1/4	C66787	A1	C66698	1-1/4	C66727	C66685	C66758	
	M6 x 1		.2362	5	—	—	A	C66670	70	—	C66820	—	
1/4-20	UNC		.2500	A1	1-1/4	C66788	A1	C66699	1-1/4	C66727	C66686	C66759	
1/4-20	UNC		.2500	1,5	2	C66789	A	C66701	2	C66728	C66737	C66775	
1/4-28	UNF		.2500	1	2	C66790	A1	C66700	2	C66728	C66737	C66775	
1/4-28	UNF		.2500	1	2	C66790	A	C66702	2	C66728	C66737	C66775	
5/16-18	UNC		.3125	1,5	2	C66791	A	C66703	2	C66728	C66738	C66776	
5/16-24	UNF		.3125	1,5	2	C66792	A	C66704	2	C66728	C66738	C66776	
	M8 x 1.25		.3150	5	—	—	A	C66671	70	—	C66821	—	
3/8-16	UNC		.3750	1,5	2	C66793	B	C66705	2	C66729	C66739	C66777	
3/8-24	UNF		.3750	1,5	2	C66794	B	C66706	2	C66729	C66739	C66777	

continued on next page

Styles: 0550, 0551, 0552, 0553, 0554 (continued)

THREADING / DIES

nominal dia. TPI	nominal dia. series	nominal dia. pitch	decimal equivalent	collet no.	collet O.D.	order number		die blank no.	cap O.D.	order number		
						0554 assembly	0550 die			0551 cap	0552 guide	0553 collet
		M10 x 1.5	.3937	5	—	—	B	C66672	70	—	C66822	—
7/16-14	UNC		.4375	1,5	2	C66795	B	C66707	2	C66729	C66740	C66778
7/16-20	UNF		.4375	1,5	2	C66796	B	C66708	2	C66729	C66740	C66778
		M12 x 1.75	.4724	5	—	—	B	C66673	70	—	C66823	—
1/2-13	UNC		.5000	1	2	C66797	B	C66709	2	C66729	C66741	C66764
1/2-13	UNC		.5000	5	2-3/4	C66801	B	C66710	2	C66732	C66746	C66769
1/2-20	UNF		.5000	1	2	C66798	C	C66711	2-3/4	C66729	C66741	C66764
1/2-20	UNF		.5000	5	2-3/4	C66802	C	C66712	2-3/4	C66732	C66746	C66769
		M14 x 2	.5512	5	—	—	C	C66674	70	C66732	C66824	—
9/16-12	UNC		.5625	5	2-3/4	C66803	C	C66713	2-3/4	C66732	C66747	C66770
9/16-18	UNF		.5625	5	2-3/4	C66804	C	C66714	2-3/4	C66732	C66747	C66770
5/8-11	UNC		.6250	5	2-3/4	C66805	C	C66715	2-3/4	C66732	C66748	C66771
5/8-18	UNF		.6250	5	2-3/4	C66806	C	C66716	2-3/4	C66732	C66748	C66771
		M16 x 2	.6300	5	—	—	C	C66675	70	C66732	C66825	—
		M18 x 2.5	.7087	5	—	—	C	C66676	70	C66732	C66826	—
3/4-10	UNC		.7500	5	2-3/4	C66807	C	C66717	2-3/4	C66732	C66749	C66772
3/4-16	UNF		.7500	5	2-3/4	C66808	C	C66718	2-3/4	C66732	C66749	C66772
		M20 x 2.5	.7874	5	—	—	C	C66677	70	C66732	C66827	—
		M22 x 2.5	.8661	5	—	—	D	C66678	70	C66733	C66828	—
7/8-9	UNC		.8750	5	2-3/4	C66809	D	C66719	2-3/4	C66733	C66750	C66773
7/8-14	UNF		.8750	5	2-3/4	C66810	D	C66720	2-3/4	C66733	C66750	C66773
		M24 x 3	.9449	5	—	—	D	C66679	70	C66733	C66829	—
1-8	UNC		1.0000	5	2-3/4	C66811	D	C66721	2-3/4	C66733	C66751	C66774
1-12	UNF		1.0000	5	2-3/4	C66812	D	C66722	2-3/4	C66733	C66751	C66774
1-14	UNS		1.0000	5	2-3/4	C66813	D	C66723	2-3/4	C66733	C66751	C66774

Style: **223**

Carbon Steel

Note

Use with all Style #0554 Quick-Set collets with two-piece dies.

Application Information:

Quick-Set die stocks have center holes corresponding to the outside diameter of the Quick-Set collets.



stock no.	collet no.	collet capacity	length of stock	order number
				223
#A1	A1	1-1/4	7-1/2	C67216
#1	1	2	14-1/2	C67214
#5	5	2-3/4	23	C67217
#5A	5	2-3/4	26	C67215

Style: **225**

Jr. Quick Die Stock

Carbon Steel

Note

Use with all Series 0550 Quick-Set two-piece dies without collet.

Application Information:

- Quick-Set Jr. die stocks are designed to use Quick-Set dies without collets.
- Double slots enable use of two different size blanks in the same stock.
- Dies fit directly into the stock and are held in place by a screw guide.



stock no.	cutting size	die blank size	guide no.	cutting size range	length of stock	order number
						225
#1	1/4 to 5/16 3/8 to 1/2	A B	1	1/4 to 1/2	14-1/2	C67220
#5	9/16 to 3/4 7/8 to 1	C D	5	9/16 to 1	26	C67221

Styles: **226**

Quick Set Spanner Wrench

Carbon Steel

Note

Because all guides are so small they are round not square, so you cannot use a standard wrench.

Fits into two holes to turn guide.



stock no.	collet no.	collet capacity	order number
			226
#A1	A1	1-1/4	C67232

Tap & Die Sets

Quick-Set Two-Piece Die System

SET

General Purpose Taps / Dies

Style: 055



Carbon Steel

THREADING / DIES

set no.	number of cutting sizes	threading sizes		collet number	tap wrench number	die stock number	order number
559	7	4-40 NC	10-24 NC	A1	T9, A1	A1	C00609
		6-32 NC	10-32 NF				
		8-32 NC	12-24 NC				
			1/4-20 NC				
5510	5	1/4-20 NC	7/16-14 NC	1	#5	#1	C00610
		5/16-18 NC	1/2-13 NC				
		3/8-16 NC					
5511	10	1/4-20 NC	9/16-12 NC	5	#5,#7	5A	C00611
		5/16-18 NC	5/8-11 NC				
		3/8-16 NC	3/4-10 NC				
		7/16-14 NC	7/8-9 NC				
		1/2-13 NC	1-8 NC				
5512	10	1/4-20 NC	1/4-28 NF	1	#5	#1	C00612
		5/16-18 NC	5/16-24 NF				
		3/8-16 NC	3/8-24 NF				
		7/16-14 NC	7/16-20 NF				
		1/2-13 NC	1/2-20 NF				
5513	20	1/4-20 NC	1/4-28 NF	1,5	#5,#7	#1,#5B	C00613
		5/16-18 NC	5/16-24 NF				
		3/8-16 NC	3/8-24 NF				
		7/16-14 NC	7/16-20 NF				
		1/2-13 NC	1/2-20 NF				
		9/16-12 NC	9/16-18 NF				
		5/8-11 NC	5/8-18 NF				
		3/4-10 NC	3/4-16 NF				
		7/8-9 NC	7/8-14 NF				
		1-8 NC	1-14 NS				
5514	7	M6 x 1	M16 x 2	5	#6	#5	C00614
		M8 x 1.25	M18 x 2.5				
		M10 x 1.5					
		M12 x 1.75					
		M14 x 2					



7 Size Set Tap & Die #C00609

Tap & Die Sets

Quick-Set Jr. Tap & Die

SET

Style: 055

Note

Die stock to hold dies without collet.

HSS

Carbon Steel

set no.	number of cutting sizes	threading sizes		wrench number	die stock number	order number
558	20	1/4-20 NC	1/4-28 NF	#5, #7	#1, #5	C00608
		5/16-18 NC	5/16-24 NF			
		3/8-16 NC	3/8-24 NF			
		7/16-14 NC	7/16-20 NF			
		1/2-13 NC	1/2-20 NF			
		9/16-12 NC	9/16-18 NF			
		5/8-11 NC	5/8-18 NF			
		3/4-10 NC	3/4-16 NF			
		7/8-9 NC	7/8-14 NF			
		1-8 NC	1-14NS			

Straight, Plain, Slip, Combination, Long

Style: 240

Standard Straight

Note

Used for hand tapping.



product number	machine screw	tap size ranges		pipe	overall length	order number
		fractional	metric			240
0	0 to 14	1/16 to 1/4	M1.5 to M6.3	—	7	C67201
14	0 to 14	1/16 to 3/8	M1.5 to M10	—	9	C67197
5	8 to 14	5/32 to 1/2	M4 to M12.5	1/8	11	C67202
6	8 to 14	5/32 to 3/4	M4 to M19	1/8 to 1/4	15	C67203
7	—	1/4 to 1-1/8	M12 to M28	1/8 to 3/4	19	C67204
8	—	3/4 to 1-5/8	M19 to M40	3/8 to 1-1/4	40	C67205
22	—	1 to 2-1/2	M25 to M56	3/4 to 2	54	C67200

Style: 242

Plain T-Handle

Note

Used for hand tapping in out-in-the-open jobs.



product number	mach screw	tap size ranges		overall length	order number
		fractional	metric		242
T9	0 to 14	1/16 to 1/4	M1.5 to M6.3	2-3/4	C67206
T10	12 to 14	7/32 to 1/2	M5.5 to M12.5	3-5/8	C67207

Style: 243

Slip T-Handle

Note

Used for hand tapping or in difficult spaces requiring a slip handle



product number	mach screw	tap size ranges		overall length	order number
		fractional	metric		243
T11	0 to 14	1/16 to 1/4	M1.5 to M6.3	2-3/4	C67208
T12	12 to 14	7/32 to 1/2	M5.5 to M12.5	3-5/8	C67209

Combination Ratchet and Slip Handle

Style: **244**

Note

Used for hand tapping in difficult spaces needing ratchet drive.

product number	mach screw	tap size ranges		overall length	order number
		fractional	metric		244
T13	0 to 14	1/16 to 1/4	M1.5 to M6.3	3-3/4	C67210
T14	12 to 14	7/32 to 1/2	M5.5 to M12.5	5	C67211



Long Shank T-Handle

Style: **245**

Note

Used for hand tapping where extra reach is required.

product number	mach screw	tap size ranges		overall length	order number
		fractional	metric		245
T16	0 to 14	1/16 to 1/4	M1.5 to M6.3	8-3/4	C67212
T17	12 to 14	7/32 to 1/2	M5.5 to M12.5	10-5/8	C67213



SETS

See product specific page for additional information

SETS **Make it Easy**
Cost Saving Sets
 Keep it organized!
Most styles come in a set



8 Size Set Re-Threading #C67275



20 Size Set Re-Threading #C67282



7 Size Set Tap and Round Adjustable #C00448



5 Size Set Tap and Round Adjustable #C00449

set number	no. of sizes	sizes	case type	style number	order number
Carbon Steel Re-Threading					0650
42NC	8	1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13, 9/16-12, 5/8-11, 3/4-10	plastic		C67275
42NF	8	1/4-28, 5/16-24, 3/8-24, 7/16-20, 1/2-20, 9/16-18, 5/8-11, 3/4-16	plastic		C67276
44NC	10	1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13, 9/16-12, 5/8-11, 3/4-10, 7/8-9, 1-8	plastic		C67278
45NCNF	20	1/4-20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2-20, 9/16-12, 9/16-18, 5/8-11, 5/8-18, 3/4-10, 3/4-16, 7/8-9, 7/8-14, 1-8, 1-14	plastic		C67282
NC/NF	10	1/4-20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2-20	plastic		C67284
49Metric	7	M6 x 1, M8 x 1.25, M10 x 1.5, M12 x 1.75, M14 x 2, M16 x 2, M20 x 2.5	plastic		C67283
Tap and Round Adjustable Die HSS					
26S	8	2-56, 3-48, 4-40, 6-32, 8-32, 10-24, 10-32, 12-24	metal		C67271
517	7	4-40, 6-32, 8-32, 10-24, 10-32, 12-24, 1/4-20	metal		C00517
518	5	1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13	metal		C00518
525	8	0-80, 1-72, 2-56, 3-48, 4-40, 6-32, 8-32, 10-24	metal		C00525
526	10	4-40, 4-48, 6-32, 6-40, 8-32, 8-36, 10-24, 10-32, 12-24, 12-28	metal		C00526
528	11	1/4-20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2-20, pipe size, 1/8-27 short shank	metal		C00528
532	21	1/4-20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2-20, 9/16-12, 9/16-18, 5/8-11, 5/8-18, 3/4-10, 3/4-16, 7/8-9, 7/8-14, 1-8, 1-14, pipe size, long shank	metal		C00532
815	20	1/4-20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2-20, 9/16-12, 9/16-18, 5/8-11, 5/8-18, 3/4-10, 3/4-16, 7/8-9, 7/8-14, 1-8, 1-12	metal		C67293
533	28 Taps 15 Dies	4-40, 6-32, 8-32, 10-24, 10-32, 12-24, 1/4-20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2-20, 9/16-12, 9/16-18, 5/8-18, 3/4-16, 7/8-14, 1-14, pipe sizes, 1/8-27 - long shank, 1/4-18, 3/8-18, 1/2-14 metric: M14 x 1.5, M18 x 1.5	metal		C00533
Tap & Die					
448	7	M2.5 x 0.45, M3 x 0.5, M3.5 x 0.6, M4 x 0.7, M4.5 x 0.75, M5 x 0.8, M6 x 1.0		0411	C00448
449	5	M6 x 1.0, M7 x 1.0, M8 x 1.25, M10 x 1.5, M12 x 1.75		0411	C00449

Tap, Die, & Drill Sets

SET

Cost Saving Sets (continued)

See product specific page for additional information

set number	no. of sizes	sizes	case type	style number	order number
Tap & Die					
451	5	M6 x 1.0, M7 x 1.0, M8 x 1.25, M10 x 1.5, M12 x 1.75, 5.0mm, 6.0mm, 6.7mm, 8.5mm, 10.2mm	metal		C00451
Tap & Drill - Drill style: 1898 Bright, Uses Cle-Line Tap Style: #0411 Spiral Point					1860
NEW	2	Bright, Drill: #36 Tap: 6-32 spiral point	plastic tube		C22305
	2	Bright, Drill: #29 Tap: 8-32 spiral point	plastic tube		C22304
	2	Bright, Drill: #25 Tap: 10-24 spiral point	plastic tube		C22307
	2	Bright, Drill: #21 Tap: 10-32 spiral point	plastic tube		C22306
	2	Bright, Drill: #7 Tap: 1/4-20 spiral point	plastic tube		C22308
	2	Bright, Drill: F Tap: 5/16-18 spiral point	plastic tube		C22300
	2	Bright, Drill: 5/16" Tap: 3/8-16 spiral point	plastic tube		C22303
	2	Bright, Drill: U Tap: 7/16-14 spiral point	plastic tube		C22302
	2	Bright, Drill: 27/64" Tap: 1/2-13 spiral point	plastic tube		C22301
Quick-Set Two-Piece Die System Uses: Die #380, Cap #1383, Guide #1384					055
559	7	4-40, 6-32, 8-32, 10-24, 10-32, 12-24, 1/4-20 collet: A1 - Tap wrench: T9, A1 - Die stock: A1		0402	C00609
5510	5	1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13 collet: 1 - Tap wrench: #5 - Die stock: #1		0402	C00610
5511	10	1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13, 9/16-12, 5/8-11, 3/4-10, 7/8-9, 1-8 collet: 5 - Tap wrench: #5, #7 - Die stock: 5A		0402	C00611
5512	10	1/4-20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2-20 collet: 1 - Tap wrench: #5 - Die stock: #1		0402	C00612
5513	20	1/4-20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2-20, 9/16-12, 9/16-18, 5/8-11, 5/8-18, 3/4-10, 3/4-16, 7/8-9, 7/8-14, 1-8, 1-14 collet: 1, 5 - Tap wrench: #5, #7 - Die stock: #1, #5B		0402	C00613
5514	7	M6 x 1, M8 x 1.25, M10 x 1.5, M12 x 1.75, M14x2, M16 x 2, M18 x 2.5 collet: 5 - Tap wrench: #6 - Die stock: #5		0411 1002	C00614
Quick-Set Jr. Tap & Die Uses: Die #380, Guide #1384					055
558	20	1/4-20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2-20, 9/16-12, 9/16-18, 5/8-11, 5/8-18, 3/4-10, 3/4-16, 7/8-9, 7/8-14, 1-8, 1-14 Wrench: #5, #7 - Die stock: #1, #5		0402	C00608



5 Size Set Tap, Die and Drill #C00451



2 Piece Set Bright, Drill & Tap #C22304



7 Size Set Quick-Set Two-Piece Die System #C00609

SETS



Set Sections

All Available Sets91

You **SAW** it here!

	Page	Set Page
Hole Saws		
NEW 1881 Carbide Tipped Hole Saws 	88	91
NEW 1886 CLAW Fleam Ground Hole Saws 	89	91
1887 M-3 Hole Saws 	90	91
1887. M-42 Hole Saws 	90	91
Hole Saws Accessories		
1885 Hole Saw Accessories Round and Hex Shank Pilot Drill, Adaptor 	92	
Bi-Metal Reciprocating Saw Blades		
RSB-D Demolition - Wood / Nail	93	
	Demolition - Metal / Rescue	93
RSB-P Pallet	93	
RSB-BM. . . . Wood 	94	
	Metal	94
	All-Purpose	95
	Plaster	95
	Air Saw	95

	Page	Set Page
Bi-Metal Hacksaw Blades		
HB-BM . . . Bi-Metal 	96	
Bi-Metal Band Saw Blades		
Portable Band Saw		
P1000 - Portable Band Saw 	96	
Weld-to-Length Band Saw		
T1000 - Straight Tooth	97	
T2000 - 5° Positive Rake Tooth	97	
T3000 - 10° High Positive Rake	98	
T4000 - Protective Tooth	98	
T5000 - Heavy Set	98	
T6000 - Turtle Back	99	
T7000 - Narrow Width Bands (M42)	99	
NEW Pre-Welded Band Saw		
T1000 - Straight Tooth	100	
T2000 - 5° Positive Rake Tooth	100	
T3000 - 10° High Positive Rake	100	
T7000 - Narrow Width Bands (M42) Carbide Tipped	100	
Carbide Tipped		
1882	101	

SAWS

Cut to customer specifications

Weld-to-Length

Band Saw Program

Reduce Cost • Custom Fit

Choose from the most usable length

Pre-Welded

Band Saw Program

to make delivery quick & easy!

Icon Glossary

Base Material



Application



Technical Information

Hole Saw	
Recommended Operating Speeds	102
Reference Chart / Tech Tips	103
Bi-Metal Blades	
Speed and Feeds	104-105
Blade Basics	106-108
Problem / Solution	109

 International products

Hole Saws
Carbide Tipped

Saw Blades

Styles: **1881**




NEW



CLE-LINE
CARBIDE TIPPED
Hole Saws

- Creates holes for pipes, tubing, door lock installations, electrical conduits, and antennas.
- Ideal for plumbing, construction, aircraft, electrical, maintenance, and automotive applications.
- Use in steel, brass, plastic, wood, fiberglass, drywall, counter tops, plaster, and fiberboard.



Carbide Tipped

up to 20x longer life for cutting wood and metal

Tooth Geometry

provides cleaner and faster cuts for aggressive cutting (3 teeth per inch)

1-1/2" Depth of Cut

SAWS

diameter	order number 1881
9/16"	C43000
16mm"	C43001
11/16"	C43002
3/4"	C43003
20mm"	C43004
13/16"	C43005
7/8"	C43006
15/16"	C43007
1"	C43008
1-1/16"	C43009
1-1/8"	C43010
1-3/16"	C43011
1-1/4"	C43012
1-5/16"	C43013
1-3/8"	C43014
1-7/16"	C43015
1-1/2"	C43016
1-9/16"	C43017

diameter	order number 1881
1-5/8"	C43018
1-11/16"	C43019
1-3/4"	C43020
1-13/16"	C43021
1-7/8"	C43022
2"	C43023
2-1/16"	C43024
2-1/8"	C43025
2-1/4"	C43026
2-5/16"	C43027
2-3/8"	C43028
2-1/2"	C43029
2-9/16"	C43030
2-5/8"	C43031
2-3/4"	C43032
2-7/8"	C43033
3"	C43034
3-1/8"	C43035

diameter	order number 1881
3-1/4"	C43036
3-3/8"	C43037
3-1/2"	C43038
3-5/8"	C43039
3-3/4"	C43040
3-7/8"	C43041
4"	C43042
4-1/8"	C43043
4-1/4"	C43044
4-3/8"	C43045
4-1/2"	C43046
4-3/4"	C43047
5"	C43048
5-1/4"	C43049
5-1/2"	C43050
5-3/4"	C43051
6"	C43052



"You asked for *speed* and a smooth finish
... Cle-Line *CLAW* delivers."

- **CLAW** has a cutting edge made from M42 cobalt steel
- Shock resistant teeth
- Reduces tooth stripping
- 4/6 positive tooth
- Less vibration

NEW

Easy Plug Removal

triple slot design makes plug removal easier

Size Range

9/16" to 6"



Turtle Back Tooth

reinforced tooth back

Heavy Duty Cutting

up to 40% faster than traditional bi-metal hole saws and a longer working life

Gullets

designed deeper for faster chip removal

SAWS

diameter inch (mm)	order number 1886
9/16" (14mm)	C43100
5/8" (16mm)	C43101
11/16" (17mm)	C43102
3/4" (19mm)	C43103
20mm	C43104
13/16" (21mm)	C43105
7/8" (22mm)	C43106
15/16" (24mm)	C43107
1" (25mm)	C43108
1-1/16" (27mm)	C43109
1-1/8" (29mm)	C43110
1-3/16" (30mm)	C43111
1-1/4" (32mm)	C43112
1-5/16" (33mm)	C43113
1-3/8" (35mm)	C43114
1-7/16" (37mm)	C43115
1-1/2" (38mm)	C43116
1-9/16" (40mm)	C43117
1-5/8" (41mm)	C43118
1-11/16" (43mm)	C43119

diameter inch (mm)	order number 1886
1-3/4" (44mm)	C43120
45mm	C43121
1-13/16" (46mm)	C43122
1-7/8" (48mm)	C43123
50mm	C43124
2" (51mm)	C43125
2-1/16" (52mm)	C43126
2-1/8" (54mm)	C43127
55mm	C43128
2-1/4" (57mm)	C43129
2-5/16" (59mm)	C43130
2-3/8" (60mm)	C43131
2-1/2" (64mm)	C43132
2-9/16" (65mm)	C43133
2-5/8" (67mm)	C43134
68mm	C43135
2-3/4" (70mm)	C43136
2-7/8" (73mm)	C43137
75mm	C43138
3" (76mm)	C43139

diameter inch (mm)	order number 1886
3-1/8" (79mm)	C43140
3-1/4" (83mm)	C43141
3-3/8" (86mm)	C43142
3-1/2" (89mm)	C43143
3-5/8" (92mm)	C43144
3-3/4" (95mm)	C43145
3-7/8" (98mm)	C43146
100mm	C43147
4" (102mm)	C43148
4-1/8" (105mm)	C43149
4-1/4" (108mm)	C43150
4-3/8" (111mm)	C43151
4-1/2" (114mm)	C43152
4-3/4" (121mm)	C43153
5" (127mm)	C43154
5-1/2" (140mm)	C43155
5-3/4" (146mm)	C43156
6" (152mm)	C43157

Hole Saws
M-3 / M-42

Saw Blades

Styles: 1887



4/6
Variable
Tooth

Bi-
Metal

M42
Cobalt

Note

Traditional narrow openings on the side wall.

High speed cutting edge.

1-7/8" (48mm) cutting depth.

**1-1/2" (32mm) cutting depth.*

3/16" (5mm) thick heavy-duty backing plate eliminates need for drive plate.

Shock resistant teeth, resists tooth stripping, less vibration, cuts 30% faster than conventional saws.

Creates holes for pipe, tubing, door lock installations, electrical conduits, and antennas.

Ideal for plumbing, construction, aircraft, electrical, maintenance and automotive applications.

Use in steel, aluminum, brass, cast iron, plastic or wood.



*Thin kerf design
0.050" thickness for
faster cutting.
Prolongs battery
life when used on
cordless tools.*

*3/16" (5mm)
thick heavy-duty
backing plate
eliminates need
for drive plate*

SAWS

diameter inch (mm)	order number	
	1887 M3	M42
9/16" (14 mm)	C25058	C25000
5/8" (16 mm)	C26149	C26121
11/16" (17 mm)	C26102	C25002
3/4" (19 mm)	C25061	C26113
(20 mm)	C25062	C25004
13/16" (21 mm)	C26106	C26105
7/8" (22 mm)	C25064	C25006
*7/8" (22 mm)	C24998	C24999
15/16" (24 mm)	C25065	C25007
1" (25 mm)	C25066	C26101
1-1/16" (27 mm)	C25067	C25009
1-1/8" (29 mm)	C25068	C26103
1-3/16" (30 mm)	C25069	C25011
1-1/4" (32 mm)	C25070	C25012
1-5/16" (33 mm)	C25071	C25013
1-3/8" (35 mm)	C26108	C25014
1-7/16" (37 mm)	C25073	C25015
1-1/2" (38 mm)	C25074	C25016
1-9/16" (40 mm)	C25075	C25017
1-5/8" (41 mm)	C25076	C25018
1-11/16" (43 mm)	C25077	C26104

diameter inch (mm)	order number	
	1887 M3	M42
1-3/4" (44 mm)	C25078	C26107
(45 mm)	C26120	C25021
1-13/16" (46 mm)	C25080	C25022
1-7/8" (48 mm)	C25081	C25023
(50 mm)	C25082	C25024
2" (51 mm)	C25083	C25025
2-1/16" (52 mm)	C25084	C25026
2-1/8" (54 mm)	C25085	C25027
(55 mm)	C25086	C25028
2-1/4" (57 mm)	C26109	C25029
2-5/16" (59 mm)	C25088	C25030
2-3/8" (60 mm)	C25089	C25031
2-1/2" (64 mm)	C25090	C25032
2-9/16" (65 mm)	C25091	C25033
2-5/8" (67 mm)	C25092	C26111
(68 mm)	C25093	C25035
2-3/4" (70mm)	C26110	C25036
2-7/8" (73 mm)	C26112	C25037
(75 mm)	C25096	C25038
3" (76 mm)	C25097	C25039

diameter inch (mm)	order number	
	1887 M3	M42
3-1/8" (79 mm)	C25098	C25040
3-1/4" (83 mm)	C25099	C26115
3-3/8" (86 mm)	C26116	C25042
3-1/2" (89 mm)	C25001	C25043
3-5/8" (92 mm)	C25102	C25044
3-3/4" (95 mm)	C25103	C25045
3-7/8" (98 mm)	C25104	C25046
(100 mm)	C25105	C25047
4" (102 mm)	C25106	C25048
4-1/8" (105 mm)	C25107	C25049
4-1/4" (108 mm)	C26118	C25050
4-3/8" (111 mm)	C25109	C25051
4-1/2" (114 mm)	C26117	C25052
4-3/4" (121 mm)	C25111	C26119
5" (127 mm)	C25112	C25054
5-1/2" (140 mm)	C25113	C25055
5-3/4" (146 mm)	C25114	C25056
6" (152 mm)	C25115	C25057



Note

Hole Saw Kits available for cutting almost any material.
The kits contain Bi-Metal 8% Cobalt hole saws of 4/6 variable pitch.
Assortment of hole saws and accessories specifically designed for the application environment.
Provided in a heavy duty, plastic case.

Carbide Tipped
9 piece
Electrician's Kit
#C43053



CLAW Fleam Ground
9 piece
Electrician's Kit
#C43161



M-42 Bi-Metal
9 piece
Electrician's Kit
#CHK04

Kit type	3/4"	7/8"	1"	1-1/8"	1-1/4"	1-3/8"	1-1/2"	1-3/4"	2"	2-1/8"	2-1/4"	2-1/2"	3"	3-1/4"	3-5/8"	3-3/4"	4-1/8"	4-1/2"	order number	
	19mm	22mm	25mm	29mm	32mm	35mm	38mm	44mm	51mm	54mm	57mm	64mm	76mm	83mm	92mm	95mm	105mm	114mm		
1881 - Carbide Tipped																				
Electrician's Kit - 8 piece (includes 2 mandrel / arbors)																				
Sizes		✓		✓		✓		✓	✓			✓								C43053
Maintenance Kit - 11 piece (includes 2 mandrel / arbors)																				
Sizes	✓	✓		✓		✓	✓	✓	✓		✓	✓								C43054
1886 - CLAW/Fleam Ground																				
Handyman's Kit - 7 piece (includes 1 mandrel / arbors, 1 adaptor)																				
Sizes		✓	✓	✓	✓		✓													C43158
Locksmith's Kit - 9 piece (includes 2 mandrels / arbors, 1 adaptor)																				
Sizes		✓	✓		✓		✓	✓		✓										C43159
Plumber's Kit - 9 piece (includes 2 mandrels / arbor, and 1 adaptor)																				
Sizes	✓	✓		✓			✓	✓			✓									C43160
Electrician's Kit - 9 piece (includes 2 mandrels / arbor, and 1 adaptor)																				
Sizes		✓		✓		✓		✓	✓			✓								C43161
Electrician's Kit - Metric - 9 piece (includes 2 mandrels / arbor, and 1 adaptor)																				
Sizes	16mm(5/8"), 20mm, 25mm(1"), 32mm(1-1/4"), 40mm(1-9/16"), 51mm(2")																		C43162	
Journeyman's Kit - 13 piece (includes 2 mandrels / arbor, 1 pilot hole drill, and 1 adaptor)																				
Sizes	✓	✓		✓		✓	✓	✓	✓		✓	✓								C43163
1887 - M-42 Bi-Metal																				
Handyman's Kit - 7 piece (includes 1 mandrel and 1 adaptor)																				
Sizes		✓	✓	✓	✓		✓													CHK01
Locksmith's Kit - 9 piece (includes 2 mandrels and 1 adaptor)																				
Sizes		✓	✓		✓		✓	✓		✓										CHK02
Plumber's Kit - 9 piece (includes 2 mandrels and 1 adaptor)																				
Sizes	✓	✓		✓			✓	✓			✓									CHK03
Electrician's Kit - 9 piece (includes 2 mandrels and 1 adaptor)																				
Sizes		✓		✓		✓		✓	✓			✓								CHK04
Electrician's Kit - Metric - 9 piece (includes 2 mandrels and 1 adaptor)																				
Sizes	16mm(5/8"), 20mm, 25mm(1"), 32mm(1-1/4"), 40mm(1-9/16"), 51mm(2")																		CHK05	
Journeyman's Kit - 13 piece (includes 2 mandrels, 1 pilot hole drill, and 1 adaptor)																				
Sizes	✓	✓		✓		✓	✓	✓	✓		✓	✓								CHK06

SAWS

Accessories

Hole Saws

Round Shank



fits the following		order number	
chuck size	hole saw size		
1/4" (6mm)	9/16" - 1-3/16" (14 to 30mm)	*C25116	

*Included in kit #: C43158, C43159, C43160, C43161, C43162, C43163.

Hex Shank



fits the following		order number	
chuck size	hole saw size		
3/8" (9mm)	9/16" - 1-3/16" (14 to 30mm)	C43055	C25118
7/16" (11mm)	9/16" - 1-3/16" (14 to 30mm)	—	C25119

Hex Shank Pinned



fits the following		order number	
chuck size	hole saw size		
3/8" Pinned (9mm)	1-1/4" - 6" (32 to 152mm)	—	C26198
7/16" Pinned (11mm)	1-1/4" - 6" (32 to 152mm)	C43056	*C25121

*Included in kit #: C43159, C43160, C43161, C43162, C43163.

Hex Shank



fits the following		order number
chuck size	hole saw size	
3/8" (9mm)	1-1/4" - 6" (32 to 152mm)	C26195
7/16" (11mm)	1-1/4" - 6" (32 to 152mm)	C26197

Short Pilot Drill with Flat on Shank



description	order number	
		
3-3/32" overall length x 1/4" dia. (80mm)	C43057	—
3-1/4" overall length x 1/4" dia. (80mm)		C25123

Long Pilot Drill with Whistle Notch on Shank



description	order number
	
4" overall length x 1/4" dia. (102mm)	C25124

Arbor Extension



description	order number
	  
7/16" x 12" (18mm dia. x 302mm)	(2 per pkg.) C26199

Adaptor



fits hole saw size	order number
	
1-1/4" - 6" (32 to 152mm)	C26196



Saw Blades

Style: **RSB-D**

Bi-Metal Reciprocating Blade
Demolition - Wood / Nail

Note

Wider (7/8") and thicker (.062) blades engineered for heavy-duty, tough cutting, demolition applications.

Available in 6", 9", and 12" lengths with 1/2" universal shanks.



M42
Cobalt

Inch (teeth per inch)	order number		
	5 pc.	10 pc.	20 pc.
6" x 7/8" x 0.062" (6)	C30101	C30135	C30156
9" x 7/8" x 0.062" (6)	C30102	C30136	C30157
12" x 7/8" x 0.062" (6)	C30103	C30137	C30158

Style: **RSB-D**

Bi-Metal Reciprocating Blade
Demolition - Metal / Rescue

Note

Wider (1.0") and thicker (.042) blades engineered for heavy-duty, tough cutting, demolition applications.

Available in 6", 9", and 12" lengths with 1/2" universal shanks.



M42
Cobalt

Inch (teeth per inch)	order number		
	5 pc.	10 pc.	20 pc.
6" x 1" x 0.042" (14)	C30104	C30138	C30159
9" x 1" x 0.042" (14)	C30105	C30139	C30160
12" x 1" x 0.042" (14)	C30106	C30140	C30161

Style: **RSB-P**

Bi-Metal Reciprocating Blade
Pallet

Note

Wider (3/4") and thicker (.035) blades engineered for the dismantling of pallets.

Available in 8" lengths with 1/2" universal shanks.

- M42 cutting edge with 8% cobalt for longer life.
- Special heat treat for increased tooth life.
- Special blade backer for greater flexibility when cutting block pallets.
- Unique tooth design for fast cutting.
- Rounded nose for easy cutting and safe operation.



M42
Cobalt



Inch (teeth per inch)	order number	
	10 pc.	200 pc.
8" x 3/4" x 0.035" (10)	C25217	C25217BP

Bi-Metal Reciprocating Blade Wood

Saw Blades

Style: **RSB-BM**



Note

General roughing-in work for wood and nail embedded woods.

Designed for efficient cutting in a wide variety of wood.

1/2" universal shank fits all standard 1/2" shank reciprocating saws.

Tapered end allows for plunge cutting.



Inch (teeth per inch)	order number		
	5 pc.	10 pc.	50 pc.
6" x 3/4" x 0.050" (5/7)	C30107	C30141	C30170
6" x 3/4" x 0.050" (6)	C30108	C30142	C30171
6" x 3/4" x 0.050" (10)	C30109	C30143	C30172
9" x 3/4" x 0.050" (6)	C30110	C30144	C30173
12" x 3/4" x 0.050" (6)	C30111	C30145	C30174

Bi-Metal Reciprocating Blade Metal

Style: **RSB-BM**

Note

See application information below.

Designed for efficient cutting in a wide variety of materials including metal, rod, pipe, and conduit.

1/2" universal shank fits all standard 1/2" shank reciprocating saws.

Quick and accurate cutting.



Inch (teeth per inch)	order number			Applications
	5 pc.	10 pc.	50 pc.	
6" x 3/4" x 0.035" (14)	C30112	C30146	C30175	14 teeth per inch: For metals heavier than 1/8", bar stock, angles, rubber, masonite, fiberglass, etc.
6" x 3/4" x 0.035" (18)	C30113	C30147	C30176	
6" x 3/4" x 0.035" (24)	C30114	C30148	C30177	
8" x 3/4" x 0.035" (18)	C30115	C30149	C30178	18 teeth per inch: For heavy gauge sheet metal, conduit, pipe, tubing, thin fiberglass.
9" x 3/4" x 0.035" (14)	C30116	C30150	C30179	
12" x 3/4" x 0.035" (18)	C30117	C30151	C30180	24 teeth per inch: For metals lighter than 18-gauge, thin wall tubing, formed sheet, trim, etc.

Styles: RSB-BM (continued)

Bi-Metal Reciprocating Blade
All-Purpose Cutting

Note

Heavy gauge metals, composites, masonite, wood, etc.
Designed for efficient cutting in a wide variety of materials including wood, metal, and plastic.
1/2" universal shank fits all standard 1/2" shank reciprocating saws.
Quick and accurate cutting.



Inch (teeth per inch)	order number		
	5 pc.	10 pc.	50 pc.
8" x 3/4" x 0.035" (10/14)	C30118	C30152	C30181
12" x 3/4" x 0.050" (10/14)	C30119	C30153	C30182
12" x 3/4" x 0.050" taper (10/14)	C30120	C30154	C30183

Style: RSB-BM

Bi-Metal Reciprocating Blade
Plaster Cutting

Note

High performance, and fast cutting for plaster.
Designed for efficient cutting in plaster or drywall by minimizing tear out.



Inch (teeth per inch)	order number		
	5 pc.	10 pc.	50 pc.
6" x 3/4" x 0.050" straight (6)	C30121	C30155	C30184

Style: RSB-BM

Bi-Metal Reciprocating Blade
Air Saw

Note

See application information below.
Specifically designed blades for use in pneumatic saws. Air Saw blades have fine teeth for cutting metal.



Inch (teeth per inch)	order number		Applications
	20 pc.	50 pc.	
3" x 1/2" x 0.025" (18)	C30162	C30167	18 teeth per inch: For scroll cutting metals lighter than 14 gauge.
3" x 1/2" x 0.025" (24)	C30163	C30167	
3" x 1/2" x 0.025" (32)	C30164	C30167	
4" x 1/2" x 0.025" (18)	C30165	C30167	24 teeth per inch: For scroll cutting metals lighter than 18 gauge, thin tubing, formed sheets, trim, etc.
4" x 1/2" x 0.025" (32)	C30166	C30167	
5" x 1/2" x 0.025" (18)	C30167	C30167	32 teeth per inch: For scroll cutting metals, very thin gauge metals, sheet, tubing, trim, etc.

Saw Blades



Bi-Metal Hacksaw Blades

Style: **HB-BM**



Bi-Metal

M42 Cobalt

Note

Cut medium metals (1/16" to 1/4") such as sheet metal, angle iron, bolts, channels, drill rod, threaded rod, pipes, and tubing.

Bi-Metal construction.

Flexible steel spring back.

High speed steel cutting edge.

Blade is heat, shock, and shatter resistant.

For heavy-duty cutting.



order number

HB-BM

Inch (teeth per inch)	10 pc.	100 pc.
10" x 1/2" x 0.025" (18)	C25239-10	C25239
10" x 1/2" x 0.025" (24)	C25240-10	C25240
10" x 1/2" x 0.025" (32)	C25241-10	C25241
12" x 1/2" x 0.025" (14)	C25242-10	C25242
12" x 1/2" x 0.025" (18)	C26125-10	C26125
12" x 1/2" x 0.025" (24)	C25244-10	C25244
12" x 1/2" x 0.025" (32)	C25245-10	C25245
12" x 1/2" x 0.025" (10/14)	C25246-10	C25246
12" x 1/2" x 0.025" (14/18)	C25247-10	C25247
12" x 1/2" x 0.025" (18/24)	C25248-10	C25248

Bi-Metal Portable Band Saw

Portable Bands (Matrix II)

Style: **P1000**

Note

Bi-metal construction.

Matrix II cutting edge containing 8% cobalt.

Available in standard and variable tooth style.


Less tooth chippage.



Bi-Metal

M42 Cobalt

3 packs - 3 per box
150 pack - 3 per poly bag =
50 bags



order number

P1000

Inch (teeth per inch)	3 bands	150 bands
44-7/8" x 1/2" x 0.020" (10/14)	C25126	C25126-150
44-7/8" x 1/2" x 0.020" (14/18)	C25127	C25127-150
44-7/8" x 1/2" x 0.020" (10) Raker	C25129	C25129-150
44-7/8" x 1/2" x 0.020" (14) Raker	C25130	C25130-150
44-7/8" x 1/2" x 0.020" (18) Raker	C25131	C25131-150
44-7/8" x 1/2" x 0.020" (24) Raker	C25132	C25132-150

>> Order Weld-to-Length <<

How To Order Example


Order Number	Add	*Add Length Required (specify in inches)
C25149	WTL	144"
New Part Number		
C26149WTL144"		
Available with all styles T1000 - T7000		

* Minimum Length = 60"



Reduce Cost • Custom Fit
Call 800-348-2885
for more information

Please Note...



All Band Saw Coils

+/- 10% shipping policy on the number of feet sold. Coils thru 1-1/4" are 250 feet per coil, over 1-1/4" 150 feet per coil.

Style: T1000

Straight Tooth

Note

Bi-metal construction.
M42 high speed steel cutting edge provides higher heat and wear durability.
Tooth hardness Rc 67-69.

Straight tooth 0° rake for smoother cutting and general applications.
* 150 foot coils, all others 250 feet
Minimum Length = 60"

All-purpose band for moderate to difficult to cut material.



Abbreviations below: C = Constant, V = Variable / R = Raker, W = Wavy

Inch (teeth per inch)	C / V	R / W	order number
			T1000
3/4" x 0.035" (6/10)	V	R	C25149
3/4" x 0.035" (8/12)	V	R	C25150
3/4" x 0.035" (10/14)	V	R	C26136
3/4" x 0.035" (10)	C	R	C25152
3/4" x 0.035" (14)	C	W	C25153
1" x 0.035" (4/6)	V	R	C26134
1" x 0.035" (10/14)	V	R	C26133
1" x 0.035" (3/4)	V	R	C25154
1" x 0.035" (5/8)	V	R	C25156

Inch (teeth per inch)	C / V	R / W	order number
			T1000
1" x 0.035" (6/10)	V	R	C25157
1" x 0.035" (8/12)	V	R	C25158
1" x 0.035" (14T)	C	W	C25160
1-1/4" x 0.042" (3/4)	V	R	C25161
1-1/4" x 0.042" (4/6)	V	R	C25162
1-1/4" x 0.042" (5/8)	V	R	C25163
1-1/4" x 0.042" (6/10)	V	R	C25164
1-1/2" x 0.050" (4/6)	V	R	*C26135

Style: T2000

5° Positive Rake Tooth

Note

Bi-metal construction.
M42 high speed steel cutting edge provides higher heat and wear durability.
Tooth hardness Rc 67-69.

5° Positive rake tooth for easier penetration and reduced vibration.
* 150 foot coils, all others 250 feet
Minimum Length = 60"

For both production or non-production cutting of solids and thick wall tubing of medium alloy. For work hardened materials such as stainless steel.



Abbreviations below: C = Constant, V = Variable / R = Raker, W = Wavy

Inch (teeth per inch)	C / V	R / W	order number
			T2000
3/4" x 0.035" (4/6)	V	R	C25166
3/4" x 0.035" (5/7)	V	R	C25167
1" x 0.035" (2/3)	V	R	C25168
1" x 0.035" (3/4)	V	R	C25169
1" x 0.035" (4/6)	V	R	C25170
1" x 0.035" (5/7)	V	R	C26137
1" x 0.035" (2) Hook	C	R	C25172
1" x 0.035" (6)	C	R	C25173
1" x 0.035" (8)	C	R	C25174

Inch (teeth per inch)	C / V	R / W	order number
			T2000
1-1/4" x 0.042" (2/3)	V	R	C25175
1-1/4" x 0.042" (3/4)	V	R	C25176
1-1/4" x 0.042" (4/6)	V	R	C25177
1-1/4" x 0.042" (5/7)	V	R	C26139
1-1/4" x 0.042" (6)	C	R	C25179
1-1/2" x 0.050" (2/3)	V	R	*C26138
1-1/2" x 0.050" (3/4)	V	R	*C25181
1-1/2" x 0.050" (4/6)	V	R	*C25182

Bi-Metal Band Saws

Various Styles (continued)

10° High Positive Rake


Style: T3000

Note

Bi-metal construction.
M42 high speed steel cutting edge provides higher heat and wear durability.
Tooth hardness Rc 67-69.
Duplex tooth design.
10° high positive rake with DUPLEX tooth design for maximum strength when cutting difficult material such as super alloy.

Specially engineered relief angle.
More aggressive acting for easier chip formation.
* 150 foot coils, all others 250 feet
Minimum Length = 60"

Production sawing of exotic materials such as Inconels, Monels, Hastalloys, Hi-Temp Alloys, Titanium, Stainless and more.



Abbreviations below: C = Constant, V = Variable / R = Raker, W = Wavy

Inch (teeth per inch)	C / V	R / W	order number
3/4" x 0.035" (4/6)	V	R	T3000 C26143
1" x 0.035" (2/3)	V	R	C25184
1" x 0.035" (3/4)	V	R	C26140
1" x 0.035" (4/6)	V	R	C25186
1-1/4" x 0.042" (2/3)	V	R	C26141
1-1/4" x 0.042" (3/4)	V	R	C25188
1-1/4" x 0.042" (4/6)	V	R	C25189

Inch (teeth per inch)	C / V	R / W	order number
1-1/2" x 0.050" (2/3)	V	R	*C25190
1-1/2" x 0.050" (3/4)	V	R	*C25191
1-1/2" x 0.050" (4/6)	V	R	*C25192
2" x 0.063" (2/3)	V	R	*C25193
2" x 0.063" (3/4)	V	R	*C26142
2" x 0.063" (4/6)	V	R	*C25195

Protective Tooth

Style: T4000

Note

Bi-Metal construction.
M42 high speed steel cutting edge provides higher heat and wear durability.
Tooth hardness Rc 67-69.

Protective tooth specially designed for tube. To prevent tooth breakage by eliminating excessive tooth stripping due to the domino effect. To withstand the shock of interrupted cuts, allowing for heavier penetration under fast cutting rate.
* 150 foot coils, all others 250 feet
Minimum Length = 60"

Tubes, structures, small sizes bundles.



Abbreviations below: C = Constant, V = Variable / R = Raker, W = Wavy

Inch (teeth per inch)	C / V	R / W	order number
1" x 0.035" (4/6)	V	R	T4000 C25196
1-1/4" x 0.042" (4/6)	V	R	C25197
1-1/2" x 0.042" (4/6)	V	R	*C25198

Heavy Set

Style: T5000

Note

Bi-Metal construction.
M42 high speed steel cutting edge provides higher heat and wear durability.
Tooth hardness Rc 67-69.

Heavy Set teeth are individually set teeth similar to the Raker Set but are set wider preventing the blade from being pinched or becoming bound during cutting.
* 150 foot coils, all others 250 feet
Minimum Length = 60"

For large bundle cutting of structural steel. Ideal for applications where a larger kerf is needed to prevent blade pinching and stalling from material stresses and movement.



Abbreviations below: C = Constant, V = Variable / R = Raker, W = Wavy

Inch (teeth per inch)	C / V	R / W	order number
1" x 0.035" (4/6)	V	R	T5000 C25200
1" x 0.035" (5/7)	V	R	C25201
1-1/4" x 0.042" (3/4)	V	R	C25202
1-1/4" x 0.042" (4/6)	V	R	C26144
1-1/4" x 0.042" (5/7)	V	R	C25204

Inch (teeth per inch)	C = Constant	V = Variable	R	order number
1-1/2" x 0.050" (3/4)	V		R	*C25205
1-1/2" x 0.050" (4/6)	V		R	*C25206
1-1/2" x 0.050" (5/7)	V		R	*C25207
2" x 0.063" (2/3)	V		R	*C25208
2" x 0.063" (3/4)	V		R	*C25209
2" x 0.063" (4/6)	V		R	*C26145

Various Styles (continued)

Bi-Metal Band Saws

Style: **T6000**


Turtle Back

Note

Bi-Metal construction.
M42 high speed steel cutting edge provides higher heat and wear durability.
Tooth hardness Rc 67-69.

Turtle Back Set is a tooth configuration that has a reinforced shoulder or "Turtle Back Hump" on the back of the cutting edge to prevent stripping out and interrupting cuts.
* 150 foot coils, all others 250 feet
Minimum Length = 60"

Profiles for thick wall tubing, alloy steel, single layer and bundle cutting steel girders.



Abbreviations below: C = Constant, V = Variable / R = Raker, W = Wavy

Inch (teeth per inch)	C / V	R / W	order number
1" x 0.035" (3/4)	V	R	T6000 C26146
1-1/4" x 0.042" (3/4)	C	R	C26147
1-1/2" x 0.050" (3/4)	V	R	*C26148

Style: **T7000**

Narrow Width Bands (M42)

Note

Narrow Width (M42)
Bi-Metal construction.
M42 high speed steel cutting edge provides higher heat and wear durability.
Solid and thick wall tubing of medium to difficult material, such as stainless steel.

Tooth hardness Rc 67-69.
Narrow width (1/2") for contour and miter cutting.
Narrow width and gauge can be welded by customer for die building and internal cutting re-use.
HSS edge contains 8% cobalt.
Minimum Length = 60"



Abbreviations below: C = Constant, V = Variable / R = Raker, W = Wavy

Inch (teeth per inch)	C / V	R / W	order number
1/2" x 0.025" (6/10)	V	R	T7000 C26127
1/2" x 0.025" (8/12)	V	R	C26128
1/2" x 0.025" (10/14)	V	R	C25141
1/2" x 0.025" (14) Raker	C	R	C25142
1/2" x 0.025" (18) Wavy	C	W	C25143
1/2" x 0.035" (8/12)	V	R	C25144

Inch (teeth per inch)	C / V	R / W	order number
1/2" x 0.035" (10/14)	V	R	T7000 C25145
1/2" x 0.035" (6) Positive	C	R	C25147
1/2" x 0.035" (14) Raker	C	R	C25148
1/2" x 0.035" (4) Hook	C	R	C26129

Please Note...



All Band Saw Coils

+/- 10% shipping policy on the number of feet sold. Coils thru 1-1/4" are 250 feet per coil, over 1-1/4" 150 feet per coil.

Band Saw Blades
Pre-Welded

Saw Blades



Styles: **T1000, T2000, T3000, T7000**

NEW

Delivery: 1-2 business days!

Style (Tooth) Definitions:

T1000 = 0° Straight

T2000 = 5° Positive Rake

T3000 = 10° High Positive Rake

T7000 = Narrow Width Bands (M42)

Other lengths, thicknesses, and tooth configurations available. Call for additional information.



Pre-Welded
Choose from the most usable length to make delivery quick and easy!
Band Saw Program

SAWS

teeth per inch (TPI)	Length x Width x Thickness	order number (1 piece)	teeth per inch (TPI)	Length x Width x Thickness	order number (1 piece)	teeth per inch (TPI)	Length x Width x Thickness	order number (1 piece)
T1000			5/8	162" x 1-1/4 x .042	C254459WTL	T3000		
4/6	115.5" x 1 x .035	C254414WTL	5/8	174" x 1-1/4 x .042	C254460WTL	4/6	115.5" x 1 x .035	C254463WTL
4/6	119.5" x 1 x .035	C254415WTL	5/8	180" x 1-1/4 x .042	C254461WTL	4/6	119.5" x 1 x .035	C254464WTL
4/6	130.5" x 1 x .035	C254416WTL	5/8	186" x 1-1/4 x .042	C254462WTL	4/6	130.5" x 1 x .035	C254465WTL
4/6	138" x 1 x .035	C254417WTL	T2000			4/6	138" x 1 x .035	C254466WTL
4/6	144" x 1 x .035	C254418WTL	5/7	80" x 3/4 x .035	C254407WTL	4/6	144" x 1 x .035	C254467WTL
4/6	162" x 1 x .035	C254419WTL	5/7	93" x 3/4 x .035	C254408WTL	4/6	162" x 1 x .035	C254468WTL
4/6	174" x 1 x .035	C254420WTL	5/7	120" x 3/4 x .035	C254409WTL	4/6	174" x 1 x .035	C254469WTL
3/4	138" x 1-1/4 x .042	C254421WTL	5/7	125" x 3/4 x .035	C254410WTL	3/4	138" x 1-1/4 x .042	C254491WTL
3/4	144" x 1-1/4 x .042	C254422WTL	5/7	130.5" x 3/4 x .035	C254411WTL	3/4	144" x 1-1/4 x .042	C254492WTL
3/4	150" x 1-1/4 x .042	C254423WTL	5/7	138" x 3/4 x .035	C254412WTL	3/4	150" x 1-1/4 x .042	C254493WTL
3/4	162" x 1-1/4 x .042	C254424WTL	5/7	174" x 3/4 x .035	C254413WTL	3/4	162" x 1-1/4 x .042	C254494WTL
3/4	174" x 1-1/4 x .042	C254425WTL	4/6	115.5" x 1 x .035	C254449WTL	3/4	174" x 1-1/4 x .042	C254495WTL
3/4	180" x 1-1/4 x .042	C254426WTL	4/6	119.5" x 1 x .035	C254450WTL	3/4	180" x 1-1/4 x .042	C254497WTL
3/4	186" x 1-1/4 x .042	C254427WTL	4/6	130.5" x 1 x .035	C254451WTL	3/4	186" x 1-1/4 x .042	C254498WTL
10/14	80" x 3/4 x .035	C254428WTL	4/6	138" x 1 x .035	C254452WTL	4/6	138" x 1-1/4 x .042	C254499WTL
10/14	93" x 3/4 x .035	C254429WTL	4/6	144" x 1 x .035	C254453WTL	4/6	144" x 1-1/4 x .042	C254500WTL
10/14	120" x 3/4 x .035	C254430WTL	4/6	162" x 1 x .035	C254454WTL	4/6	150" x 1-1/4 x .042	C254501WTL
10/14	125" x 3/4 x .035	C254431WTL	4/6	174" x 1 x .035	C254455WTL	4/6	162" x 1-1/4 x .042	C254502WTL
10/14	130.5" x 3/4 x .035	C254432WTL	3/4	138" x 1-1/4 x .042	C254470WTL	4/6	174" x 1-1/4 x .042	C254503WTL
10/14	138" x 3/4 x .035	C254433WTL	3/4	144" x 1-1/4 x .042	C254471WTL	4/6	180" x 1-1/4 x .042	C254504WTL
10/14	174" x 3/4 x .035	C254434WTL	3/4	150" x 1-1/4 x .042	C254472WTL	4/6	186" x 1-1/4 x .042	C254505WTL
10/14	115.5" x 1 x .035	C254435WTL	3/4	162" x 1-1/4 x .042	C254473WTL	T7000		
10/14	119.5" x 1 x .035	C254436WTL	3/4	174" x 1-1/4 x .042	C254474WTL	10/14	64.5" x 1/2 x .025	C254400WTL
10/14	130.5" x 1 x .035	C254437WTL	3/4	180" x 1-1/4 x .042	C254475WTL	10/14	89" x 1/2 x .025	C254401WTL
10/14	138" x 1 x .035	C254438WTL	3/4	186" x 1-1/4 x .042	C254476WTL	10/14	93" x 1/2 x .025	C254402WTL
10/14	144" x 1 x .035	C254439WTL	4/6	138" x 1-1/4 x .042	C254477WTL	10/14	93.5" x 1/2 x .025	C254403WTL
10/14	162" x 1 x .035	C254440WTL	4/6	144" x 1-1/4 x .042	C254478WTL	10/14	101" x 1/2 x .025	C254404WTL
10/14	174" x 1 x .035	C254441WTL	4/6	150" x 1-1/4 x .042	C254479WTL	10/14	120" x 1/2 x .025	C254405WTL
4/6	138" x 1-1/4 x .042	C254442WTL	4/6	162" x 1-1/4 x .042	C254480WTL	10/14	150" x 1/2 x .025	C254406WTL
4/6	144" x 1-1/4 x .042	C254443WTL	4/6	174" x 1-1/4 x .042	C254481WTL			
4/6	150" x 1-1/4 x .042	C254444WTL	4/6	180" x 1-1/4 x .042	C254482WTL			
4/6	162" x 1-1/4 x .042	C254445WTL	4/6	186" x 1-1/4 x .042	C254483WTL			
4/6	174" x 1-1/4 x .042	C254446WTL	5/7	138" x 1-1/4 x .042	C254484WTL			
4/6	180" x 1-1/4 x .042	C254447WTL	5/7	144" x 1-1/4 x .042	C254485WTL			
4/6	186" x 1-1/4 x .042	C254448WTL	5/7	150" x 1-1/4 x .042	C254486WTL			
5/8	138" x 1-1/4 x .042	C254456WTL	5/7	162" x 1-1/4 x .042	C254487WTL			
5/8	144" x 1-1/4 x .042	C254457WTL	5/7	174" x 1-1/4 x .042	C254488WTL			
5/8	150" x 1-1/4 x .042	C254458WTL	5/7	180" x 1-1/4 x .042	C254489WTL			
			5/7	186" x 1-1/4 x .042	C254490WTL			

You **SAW** it here!

NEW

The new, Cle-Line carbide tipped band saw blades deliver on **performance, productivity** and **cost savings** to a variety of applications including general manufacturing, steel service centers and forging operations.

Features and Benefits

*Designed and manufactured to be extremely wear resistant in the toughest conditions.
Triple Tooth Geometry .
Produces a smooth finish which means less secondary work and cost savings.*

General Purpose Series

Our multi-chip tooth geometry is designed for cutting solid steels and non-ferrous alloys. It allows for faster cutting rates, a vibration free operation and an optimum band saw blade life.


Recommended for:

Aluminum Silicon Alloys; Cold Steels; Copper-Nickel Alloys; Hardened Steel (up to 1900 N/mm²); Heat-Resistant Steels; Exotic Alloys; Stainless Steels; Titanium and Titanium Alloys; Applications and Materials Alloy Steels; Hardieboard Building Materials; Mold Steels; Nickel-Based Alloys; Plastic(s); Stainless Steels; Titanium Alloys; Tool Steels

Superior Quality

Custom, weld to length bands are welded in our modern weld center centrally located in the Chicago-land area.

Made in Germany to the highest manufacturing standards and a multi-step Quality Assurance process.



SAWS

Description	Thickness		order number
	Inch	mm	 1882
1" Band Saw Blade Carbide Tipped 2/3T	0.035	27	C43058
1" Band Saw Blade Carbide Tipped 3/4T	0.035	27	C43059
1-1/4" Band Saw Blade Carbide Tipped 1.4/2T	0.042	34	C43060
1-1/4" Band Saw Blade Carbide Tipped 2/3T	0.042	34	C43061
1-1/4" Band Saw Blade Carbide Tipped 3/4T	0.042	34	C43062
1-1/2" Band Saw Blade Carbide Tipped 1.4/2T	0.050	41	C43063
1-1/2" Band Saw Blade Carbide Tipped 2/3T	0.050	41	C43064
1-1/2" Band Saw Blade Carbide Tipped 3/4T	0.050	41	C43065
2" Band Saw Blade Carbide Tipped 1.4/2T	0.063	54	C43066
2" Band Saw Blade Carbide Tipped 2/3T	0.063	54	C43067

Recommended Operating Speeds for Hole Saws

Guidelines on generally recommended operating speeds. Always follow the recommendations of the hole saw manufacturer concerning use and operating speeds.

Bi-Metal Hole Saw Operating Speeds (RPM Table)

inches	mm	length	mild steel	tool steel & stainless	cast iron	brass	aluminum	wood
9/16	14	0.147	580	300	400	790	900	3000
5/8	16	0.164	550	275	365	730	825	3000
11/16	17	0.180	500	250	330	665	750	3000
3/4	19	0.196	460	230	300	600	690	3000
-	20	0.213	440	220	290	580	660	3000
7/8	22	0.229	390	195	260	520	585	3000
1	25	0.262	350	175	235	470	525	2700
1-1/16	27	0.278	325	160	215	435	480	2700
1-1/8	29	0.295	300	150	200	400	450	2700
1-3/16	30	0.311	285	145	190	380	425	2400
1-1/4	32	0.327	275	140	180	360	410	2400
1-5/16	33	0.344	260	135	175	345	390	2400
1-3/8	35	0.360	250	125	165	330	375	2400
1-7/16	37	0.376	240	120	160	315	360	2400
1-1/2	38	0.393	230	115	150	300	345	2400
1-9/16	40	0.409	220	110	145	290	330	2100
1-5/8	41	0.425	210	105	140	280	315	2100
1-11/16	43	0.442	205	100	135	270	305	2100
1-3/4	44	0.458	195	95	130	260	295	2100
1-13/16	46	0.475	190	95	125	250	285	2100
1-7/8	48	0.491	180	90	120	240	270	2100
2	51	0.524	170	85	115	230	255	2000
2-1/16	52	0.540	165	80	110	220	245	2000
2-1/8	54	0.556	160	80	105	210	240	2000
2 1/4	57	0.589	150	75	100	200	225	2000
2-5/16	59	0.605	145	75	95	195	225	2000
2-3/8	60	0.622	140	70	90	190	220	2000
2-1/2	64	0.655	135	65	85	180	205	1850
2-9/16	65	0.671	130	65	85	175	200	1850
2 5/8	67	0.687	130	65	85	170	195	1800
-	68	0.704	130	65	80	170	190	1800
2-3/4	70	0.720	125	60	80	160	185	1800
2-7/8	73	0.753	120	60	75	160	180	1800
3	76	0.785	115	55	70	150	170	1800
3-1/8	79	0.818	110	55	70	140	165	1500
3-1/4	83	0.851	105	50	65	140	155	1500
3-3/8	86	0.884	100	50	65	130	150	1500
3-1/2	89	0.916	95	45	60	130	145	1200
3 5/8	92	0.949	90	45	60	120	140	1200
3-3/4	95	0.982	90	45	60	120	135	1200
3-7/8	98	1.014	90	45	60	120	135	1200
4	102	1.047	85	40	55	110	130	1000
4-1/8	104	1.080	80	40	55	110	120	1000
4-1/4	108	1.113	80	40	55	110	120	900
4-3/8	111	1.145	80	40	50	100	120	900
4-1/2	114	1.178	75	35	50	100	105	900
4-3/4	121	1.244	75	35	50	92	95	900
5	127	1.309	65	30	45	90	90	800
5-1/2	140	1.440	60	25	40	85	85	800
5-3/4	146	1.505	55	25	35	75	75	800
6	152	1.571	55	25	35	75	75	800

Hole Saw Operating Speeds (RPM Table)

inches	mm	brick ceramic	slate	reinforced plastics	fiberglass
5/8	16	620	1540	2140	920
3/4	19	510	1280	1790	770
-	20	470	1180	1660	715
7/8	22	430	1090	1530	660
1	25	380	960	1340	580
1-1/8	29	340	850	1190	510
1-1/4	32	310	770	1070	460
1 3/8	35	280	700	980	420
1-1/2	38	260	640	890	390
1-3/4	44	220	550	770	330
1-7/8	48	200	510	720	310
2	51	190	480	670	290
2-1/8	54	180	450	630	280
2-1/4	57	170	430	600	270
2-3/8	60	160	400	570	250
2-1/2	64	150	380	540	230
2-3/4	70	140	350	500	210
3	76	130	320	450	190
3-1/4	83	120	295	415	180
3-3/8	86	115	285	400	175
3-3/4	95	102	255	350	160
4	102	95	240	330	150
4-1/2	114	82	215	290	125


TECHNICAL

Hole Saws

diameter		pipe tap dia.		pipe entrance dia		order number	
inch	mm	inch	mm	inch	mm	 1887	
						M3	M42
9/16	14	—	—	—	—	C25058	C25000
5/8	16	—	—	—	—	C26149	C26121
11/16	17	—	—	—	—	C26102	C25002
3/4	19	1/2	13	3/8	10	C25061	C26113
—	20	—	—	—	—	C25062	C25004
13/16	21	—	—	—	—	C26106	C26105
7/8	22	3/4	19	1/2	13	C25064	C25006
*7/8	22	3/4	19	1/2	13	C24998	C24999
15/16	24	—	—	—	—	C25065	C25007
1	25	—	—	—	—	C25066	C26101
1-1/16	27	—	—	—	—	C25067	C25009
1-1/8	29	1	25	3/4	19	C25068	C26103
1-3/16	30	—	—	—	—	C25069	C25011
1-1/4	32	—	—	—	—	C25070	C25012
1-5/16	33	—	—	—	—	C25071	C25013
1-3/8	35	—	—	1	25	C26108	C25014
1-7/16	37	—	—	—	—	C25073	C25015
1-1/2	38	1-1/4	32	—	—	C25074	C25016
1-9/16	40	—	—	—	—	C25075	C25017
1-5/8	41	—	—	—	—	C25076	C25018
1-11/16	43	—	—	—	—	C25077	C26104
1-3/4	44	1-1/2	38	1-1/2	38	C25078	C26107
—	45	—	—	—	—	C26120	C25021
1-13/16	46	—	—	—	—	C25080	C25022
1-7/8	48	—	—	—	—	C25081	C25023
—	50	—	—	—	—	C25082	C25024
2	51	—	—	1-1/2	38	C25083	C25025
2-1/16	52	—	—	—	—	C25084	C25026
2-1/8	54	—	—	—	—	C25085	C25027
—	55	—	—	—	—	C25086	C25028
2-1/4	57	2	51	—	—	C26109	C25029
2-5/16	59	—	—	—	—	C25088	C25030
2-3/8	60	—	—	—	—	C25089	C25031
2-1/2	64	—	—	2	51	C25090	C25032
2-9/16	65	—	—	—	—	C25091	C25033
2-5/8	67	2-1/2	64	—	—	C25092	C26111
—	68	—	—	—	—	C25093	C25035
2-3/4	70	—	—	—	—	C26110	C25036
2-7/8	73	—	—	—	—	C26112	C25037
—	75	—	—	—	—	C25096	C25038
3	76	—	—	2-1/2	64	C25097	C25039
3-1/8	79	—	—	—	—	C25098	C25040
3-1/4	83	3	76	—	—	C25099	C26115
3-3/8	86	—	—	—	—	C26116	C25042
3-1/2	89	—	—	—	—	C25001	C25043
3-5/8	92	—	—	3	76	C25102	C25044
3-3/4	95	3-1/2	89	—	—	C25103	C25045
3-7/8	98	—	—	—	—	C25104	C25046
—	100	—	—	—	—	C25105	C25047
4	102	—	—	—	—	C25106	C25048
4-1/8	105	—	—	3-1/2	89	C25107	C25049
4-1/4	108	4	102	—	—	C26118	C25050
4-3/8	111	—	—	—	—	C25109	C25051
4-1/2	114	—	—	—	—	C26117	C25052
4-3/4	121	4-1/2	114	4	102	C25111	C26119
5	127	—	—	—	—	C25112	C25054
5-1/2	140	—	—	5	127	C25113	C25055
5-3/4	146	—	—	—	—	C25114	C25056
6	152	—	—	—	—	C25115	C25057


*1-1/2" (32mm) cutting depth

Tech Tip



- Always wear eye protection.
- Always be sure that the pilot drill extends beyond the cutting edge of the saw by at least 1/8".
- Be sure to secure the material to be cut to keep it from spinning or slipping.
- Start the cutting process with the saw square to the material being cut, this will ensure that all teeth begin to cut at the same time and will help prevent premature wear and damage to the saw.
- Follow the recommended operating speed for the saw size and the material being cut.
- Operator should feed the saw in and out to allow the material shavings to clear out of the hole being cut.
- Cutting oils or lubricants should be used to extend the life of the saw, except when cutting wood or cast iron.
- Occasionally check the mandrel's drive pins to be sure they are still fully engaged in the saw and that they have not vibrated out of the drive holes in the saw.
- When sawing in wood, finish the hole from the opposite side to prevent splintering. Once the pilot drill has broken through the other side, you can use this hole to guarantee you are in line with where you have already started cutting.
- When sawing resistant and difficult to cut materials, drill a couple of small holes on the circumference to allow chip to clear.
- Keep an oil soaked sponge inside the hole saw if you:
 - Cannot lubricate in the normal way
 - Operate in stainless steel
 - Operate in a vertical position from above.

Tech Tip



Pipe and Tap Entrance

- Pipe taps are used for threading holes created by a hole saw to receive a threaded pipe. Reference the product charts for proper selection. To cut a hole for a 1" pipe tap, select a 1-1/8" hole saw.
- Pipe entrance is the diameter for the hole through which a pipe of a given diameter will pass during installation or repair.
- Pipe size is defined by the inside diameter. To cut a hole through which a 3/4" pipe may be passed, a 1-1/8" hole saw is used.
- Tubing size is defined by the outside diameter. To cut an entrance hole of a given tubing diameter, the same diameter hole saw should be used.

TECHNICAL

Speed and Feeds


Type of Material		Under 1"		1" to 3"		3" to 6"		6" - Over	
		Blade Speed (SFM)	Removal Rate (in ² /min.)	Blade Speed (SFM)	Removal Rate (in ² /min.)	Blade Speed (SFM)	Removal Rate (in ² /min.)	Blade Speed (SFM)	Removal Rate (in ² /min.)
Special Purpose Steel	L2, L6	210	3-5	210	4 - 7	190	5 - 8	175	4 - 7
	L7	200	3 - 5	190	4 - 6	180	4 - 7	130	3 - 6
Water Hardening Steel	W1	265	3 - 6	240	5 - 7	220	5 - 7	180	3 - 5
High Speed Steel	M1, M2, M7	165	2 - 4	150	2 - 5	145	3 - 6	100	3 - 5
	M3, M4, M10	125	2 - 4	100	2 - 5	100	3 - 5	80	3 - 4
	M30, M33	100	1 - 3	90	2 - 3	75	2 - 3	70	1 - 3
	M41, M42, M43	100	1 - 3	90	1 - 3	75	1 - 4	70	1 - 3
	T1, T2	150	2 - 4	135	2 - 4	120	2 - 5	100	2 - 4
	T4, T5, T6	125	1 - 3	110	1 - 4	100	2 - 4	85	1 - 3
	T15, M15	90	1 - 3	70	1 - 3	60	1 - 3	50	1 - 2
Austenitic Stainless Steel	201, 202, 301 - 304	135	3 - 4	120	2 - 5	120	3 - 6	85	2 - 4
	303, 303F, 303Se	160	3 - 6	140	3 - 6	135	4 - 6	90	3 - 5
	305, 308 - 314	100	1 - 2	85	1 - 2	75	1 - 3	65	1 - 2
	316, 317, 329	100	1 - 2	90	1 - 2	80	1 - 3	60	1 - 2
	321, 347, 348	140	2 - 4	125	2 - 5	120	3 - 6	90	2 - 4
	330	85	1 - 2	65	1 - 3	55	1 - 4	45	1 - 2
Ferritic Stainless Steel	429, 430	120	2 - 4	100	3 - 4	90	3 - 6	75	2 - 4
	430F, 430FSe	130	3 - 5	115	5 - 6	100	5 - 7	90	4 - 6
	434, 436	100	2 - 4	80	3 - 4	75	3 - 5	55	3 - 4
	442	110	2 - 4	85	3 - 5	75	3 - 6	60	3 - 5
	446	90	2 - 4	70	3 - 4	60	2 - 5	50	1 - 3
Martensitic Stainless	403, 410, 420	170	2 - 5	155	3 - 6	145	3 - 7	100	2 - 4
	414, 416Se	235	5 - 9	210	6 - 9	195	7 - 11	170	5 - 9
	420F, 416	220	3 - 8	200	5 - 9	190	6 - 10	150	4 - 8
	440A, B, C	130	2 - 4	120	2 - 6	110	3 - 7	70	1 - 4
	501, 502	135	1 - 2	120	2 - 4	100	3 - 4	80	2 - 3
Nickel Based Alloys	Monel	100	1 - 4	90	1 - 4	85	2 - 4	65	1 - 3
	K-Monel	115	1 - 4	90	1 - 4	70	2 - 4	50	1 - 2
	R-Monel	130	2 - 4	100	2 - 5	90	3 - 5	60	1 - 4
	K-R Monel	115	1 - 4	100	1 - 4	100	2 - 5	65	1 - 3
	Inconel	105	2 - 4	90	2 - 4	75	2 - 3	50	1 - 2
	Inconel 625-x-750	95	1 - 2	80	1 - 2	70	1 - 2	40	1
	Inconel 718	95	1 - 2	80	1 - 2	70	1 - 2	40	1
	Incoloy 800 - 802	95	1 - 2	75	1 - 2	60	1 - 2	35	1
	Incoloy 804 - 825	60	1	40	1 - 2	40	1 - 2	30	1
	Waspalloy	100	1	90	1 - 2	70	1 - 2	50	1
	Hastelloy A	130	2 - 3	110	3 - 4	100	4 - 6	70	1-3
	Hastelloy B	110	1 - 2	80	1 - 3	75	1 - 4	60	1-2
	Hastelloy C	100	1 - 2	90	1 - 2	80	1 - 2	65	1
	Rene 41	90	1	80	1 - 2	60	1 - 2	50	1
Udimet 500	95	1	80	1 - 2	70	1 - 2	60	1	
Titanium	6AL 4V	65	.5-1	50	1 - 2	50	1 - 2	40	.5 - 1
Maraging Steel	Most	190	3 - 4	145	4 - 6	110	6 - 7	90	4 - 6
	Bronze	Most	230	6 - 9	205	10 - 12	180	10 - 12	140
Aluminum	Aluminum Bronze	100	2 - 4	95	3 - 4	85	3 - 5	70	3 - 4
	Most	800		700		600		500	
Cast Iron	Class 20	210	9 - 12	200	11 - 15	180	11 - 15	160	10 - 14
	Class 40	170	7 - 9	160	7 - 10	140	8 - 12	120	7 - 11
	Ductile - 60-40-18, 150 HB	240	6 - 8	230	8 - 10	230	8 - 10	220	6 - 7
	Ductile - 80-55-06, 225 HB	140	3 - 4	130	4 - 5	120	5 - 7	110	3 - 5

SAWS

Type of Material	Dim (FPM)	Speed (FPM)	Feed (IPM)	Cutting Time (h:min:sec)	Cutting Rate (sq/min)
INCONEL 718	4	79	0.33	0:12:01	1.03
	6	79	0.33	0:18:15	1.55
	8	79	0.33	0:24:10	2.07
17-4PH	4	82	0.38	0:10:23	1.21
	6	82	0.38	0:15:34	1.82
	8	82	0.38	0:20:46	2.42
WASPALLOY	4	79	0.33	0:12:10	1.03
	6	79	0.33	0:18:15	1.55
	8	79	0.33	0:24:20	2.07
P021	4	135	0.84	0:04:45	2.65
	6	135	0.84	0:07:07	3.97
	8	135	0.84	0:09:30	5.29
TITANIUM (T40)	4	148	0.77	0:05:11	2.42
	6	148	0.77	0:07:47	3.63
	8	148	0.77	0:10:23	4.84

Important Note:

Suggest reducing speed & feed around 10% every time you reduce widths (1-½" bands around 90% of 2" bands, 1-¼" bands around 90% of the 1-½" bands, etc.).



Terminology

1) Width

The nominal dimension of a saw blade, as measured from the tip of the tooth to the back of the blade.

2) Gullet

The curved area at the base of the tooth.

3) Blade Back

The blade body, not including the tooth portion.

4) Gullet Depth

The distance from the tooth tip to the bottom of the gullet.

5) Tooth

The cutting portion of the saw blade.

6) TPI

The number of teeth per inch.

7) Tooth Back or Relief Angle

The surface of the tooth opposite the cutting edge, or tooth face.

8) Tooth Face or Rake Angle

The cutting surface of the tooth.

9) Tooth Back Clearance Angle

The angle of the tooth back measured in relation to the cutting direction of the saw.

10) Tooth Rake Angle

The angle of the tooth face measured with respect to a line perpendicular to the cutting direction of the saw.

11) Tooth Pitch

The distance from one tooth tip to the next tooth tip.

12) Thickness (Gage)

The thickness of the blade.

13) Tooth Set

The bending of the teeth from right to left to allow clearance (**kerf**) of the blade back through the cut.

Tooth Form

Positive Rake

A positive rake is characterized by a 5° to 10° rake angle on the tooth face, resulting in better tooth penetration and easier chip formation. This tooth form is recommended for cutting difficult to machine materials, and solid cross-sections.


Positive Rake



Standard Straight

A standard straight tooth has a 0° cutting face, and is recommended for cutting easy-to-cut, low alloy materials. This is an efficient tooth form for cutting structural materials and interrupted cuts.

Standard Straight Rake



Tooth Type

Regular

This is a conventional tooth with a 0° cutting angle, ideal for a wide range of general purpose cutting applications.

Hook

This tooth type has a 10° positive rake angle for fast cutting with less feed pressure. The rounded, deeper gullets allow for fast chip removal, and is generally used for cutting nonmetallic and non-ferrous metals.

Skip

This tooth type has a 0° rake angle with shallow gullets and evenly spaced teeth for efficient chip removal. It is used for cutting large sections of soft, non-ferrous metal and nonmetal materials, such as wood, composite materials, cork, and plastic.

Turtle Back

This is a tooth configuration that has a reinforced shoulder or "Turtle Back Hump" on the back of the cutting edge to prevent stripping out and interrupted cuts.

Variable

A traditional tooth form that offers a 0° rake angle, varying gullet depths, and tooth sizes. Designed to reduce harmonic vibration, this blade efficiently removes chips, extending blade life in solids and structural.

Variable Positive

Variable positive tooth form offers varying gullet depths, tooth sizes, and a positive rake angle for maximum cutting speeds and better tooth penetration in harder to machine materials.

Duplex

Duplex blades offer deep, chip clearing gullets, large chip-resistant teeth, and a high positive rake angle. This results in faster sawing rates, and improved finishes. Duplex blades are recommended for production cutting of work hardened metals, tool steels, and exotic alloys.

Regular



Variable



Hook



Variable Positive



Skip



Duplex



Turtle Back



Tooth Set

Raker Set

These are individually set teeth — first right then left — followed by an unset tooth. The unset tooth (raker tooth) allows for fast chip removal and a straight cutting actions. This tooth set is recommended for general purpose cutting applications.

Wavy Set

Wavy set teeth are set in groups, right and left, in varying degrees. Wavy set teeth are recommended for cutting light metal sections, such as sheet, tubing, and small solid shapes.


Alternate Set

In an alternate tooth set, every tooth is set — one left, one right — throughout the blade length. This tooth set is primarily used for cutting wood.


Variable Set

Variable set teeth are set in alternating groups with a single unset tooth (raker tooth). When these are combined with the varying set angles of the teeth, a faster, smoother, quieter cutting actions is achieved. Variable tooth blades perform extremely well on most applications and provide fast cutting on solids, shapes, structural, and piping.


Raker Set




Wavy Set



Alternate Set



Variable Set



Guidelines

Successful Band Saw Operation and Geometries




Blade Width Selection

The dimension from tooth tip to back edge of the blade is the blade width. The greater the width, the greater the resistance to deflection while cutting. For straight cutting applications, use the widest blade the machine can accept. For contour cutting use the widest blade that the contour radius will permit, see **Minimum Radii Cutting Chart** to the right.

Radii in this chart are based on manual feeding of one-inch thick milled steel. To cut close tolerance radii the following factors must be considered:

- Blade width
- Material thickness
- Machinability
- Feed force
- Location of pivot point

Minimum Radii Cut Chart



Teeth Per Inch

The pitch of the blade is defined by the number of TPI (Teeth Per Inch). Non-ferrous materials such as brass, bronze, and aluminum require a large chip area. A low TPI, or "course" pitch, prevents the chips from clogging and binding together in the gullets, which can diminish sawing and damage the blade.

On thin walled pipe, tubing, and sheet, many teeth per inch are required in order to avoid damaging or breaking the teeth. A low TPI blade is the best blade for cutting large cross-sections. The ability of each tooth to cut into the workpiece is increased because the saw's feed pressure is distributed over fewer teeth. A coarse pitch blade increases productivity and provides large chip clearing gullets.

Blade Break-In

Set Band Saw machine at the recommended speed for the material to be cut. When cutting easily machined metals, the cutting rate should be set at 1/3 to 1/2 of the recommended rate for the first 50 to 75 square inches.

When cutting difficult to machine metals, such as tool steels or workhardened alloys, set the cutting rate at 3/4 of the recommended rate for the first 25 square inches. Gradually increase the feed until you achieve the recommended cutting rate after 50 to 60 square inches.

continued on the next page

Tooth Selection

Tooth selection is based on the principle that there is a tooth pitch best suited for the cutting job. Blade selections should be based on the size, shape, accuracy, materials, and cutting rate expected. The chart below will help you select the correct pitch for cutting solids, tubes, and structurals.

Keep in mind these numbers: 3, 6, 12, and 24. There should be a minimum of three teeth in the work at all times for bi-metal bands. Ideally, 6-12 teeth should be in contact with the work; 24 teeth in the work is too many.

Solids			Structural			Tubing		
	Cross-section	Pitch		Cross-section	Pitch		Wall Thickness	Pitch
	1/4"	10/14 TPI		1/4" - 1/2"	10/14 TPI		1/4" - 1/2"	10 TPI
		14 TPI						
	3/8" - 3/4"	8/12 TPI		1/2" - 3/4"	8 TPI		1/2" - 3/4"	8 TPI
		10 TPI						
		8 TPI						
	3/4" - 1-1/2"	4/6 TPI		3/4" - 1"	4/6 TPI		3/4" - 1"	4/6 TPI
		6 TPI						
		5/8 TPI						
	1-1/2" - 3"	4/6 TPI		3/4" - 1"	5/8 TPI		3/4" - 1"	4/6 TPI
		4 TPI						
		3/4 TPI						
	3" - 6"	2/3 TPI						
		3/4 TPI						
		3 TPI						
	6" - 10"	2 TPI						
		2/3 TPI						
		10" - 14"						
		.75 TPI						
		.8/1.5 TPI						

TECHNICAL

Feed Pressure

Chips tell you what is happening with your feed pressure and your blade. Powdery or fine chips indicate not enough feed pressure is being applied. Loosely curled chips tell you everything is going well. Heavy or thick / blue burned chips mean you are pushing the blade to hard, creating too much heat and load for the teeth. If a change in feed or speed rates is required, change one at a time and observe the results after each change.

Correct

Loosely Curled Chip
Correct feed, speed




Incorrect

Thin or powdery chips
Increase feed, speed



Heavy, thick, blue chips
Reduce feed, speed



Tech Tip



Tips On Band Saw Cutting

Machine Checklist

- ___ The blade tension on the tension meter.
- ___ The performance of the chip brush.
- ___ The wear and alignment of the blade guides.
- ___ The band speed with a tachometer.
- ___ The cutting fluid concentration with a refractometer.

Cutting Fluid

The cutting fluid keeps the blade teeth cool; it prevents the chips from welding to the teeth; it also lubricates the chips, allowing them to move through the cut.

- ___ Use a high quality cutting fluid.
- ___ Make sure the cutting fluid is distributed throughout the cut.

Problem / Solution

Problem	Reason	Solution
Premature and excessive tooth wear	Feed pressure too light	Increase feed pressure
	Band saw too slow	Adjust band speed
	Insufficient coolant, improper coolant mix, or wrong coolant	Apply proper coolant for type material being cut, check flow of coolant
	Improper tooth selection	Call Greenfield Industries for additional information
	Feed pressure too high	Call Greenfield Industries for additional information
	Guides hitting teeth alignment	Check blade
Tooth Strippage	Improper break-in with new band	Feed should be reduced for first few cuts
	Teeth too coarse for material thickness	Select finer pitch
	Material not securely vised	Adjust clamping pressure
	Insufficient or improper coolant	Apply proper coolant for type material begin cut, check flow of coolant
	Excessive feed pressure	Reduce feed pressure
Finished Surface too Rough	Band speed too slow	Increase band speed
	Chips loaded in gullet	Replace or adjust chip brush
	Improper blade selection	Select finer pitch
	Band speed too slow	Adjust band speed
	Feed rate too high	Slow down feed rate
Premature Blade Breakage	Improper coolant for type of material being cut	Apply proper coolant
	Thickness of blade too heavy for diameter of wheels	Select thinner blade
	Band tension too high	Adjust tension
	Improper speed	Call Greenfield Industries for additional information
	Excessive feed pressure	Reduce feed pressure
	Brittle weld	Increase annealing period, decreasing heat gradually
	Saw out of alignment	Get machine properly re-aligned
Cutting Rate too Slow	Improper coolant	Apply proper coolant for type of material being cut
	Band wheels worn	Replace wheels
	Incorrect band speed	Adjust band speed
	Incorrect feed pressure	Adjust feed pressure
	Blade pitch too fine	Select coarser pitch blade
Gullets Loading with Chips	Excessive cutting speed	Reduce cutting rate
	Blade pitch too fine	Select coarse pitch
	Chip brush not working	Replace or adjust chip brush
	Insufficient coolant, improper coolant mix, or improper coolant	Apply proper coolant for type of material being cut, check flow of coolant
Band Squeals	Feed rate too slow	Increase feed rate
	Insufficient coolant flow	Check coolant flow
Belly Shaped Cuts	Blade tension	Check blade tension with tension meter
	Guide arm is too far from work piece	Adjust guides closer to work piece
	Blade pitch too fine	Select coarser pitch blade
	Excessive feed force	Reduce feed force or feed rate
Blade Leading in Cut	Excessive feed force or feed rate	Reduce feed force or feed rate
	Possible hard inclusion	Use cutting oil to reduce leading
	Chip brush not working	Replace or adjust chip brush
	Blade tension too low	Check blade tension with tension meter
Band Develops Twist	Wrong width for radius being cut	Select a narrower blade
	Binding in cut	Adjust blade tension
	Saw guides too close to work piece	Adjust saw guides further from work
Band Stalls in Work	Feed pressure too great	Reduce feed pressure
	Improper blade tension	Adjust blade tension
	Blade pitch too coarse for material being cut	Select finer pitch blade
Burring or Mushrooming of Back Edge	Improper blade tension	Adjust blade tension
	Excessive feed pressure	Reduce feed pressure
	Blade pitch too fine	Select coarser pitch blade
	Improper guide adjustments	Adjust guides
Band Scoring	Band has side wear or grooving	Check saw guide inserts for wear and replace
	Improper alignment of saw guides	Adjust guides so they are square to front vise
	Worn guides	Replace guides
Blade Not Running True against Saw Guide Backup Bearing	Clicking noise against the saw guide backup bearing indicates there is a burr on the back edge of the band	Remove burr on the band
	Weld not in proper alignment	Reweld blade straight and true
	Saw guide backup bearing worn	Replace
	Improper blade tracking	Check band wheel alignment
Band Develops Negative Camber	Band is riding on saw guide backup bearing too heavily	Adjust band alignment on top and bottom wheels
		Check band wheel alignment
Band Develops Positive Camber	Excessive feed force	Reduce feed force
	Poor tooth penetration	Select a coarser pitch blade for increased tooth penetration
Blade Vibration	Saw guide is too far from work piece or no locked	Adjust saw guides closer to work piece
	Guides poorly adjusted	Check guide adjustments
	Improper band speed	Increase or decrease band speed
	Low blade tension	Increase blade tension
	Feed rate too low	Increase feed rate
Chip Welding	Blade pitch too coarse for material being cut	Select variable pitch blade
	Work piece not properly secured	Adjust clamping pressure
	Excessive feed pressure	Reduce feed pressure
	Excessive cutting speed	Reduce blade speed
	Chip brush not working	Replace or adjust chip brush
	Insufficient or improper coolant	Apply proper coolant for the type of material being cut, check coolant flow

TECHNICAL



Set Sections

All available sets118

CARBIDE BURS


Solid Carbide Burs	Image			Page
	Single Cut	Double Cut	Aluminum Cut <small>NEW</small>	
1845 CLE-SA Cylindrical without End Cut				112
1846 CLE-SB Cylindrical with End Cut				112
1847 CLE-SC Cylindrical Ball Nose				113
1848 CLE-SF Round Nose Tree				114
1849 CLE-SG Pointed Tree				114
1850 CLE-SM Pointed Cone				115
1851 CLE-SE Egg Shaped				116
1852 CLE-SL Included Angle				116
1853 CLE-SD Ball Shaped				117
1854 CLE-SH Flame Shaped				117
1856 CLE-SJ . . 60° Included Angle (Countersink)				118
1857 CLE-SK . . 90° Included Angle (Countersink)				118
1858 CLE-SN Inverted Taper				118

Carbide Extension Burs

now available on many style types

- Wide selection of shapes and sizes.
- Constructed from solid carbide.
- Bright surface treatment.
- Right-hand spiral cut, double cut, and / or aluminum cut available.
- Solid carbide shanks (Styles A and D) and brazed steel shanks (Styles B and C) available.

Icons



Bur Cutting Speeds

Bur Diameter	Recommended RPM	Maximum RPM
1/16	60,000-90,000	100,000
1/8	40,000-70,000	90,000
3/16	35,000-60,000	80,000
1/4	30,000-50,000	70,000
5/16	20,000-40,000	68,000
3/8	20,000-40,000	66,000
7/16	15,000-40,000	58,000
1/2	15,000-40,000	50,000
5/8	12,000-25,000	40,000
3/4	10,000-20,000	33,000
1	7,500-20,000	25,000

Bur Selection by Material

Workpiece Material	First Choice	Alternative
aluminum	aluminum cut	-
brass	double cut	standard cut
bronze	double cut	standard cut
cast iron	double cut	standard cut
copper	aluminum cut	-
fiberglass	double cut	standard cut
inconel	double cut	standard cut
malleable iron	double cut	standard cut
magnesium	aluminum cut	-
masonite	double cut	standard cut
plastic	standard cut	-
steel alloy	double cut	-
carbon steel	double cut	-
stainless steel	double cut	-
titanium	double cut	-
zinc	aluminum cut	standard cut

Standard Cut Styles



Single Cut — Cle-Line's right-hand spiral cut produces a smooth finish for general-purpose use on steel, cast iron, and other ferrous and non-ferrous materials.



Double Cut — The double cut style has right- and left-hand helical flutes combined to produce a chisel-type cutting tooth. This feature results in faster penetration and stock removal with minimal bounce or chatter. This results in higher productivity with less operator fatigue and a good finish on a variety of workpiece materials.



Aluminum (end mill) Cut — The aluminum cut can be used for deburring softer, non-ferrous metals and non-metallic materials. The wide clearance and end mill type geometry of the flutes promotes fast stock removal with minimum loading.

Standard Shank Styles

Shank A

1/8" (3mm) solid carbide



Shank B

1/8" (3mm) hardened steel



Shank C

1/4" (6mm) hardened steel



Shank D

1/4" (6mm) solid carbide



CARBIDE BURS

Solid Carbide Burs
Cylindrical without End Cut

General Purpose Burs

Style: **1845** (CLE-SA)



Note

See index page for Standard Shank Styles explanation.



Single Cut



Double Cut

USCTI number	cutting diameter			shank diameter	length of cut	overall length	shank type	order number	
	fractional	mm	decimal					1845	
								Single Cut	Double Cut
SA-41	1/16		.0625	1/8	1/4	1-1/2	A	C10005	C10008
SA-42	3/32		.0938	1/8	7/16	1-1/2	A	C17601	C17550
SA-43		3	.1181	3	14.3	38.1	A	—	C17591
SA-43	1/8		.1250	1/8	9/16	1-1/2	A	C17602	C17551
SA-14	3/16		.1875	1/4	5/8	2	C	C17608	—
SA-1		6	.2362	6	15.9	50.8	D	—	C17588
SA-51	1/4		.2500	1/8	5/8	2	B	C17606	C17605
SA-1	1/4		.2500	1/4	5/8	2	D	C17609	C17552
SA-1L6	1/4		.2500	1/4	1/2	6-1/2	C	C17800	C17823
SA-2	5/16		.3125	1/4	3/4	2-1/2	C	C17610	C17553
SA-2		7.94	.3125	6	19.1	63.5	C	—	C17589
SA-3	3/8		.3750	1/4	3/4	2-1/2	C	C17611	C17554
SA-3		9.53	.3750	6	19.1	63.5	C	—	C17590
SA-3L6	3/8		.3750	1/4	3/4	6-3/4	C	C17801	C17824
SA-4	7/16		.4375	1/4	1	2-3/4	C	C17612	—
SA-5	1/2		.5000	1/4	1	2-3/4	C	C17613	C17555
SA-5L6	1/2		.5000	1/4	1	7	C	C17802	C17825
SA-5		12.7	.5000	6	25.4	69.9	C	—	C17592
SA-6	5/8		.6250	1/4	1	2-3/4	C	C10006	C17556
SA-7	3/4		.7500	1/4	1	2-3/4	C	C10007	C17615
SA-9	1		1.000	1/4	1	2-3/4	C	C17616	C17557

Solid Carbide Burs
Cylindrical with End Cut

Style: **1846** (CLE-SB)

Note

See index page for Standard Shank Styles explanation.



Single Cut



Double Cut



Aluminum Cut

USCTI number	cutting diameter			shank dia	length of cut	overall length	shank type	order number		
	fractional	mm	decimal					1846		
								Single Cut	Double Cut	Aluminum Cut
SB-41	1/16		.0625	1/8	1/4	1-1/2	A	C10009	—	—
SB-42	3/32		.0938	1/4	1/4	1-1/2	A	C10010	—	—
SB-43		3	.1181	3	14.30	38.1	A	C17632	C17510	—
SB-43	1/8		.1250	1/8	9/16	1-1/2	A	C17622	—	—
SB-11	1/8		.1250	1/4	1/2	2	C	C17625	—	—
SB-14	3/16		.1875	1/4	5/8	2	C	C17626	—	—
SB-1		6	.2362	6	15.90	50.8	D	—	C17507	—
SB-1	1/4		.2500	1/4	5/8	2	D	C17627	C17546	C10015
SB-51	1/4		.2500	1/8	3/16	1-7/16	B	C17624	—	—
SB-2		7.94	.3125	6	19.10	63.5	C	—	C17508	—
SB-3	3/8		.3750	1/4	3/4	2-1/2	C	C17629	C17547	C10016
SB-3		9.53	.3750	6	19.10	63.5	C	—	C17509	—
SB-5	1/2		.5000	1/4	1	2-3/4	C	C17631	C17548	C10017
SB-5		12.7	.5000	6	25.40	69.9	C	—	C17511	—
SB-6	5/8		.6250	1/4	1	2-3/4	C	—	C17549	C10018
SB-6		15.88	.6250	6	25.40	69.9	C	C17633	C17512	—
SB-7	3/4		.7500	1/4	1	2-3/4	C	—	C10014	C10019
SB-9	1		1.0000	1/4	1	2-3/4	C	C10012	—	—

CARBIDE BURS

Note

See index page for Standard Shank Styles explanation.



Single Cut



Double Cut



Aluminum Cut

USCTI number	cutting diameter		shank dia	length of cut	overall length	shank type	order number			
	fractional	mm					decimal	Single Cut	Double Cut	Aluminum Cut
SC-41	3/32		.0938	1/8	7/16	1-1/2	A	C17635	C10023	—
SC-43		3	.1181	3	14.3	38.1	A	C17634	C17517	—
SC-42	1/8		.1250	1/8	9/16	1-1/2	A	C17636	C17540	—
SC-11	1/8		.1250	1/4	1/2	2	C	—	C17539	—
SC-52		3.97	.1562	3	12.7	38.1	A	—	C17520	—
SC14	3/16		.1875	1/4	5/8	2	C	C17641	—	—
SC-53		4.76	.1875	3	12.7	38.1	A	—	C17521	—
SC-1		6	.2362	6	15.9	50.8	D	—	C17513	—
SC-51	1/4		.2500	1/8	1/2	1-3/4	B	C10020	C10024	—
SC-1	1/4		.2500	1/4	5/8	2	D	C17642	C17541	C10026
SC-51		6.35	.2500	3	12.7	44.5	B	—	C17519	—
SC-1L6	1/4		.2500	1/4	1/2	6-1/2	C	C17803	C17826	—
SC-2	5/16		.3125	1/4	3/4	2-1/2	C	—	C17542	—
SC-2		7.94	.3125	6	19.1	63.5	C	—	C17514	—
SC-3	3/8		.3750	1/4	3/4	2-1/2	C	C17644	C17543	C10027
SC-3		9.53	.3750	6	19.1	63.5	C	—	C17515	—
SC-3L6	3/8		.3750	1/4	3/4	6-3/4	C	C17804	C17827	—
SC-5	1/2		.5000	1/4	1	2-3/4	C	—	—	C10028
SC-5	1/2		.5000	1/4	1	2-3/4	C	C17646	C17544	—
SC-5		12.7	.5000	6	25.4	69.9	C	—	C17518	—
SC-5L6	1/2		.5000	1/4	1	7	C	C17805	C17828	—
SC-6	5/8		.6250	1/4	1	2-3/4	C	C10021	C17545	—
SC-6		15.88	.6250	6	25.4	69.9	C	—	C17522	—
SC-7	3/4		.7500	1/4	1	2-3/4	C	C10022	C10025	C10029
SC-7		19.05	.7500	6	25.4	69.9	C	—	C17523	—

Solid Carbide Burs Round Nose Tree

General Purpose Burs

Style: **1848** (CLE-SF)



Note

See index page for
Standard Shank
Styles explanation.



Single Cut



Double Cut



Aluminum Cut

USCTI number	cutting diameter		shank dia	length of cut	overall length	shank type	order number			
	fractional	mm					decimal	1848		
							Single Cut	Double Cut	Aluminum Cut	
SF-42		3	.1181	3	12.7	38	A	C17663	C17526	—
SF-41	1/8		.1250	1/8	1/4	1-1/2	A	C17650	C10033	—
SF-42	1/8		.1250	1/8	1/2	1-1/2	A	C17651	C10034	—
SF-53		4.76	.1875	3	12.7	38.1	A	—	C17528	—
SF-1		6	.2362	6	15.9	50.8	D	—	C17524	—
SF-51	1/4		.2500	1/8	1/2	1-3/4	B	C10030	C10035	—
SF-1	1/4		.2500	1/4	5/8	2	D	C17654	C17580	C10036
SF-1L6	1/4		.2500	1/4	1/2	6-1/2	C	C17812	C17835	—
SF-51		6.35	.2500	3	12.7	44.5	B	C17596	C17597	—
SF-3	3/8		.3750	1/4	3/4	2-1/2	C	C17655	C17581	C10037
SF-3L6	3/8		.3750	1/4	3/4	6-3/4	C	C17813	C17836	—
SF-3		9.53	.3750	6	19.1	63.5	C	—	C17525	—
SF-13	1/2		.5000	1/4	3/4	2-1/2	C	C17657	—	—
SF-5	1/2		.5000	1/4	1	2-3/4	C	C17658	C17582	C10038
SF-5L6	1/2		.5000	1/4	1	7	C	C17814	C17837	—
SF-5		12.7	.5000	6	25.4	69.9	C	—	C17527	—
SF-6	5/8		.6250	1/4	1	2-3/4	C	C10031	C17583	C10039
SF-7	3/4		.7500	1/4	1	2-3/4	C	C10032	C17584	—
SF-14	3/4		.7500	1/4	1-1/4	3	C	C17661	—	—
SF-15	3/4		.7500	1/4	1-1/2	3-1/4	C	C17662	—	—

Solid Carbide Burs Pointed Tree

Style: **1849** (CLE-SG)

Note

See index page for
Standard Shank
Styles explanation.



Single Cut



Double Cut

USCTI number	cutting diameter		shank diameter	length of cut	overall length	shank type	order number		
	fractional	mm					decimal	1849	
							Single Cut	Double Cut	
SG-44		3	.1181	3	12.7	38	A	C17674	C17486
SG-41	1/8		.1250	1/8	1/4	1-1/2	A	C17675	C10044
SG-42	1/8		.1250	1/8	5/16	1-1/2	A	C17676	C10042
SG-43	1/8		.1250	1/8	3/8	1-1/2	A	C10040	C10043
SG-51	1/4		.2500	1/8	1/2	1-3/4	B	—	C10045
SG-53	3/16		.1875	1/8	1/2	1-1/2	A	C17679	—
SG-53		4.76	.1875	3	12.7	38.1	A	—	C17488
SG-1		6	.2362	6	15.9	50.8	D	—	C17483
SG-51	1/4		.2500	1/8	1/2	1-3/4	B	C17680	—
SG-1	1/4		.2500	1/4	5/8	2	D	C17681	C17575
SG-1L6	1/4		.2500	1/4	1/2	6-1/2	C	C17815	C17838
SG-2		7.94	.3125	6	19.1	63.5	C	—	C17484
SG-3	3/8		.3750	1/4	3/4	2-1/2	C	C17683	C17576
SG-3L6	3/8		.3750	1/4	3/4	6-3/4	C	C17816	C17839
SG-3		9.53	.3750	6	19.1	63.5	C	—	C17485
SG-13	1/2		.5000	1/4	3/4	2-1/2	C	—	C17577
SG-5	1/2		.5000	1/4	1	2-3/4	C	C17685	C17578
SG-5L6	1/2		.5000	1/4	1	7	C	C17817	C17840
SG-5		12.7	.5000	6	25.4	69.9	C	—	C17487
SG-6	5/8		.6250	1/4	1	2-3/4	C	C10041	C17579

Note

See index page for Standard Shank Styles explanation.



Single Cut



Double Cut

USCTI Number	cutting diameter		shank diameter	length of cut	overall length	included angle	shank type	order number		
	fractional	mm decimal						1850	Single Cut	Double Cut
SM-42		3	.1181	3	11.1	38.1	14°	A	C17672	C17498
SM-41	1/8		.1250	1/8	3/8	1-1/2	12°	A	C10046	C10049
SM-42	1/8		.1250	1/8	7/16	1-1/2	14°	A	C17690	C17568
SM-43	1/8		.1250	1/8	5/8	1-1/2	7°	A	C10047	C10050
SM-53		4.76	.1875	3	12.7	38.1	16°	A	C17664	—
SM-2		6	.2362	6	19.1	50.8	12°	D	—	C17496
SM-51	1/4		.2500	1/8	1/2	1-7/8	22°	B	C17693	C10076
SM-1	1/4		.2500	1/4	1/2	2	22°	D	C17694	C17569
SM-2	1/4		.2500	1/4	3/4	2	14°	D	C17695	C17570
SM-3	1/4		.2500	1/4	1	2	10°	D	C17696	C17571
SM-4	3/8		.3750	1/4	5/8	2-1/2	28°	C	C10048	C17572
SM-4		9.5	.3750	6	16	61	28°	C	—	C17497
SM-5	1/2		.5000	1/4	7/8	2-3/4	28°	C	C17698	C17573
SM-5		12.7	.5000	6	22.2	69.9	28°	C	C17673	C17499
SM-6	5/8		.6250	1/4	1	2-7/8	31°	C	C17699	C17574
SM-6		15.88	.6250	6	25.4	66.7	31°	C	—	C17502

Solid Carbide Burs Egg Shape

General Purpose Burs

Style: **1851** (CLE-SE)



Note

See index page for
Standard Shank
Styles explanation.



Single Cut



Double Cut



Aluminum Cut

order number

USCTI number	cutting diameter		shank dia	length of cut	overall length	shank type	order number			
	fractional	mm decimal					1851			
							Single Cut	Double Cut	Aluminum Cut	
SE-41		3.0	.1181	3	5.5	38	A	C17708	—	—
SE-41	1/8		.1250	1/8	7/32	1-1/2	A	C17700	C10052	—
SE-53		4.76	.1875	3	7.1	38.1	A	—	C17489	—
SE-51	1/4		.2500	1/8	3/8	1-5/8	B	C17702	C10053	—
SE-1	1/4		.2500	1/4	3/8	2	D	C17703	C17558	—
SE-1L6	1/4		.2500	1/4	3/8	6-3/8	C	C17809	C17832	—
SE-3	3/8		.3750	1/4	5/8	2-3/8	C	C17704	C17559	C10054
SE-3L6	3/8		.3750	1/4	5/8	6.625	C	C17810	C17833	—
SE-5	1/2		.5000	1/4	7/8	2-5/8	C	C17705	C17560	C10055
SE-5L6	1/2		.5000	1/4	7/8	6-7/8	C	C17811	C17834	—
SE-6	5/8		.6250	1/4	1	2-3/4	C	C17706	—	C10056
SE-7	3/4		.7500	1/4	1	2-3/4	C	C10051	C17561	—

Solid Carbide Burs Included Angle

Style: **1852** (CLE-SL)

Note

See index page for
Standard Shank
Styles explanation.



Single Cut



Double Cut



Aluminum Cut

order number

USCTI number	cutting diameter		shank dia	length of cut	overall length	included angle	shank type	order number			
	fractional	mm decimal						1852			
							Single Cut	Double Cut	Aluminum Cut		
SL-41		3	.1181	3	9.5	38	8°	A	C17720	C17595	—
SL-41	1/8		.1250	1/8	3/8	1-1/2	14°	A	C10057	C10058	—
SL-42	1/8		.1250	1/8	1/2	1-1/2	8°	A	C17711	C10059	C10060
SL-1	1/4		.2500	1/4	5/8	2	14°	D	C17713	C17564	C10061
SL-1L6	1/4		.2500	1/4	5/8	6-5/8	14°	C	C17820	C17843	—
SL-2	5/16		.3125	1/4	7/8	2-3/4	14°	C	C17714	C17565	—
SL-3	3/8		.3750	1/4	1-1/16	2-15/16	14°	C	C17715	C17566	—
SL-3L6	3/8		.3750	1/4	1-1/16	7-1/16	14°	C	C17821	C17844	—
SL-3		9.53	.3750	6	27.0	74.6	14°	C	C17719	C17593	—
SL-4	1/2		.5000	1/4	1-1/8	3	14°	C	C17716	C17567	C10062
SL-4L6	1/2		.5000	1/4	1-1/8	7-1/8	14°	C	C17822	C17845	—
SL-4		12.7	.5000	6	28	73	14°	C	—	C17594	—
SL-6	5/8		.6250	1/4	1-5/16	3-3/16	14°	C	C17717	C17587	C10063

Note

See index page for Standard Shank Styles explanation.



Single Cut



Double Cut



Aluminum Cut

USCTI number	cutting diameter		shank dia	length of cut	overall length	shank type	order number		
	fractional	mm decimal					1853		
							Single Cut	Double Cut	Aluminum Cut
SD-40						A	C17723	—	—
SD-40	1/16	.0625	1/8	1/16	1-1/2	A	C17725	—	—
SD-41	3/32	.0938	1/8	3/32	1-1/2	A	C17726	C10064	—
SD-42		3 .1181	3	2.5	38	A	C17724	C17457	—
SD-42	1/8	.1250	1/8	1/8	1-1/2	A	C17727	C17531	—
SD-11	1/8	.1250	1/4	1/8	2	C	C17730	C17530	—
SD-53	3/16	.1875	1/8	3/16	1-1/2	A	C17728	—	—
SD-14	3/16	.1875	1/4	1/8	2	C	C17731	C17532	—
SD-53		4.76 .1875	3	4.76	38.1	A	C17741	C17412	—
SD-1		6 .2362	6	6.0	50.8	D	C17721	C17455	—
SD-51	1/4	.2500	1/8	1/4	1-3/4	B	C17729	C10065	—
SD-1	1/4	.2500	1/4	1/4	2	D	C17732	C17533	C10068
SD-1L6	1/4	.2500	1/4	7/32	6-7/32	C	C17806	C17829	—
SD-51		6.35 .2500	3	6.35	44.45	B	—	C17411	—
SD-2	5/16	.3125	1/4	5/16	2-1/32	C	C17733	C17534	—
SD-3	3/8	.3750	1/4	3/8	2-5/64	C	C17734	C17535	C10069
SD-3L6	3/8	.3750	1/4	5/16	6-5/16	C	C17807	C17830	—
SD-3		9.53 .3750	6	9.53	52.8	C	C17722	C17456	—
SD-5	1/2	.5000	1/4	1/2	2-13/64	C	C17736	C17536	C10070
SD-5L6	1/2	.5000	1/4	7/16	6-7/16	C	C17808	C17831	—
SD-5		12.7 .5000	6	12.7	56.0	C	C17740	C17458	—
SD-6	5/8	.6250	1/4	5/8	2-5/16	C	C17737	C17537	—
SD-7	3/4	.7500	1/4	3/4	2-7/16	C	C17738	C17538	—
SD-7		19.05 .7500	6	19.05	61.9	C	—	C17413	—
SD-9	1	1.0000	1/4	1	2-11/16	C	C17739	—	C10066

Styles: 1854 (CLE-SH)

Note

See index page for Standard Shank Styles explanation.



Single Cut



Double Cut

USCTI number	cutting diameter		shank diameter	length of cut	overall length	shank type	order number	
	fractional	mm decimal					1854	
							Single Cut	Double Cut
SH-41	1/8	.1250	1/8	1/4	1-1/2	A	C17750	C10072
SH-53		4.76 .1875	3.0	9.5	38.1	A	C17749	C17529
SH-2	5/16	.3125	1/4	3/4	2-1/2	C	C10071	C17562
SH-2L6	5/16	.3125	1/4	3/4	6-3/4	C	C17818	C17841
SH-5	1/2	.5000	1/4	1-1/4	3	C	C17753	C17563
SH-5L6	1/2	.5000	1/4	1-1/4	7-1/4	C	C17819	C17842

Solid Carbide Burs

60°/ 90° Angle Burs (countersink)

General Purpose Burs

Styles: **1856** (CLE-SJ), **1857** (CLE-SK)



Note

See index page for Standard Shank Styles explanation.



USCTI number	cutting diameter		shank diameter	length of cut	overall length	included angle	shank type	order number	
	mm	decimal						1856 (60° incl.) Single Cut	1857 (90° incl.) Single Cut
SK-5	12.7	.5000	6	6.35	57.9	90°	C	—	C17742
SJ-6	15.88	.6250	6		61.9	60°	C	C17766	—
SK-6	15.88	.6250	6		61.9	90°	C	—	C17767

Solid Carbide Burs

Inverted Taper Burs

Style: **1858** (CLE-SN)

Note

See index page for Standard Shank Styles explanation.



USCTI number	cutting diameter		shank diameter	length of cut	overall length	included angle	shank type	order number	
	fraction	mm						1858 Single Cut	Double Cut
SN-41	3/32		1/8	3/16	1-1/2	—	A	C10073	—
SN-51	1/4		1/8	1/4	1-1/2	10°	A	C10074	C10075
SN-51		6.35	3.0	6.4	38.1	10°	A	C17780	—

Solid Carbide Burs

Variety Set

SET

Style: **1855**

Plastic Case

Note

See index page for Standard Shank Styles explanation.



8-Piece Set
Bright
#C17763

set contains USCTI Nos.	cutting diameter			shank diameter	no. of pieces	shank type	order number		Standard Shank Styles
	fractional	decimal	metric				1855 Single Cut		
SA-42, SA-43, SC-41, SC-42, SF-42, SG-42 SM-43, SE-41, SD-42	3/32 & 1/8	.0938 .1250	2.38 3.18	1/8	9	A	C17760		Shank A 1/8" (3mm) solid carbide
SA-51, SA-51-2, SC-51, SF-51, SG-51, SM-51, SE-51, SD-51, SN-51	1/4	.2500	6.35	1/8	9	B	C17761		Shank B 1/8" (3mm) hardened steel
SA-1, SC-1, SF-1, SG-1, SM-2, SE-1, SL-1, SD-1	1/4	.2500	6.35	1/4	8	C	C17762		Shank C 1/4" (6mm) hardened steel
SA-5, SC-5, SF-5, SG-5, SM-5, SE-5, SL-4, SD-5	1/2	.5000	12.70	1/4	8	C	C17763		Shank D 1/4" (6mm) solid carbide

NEW



Display Merchandisers

Designed with everything included to fit your pegboard wall

Six Display Choices

Jobber Drill Displays

- Part # CLEMERCH #1899 - Black Oxide Drills, General Purpose
- Part # CLEHDMERCH. . . #1801 - Black Oxide Drills, Heavy Duty
- Part # CLEHDBGMERCH . . #1878 - Black and Gold Drills, Heavy Duty
- Part # CLEHDCOMERCH . . #1802 - Straw Oxide Drills, Cobalt, Heavy Duty

Saw Blade Displays

- Part # CLEBISAWMERCH. . Hole Saw Blades
- Part # CLESAWMERCH. . . Reciprocating and Band Saw Blades

See back page for display samples.

Each display includes:

- Cle-Line® 24"x6" sign
- Cle-Line® 24" wide vinyl backdrop
- Cle-Line® products
- Hanging Hooks
- Labels with part number
- Detailed planogram instructions
- Does **not** include pegboard




MERCHANDISER


Merchandisers

Styles:


#1899 - Black Oxide, General Purpose




#1801 - Black Oxide, Heavy Duty




#1878 - Black and Gold, Heavy Duty




#1802 - Straw Oxide, Cobalt, Heavy Duty



Hole Saw Blades



Reciprocating Blades and Band Saw Blades



Product Choices:

1 #1899 - Black Oxide, General Purpose



2 #1801 - Black Oxide, Heavy Duty



3 #1878 - Black and Gold, Heavy Duty



4 #1802 - Straw Oxide, Cobalt, Heavy Duty



5 Hole Saws



6 Reciprocating and Band Saw Blades



MERCHANDISER



Cle-Line Product Line

Index

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C00323	...0404	67	C00734	...0401	67	C00801	...0411	70	C10036	...1848	114
C00325	...0404	67	C00735	...0402	67	C00802	...0411	70	C10037	...1848	114
C00326	...0404	67	C00736	...0403	67	C00803	...0411	70	C10038	...1848	114
C00327	...0404	67	C00737	...0402	67	C00804	...0411	70	C10039	...1848	114
C00328	...0404	67	C00738	...0403	67	C00805	...0411	70	C10040	...1849	114
C00329	...0404	67	C00739	...0402	67	C00806	...0411	70	C10041	...1849	114
C00330	...0404	67	C00740	...0403	67	C01112	...1899	8	C10042	...1849	114
C00331	...0404	67	C00741	...0402	67	C01125	...1899	8	C10043	...1849	114
C00332	...0404	67	C00742	...0403	67	C01137	...1899	9	C10044	...1849	114
C00333	...0404	67	C00743	...0402	67	C01164	...1899	9	C10045	...1849	114
C00334	...0404	67	C00744	...0403	67	C01180	...1899	9	C10046	...1850	115
C00335	...0404	67	C00745	...0402	68	C01190	...1899	10	C10047	...1850	115
C00336	...0404	68	C00746	...0403	68	C01202	...1899	10	C10048	...1850	115
C00337	...0404	68	C00747	...0402	68	C01213	...1899	10	C10049	...1850	115
C00448	...448	70,78,85	C00748	...0403	68	C01223	...1899	10	C10050	...1850	115
C00449	...449	70,78,85	C00749	...0402	68	C01234	...1899	10	C10051	...1851	116
C00451	...451	60,70,78,86	C00750	...0403	68	C01243	...1899	11	C10052	...1851	116
C00517	...517	77,85	C00751	...0402	68	C01253	...1899	11	C10053	...1851	116
C00518	...518	77,85	C00752	...0402	68	C01262	...1899	11	C10054	...1851	116
C00525	...525	77,85	C00753	...0403	68	C01338	...1899	9	C10055	...1851	116
C00526	...526	77,85	C00754	...0401	68	C01802	...1898	7	C10056	...1851	116
C00528	...528	77,85	C00756	...0402	68	C01807	...1898	7	C10057	...1852	116
C00532	...532	77,85	C00757	...0403	68	C01810	...1898	7	C10058	...1852	116
C00533	...533	77,85	C00758	...0401	68	C01815	...1898	7	C10059	...1852	116
C00608	...055	68,82,86	C00759	...0402	68	C01820	...1898	7	C10060	...1852	116
C00609	...055	68,82,86	C00760	...0403	68	C01826	...1898	7	C10061	...1852	116
C00610	...055	68,82,86	C00761	...0401	67	C01829	...1898	7	C10062	...1852	116
C00611	...055	68,82,86	C00762	...0401	67	C01831	...1898	7	C10063	...1852	116
C00612	...055	68,82,86	C00763	...0401	67	C01834	...1898	7	C10064	...1853	117
C00613	...055	68,82,86	C00764	...0401	67	C01912	...1898	8	C10065	...1853	117
C00614	...055	70,82,86	C00765	...0401	67	C01924	...1898	9	C10066	...1853	117
C00700	...0402	67	C00766	...0402	67	C01938	...1898	9	C10068	...1853	117
C00701	...0403	67	C00767	...0402	67	C02070	...1898	11	C10069	...1853	117
C00702	...0401	67	C00768	...0402	67	C02073	...1898	11	C10070	...1853	117
C00703	...0402	67	C00769	...0402	67	C10005	...1845	112	C10071	...1854	117
C00704	...0403	67	C00770	...0403	67	C10006	...1845	112	C10072	...1854	117
C00705	...0401	67	C00771	...0403	67	C10007	...1845	112	C10073	...1858	118
C00706	...0402	67	C00772	...0403	67	C10008	...1845	112	C10074	...1858	118
C00707	...0403	67	C00773	...0403	67	C10009	...1846	112	C10075	...1858	118
C00708	...0401	67	C00774	...0411	70	C10010	...1846	112	C10076	...1850	115
C00709	...0402	67	C00775	...0411	69	C10011	...1846	112	C10600	...1804	26
C00710	...0403	67	C00776	...0411	69	C10012	...1846	112	C10601	...1804	26
C00711	...0402	67	C00777	...0411	69	C10013	...1846	112	C10602	...1804	26
C00712	...0403	67	C00778	...0411	69	C10014	...1846	112	C10603	...1804	26
C00713	...0401	67	C00779	...0411	69	C10015	...1846	112	C10604	...1804	26
C00714	...0402	67	C00780	...0411	69	C10016	...1846	112	C10605	...1804	26
C00715	...0403	67	C00781	...0411	69	C10017	...1846	112	C10606	...1804	26
C00716	...0401	67	C00782	...0411	69	C10018	...1846	112	C10607	...1804	26
C00717	...0402	67	C00783	...0411	69	C10019	...1846	112	C10608	...1804	26
C00718	...0403	67	C00784	...0411	69	C10020	...1847	113	C10609	...1804	26
C00719	...0401	67	C00785	...0411	69	C10021	...1847	113	C10610	...1804	26
C00720	...0402	67	C00786	...0411	69	C10022	...1847	113	C10611	...1804	26
C00721	...0403	67	C00787	...0411	69	C10023	...1847	113	C10612	...1804	26
C00722	...0401	67	C00788	...0411	69	C10024	...1847	113	C10613	...1804	26
C00723	...0402	67	C00789	...0411	69	C10025	...1847	113	C10614	...1804	26
C00724	...0403	67	C00790	...0411	69	C10026	...1847	113	C10615	...1804	26
C00725	...0401	67	C00791	...0411	69	C10027	...1847	113	C10616	...1804	26
C00726	...0402	67	C00793	...0411	69	C10028	...1847	113	C10617	...1804	26
C00727	...0403	67	C00794	...0411	69	C10029	...1847	113	C10618	...1804	26
C00728	...0401	67	C00795	...0411	69	C10030	...1848	114	C10619	...1804	26
C00729	...0402	67	C00796	...0411	69	C10031	...1848	114	C10620	...1804	26
C00730	...0403	67	C00797	...0411	69	C10032	...1848	114	C10621	...1804	26
C00731	...0401	67	C00798	...0411	69	C10033	...1848	114	C10622	...1804	26
C00732	...0402	67	C00799	...0411	69	C10034	...1848	114	C10623	...1804	26
C00733	...0403	67	C00800	...0411	70	C10035	...1848	114	C10624	...1804	26

Index

Cle-Line Product Line

Order Number	Style	Page Number
C10625	... 1804	26
C10626	... 1804	26
C10627	... 1804	26
C10628	... 1804	26
C10629	... 1804	26,59
C17031	... 1877	44
C17032	... 1877	44
C17033	... 1877	44
C17034	... 1877	44
C17035	... 1877	44
C17036	... 1877	44
C17037	... 1877	44
C17038	... 1877	44
C17039	... 1877	44
C17040	... 1877	44
C17041	... 1877	44
C17042	... 1877	44
C17043	... 1877	44
C17044	... 1877	44
C17045	... 1877	44
C17046	... 1877	44
C17047	... 1877	44
C17048	... 1877	44
C17049	... 1877	44
C17050	... 1877	44
C17051	... 1877	44
C17052	... 1877	44
C17053	... 1877	44
C17054	... 1877	44
C17055	... 1877	44
C17056	... 1877	45
C17057	... 1877	45
C17058	... 1877	45
C17059	... 1877	45
C17060	... 1877	45
C17061	... 1877	45
C17062	... 1877	45
C17066	... 1877	45
C17070	... 1877	45
C17074	... 1877	45
C17078	... 1877	45
C17082	... 1877	45
C17086	... 1877	45
C17090	... 1877	45
C17094	... 1877	45
C17100	... 1823	54
C17101	... 1823	54
C17102	... 1823	54
C17103	... 1823	54
C17104	... 1823	54
C17105	... 1823	54
C17106	... 1823	54
C17107	... 1823	54
C17108	... 1823	54
C17109	... 1823	54
C17110	... 1823	54
C17111	... 1823	54
C17112	... 1823	54
C17113	... 1823	54
C17114	... 1823	54
C17115	... 1823	54
C17116	... 1823	54
C17170	... 1829	57
C17171	... 1829	57
C17172	... 1829	57

Order Number	Style	Page Number
C17173	... 1829	57
C17174	... 1829	57
C17176	... 1829	57
C17178	... 1829	57
C17180	... 1829	57
C17411	... 1853	117
C17412	... 1853	117
C17413	... 1853	117
C17455	... 1853	117
C17456	... 1853	117
C17457	... 1853	117
C17458	... 1853	117
C17483	... 1849	114
C17484	... 1849	114
C17485	... 1849	114
C17486	... 1849	114
C17487	... 1849	114
C17488	... 1849	114
C17489	... 1851	116
C17496	... 1850	115
C17497	... 1850	115
C17498	... 1850	115
C17499	... 1850	115
C17502	... 1850	115
C17507	... 1846	112
C17508	... 1846	112
C17509	... 1846	112
C17510	... 1846	112
C17511	... 1846	112
C17512	... 1846	112
C17513	... 1847	113
C17514	... 1847	113
C17515	... 1847	113
C17517	... 1847	113
C17518	... 1847	113
C17519	... 1847	113
C17520	... 1847	113
C17521	... 1847	113
C17522	... 1847	113
C17523	... 1847	113
C17524	... 1848	114
C17525	... 1848	114
C17526	... 1848	114
C17527	... 1848	114
C17528	... 1848	114
C17529	... 1854	117
C17530	... 1853	117
C17531	... 1853	117
C17532	... 1853	117
C17533	... 1853	117
C17534	... 1853	117
C17535	... 1853	117
C17536	... 1853	117
C17537	... 1853	117
C17538	... 1853	117
C17539	... 1847	113
C17540	... 1847	113
C17541	... 1847	113
C17542	... 1847	113
C17543	... 1847	113
C17544	... 1847	113
C17545	... 1847	113
C17546	... 1846	112
C17547	... 1846	112
C17548	... 1846	112

Order Number	Style	Page Number
C17549	... 1846	112
C17550	... 1845	112
C17551	... 1845	112
C17552	... 1845	112
C17553	... 1845	112
C17554	... 1845	112
C17555	... 1845	112
C17556	... 1845	112
C17557	... 1845	112
C17558	... 1851	116
C17559	... 1851	116
C17560	... 1851	116
C17561	... 1851	116
C17562	... 1854	117
C17563	... 1854	117
C17564	... 1852	116
C17565	... 1852	116
C17566	... 1852	116
C17567	... 1852	116
C17568	... 1850	115
C17569	... 1850	115
C17570	... 1850	115
C17571	... 1850	115
C17572	... 1850	115
C17573	... 1850	115
C17574	... 1850	115
C17575	... 1849	114
C17576	... 1849	114
C17577	... 1849	114
C17578	... 1849	114
C17579	... 1849	114
C17580	... 1848	114
C17581	... 1848	114
C17582	... 1848	114
C17583	... 1848	114
C17584	... 1848	114
C17587	... 1852	116
C17588	... 1845	112
C17589	... 1845	112
C17590	... 1845	112
C17591	... 1845	112
C17592	... 1845	112
C17593	... 1852	116
C17594	... 1852	116
C17595	... 1852	116
C17596	... 1848	114
C17597	... 1848	114
C17601	... 1845	112
C17602	... 1845	112
C17605	... 1845	112
C17606	... 1845	112
C17608	... 1845	112
C17609	... 1845	112
C17610	... 1845	112
C17611	... 1845	112
C17612	... 1845	112
C17613	... 1845	112
C17615	... 1845	112
C17616	... 1845	112
C17618	... 1815	52
C17619	... 1815	52
C17622	... 1846	112
C17624	... 1846	112
C17625	... 1846	112
C17626	... 1846	112

Order Number	Style	Page Number
C17627	... 1846	112
C17629	... 1846	112
C17631	... 1846	112
C17632	... 1846	112
C17633	... 1846	112
C17634	... 1847	113
C17635	... 1847	113
C17636	... 1847	113
C17641	... 1847	113
C17642	... 1847	113
C17644	... 1847	113
C17646	... 1847	113
C17650	... 1848	114
C17651	... 1848	114
C17654	... 1848	114
C17655	... 1848	114
C17657	... 1848	114
C17658	... 1848	114
C17661	... 1848	114
C17662	... 1848	114
C17663	... 1848	114
C17664	... 1850	115
C17672	... 1850	115
C17673	... 1850	115
C17674	... 1849	114
C17675	... 1849	114
C17676	... 1849	114
C17679	... 1849	114
C17680	... 1849	114
C17681	... 1849	114
C17683	... 1849	114
C17685	... 1849	114
C17690	... 1850	115
C17693	... 1850	115
C17694	... 1850	115
C17695	... 1850	115
C17696	... 1850	115
C17698	... 1850	115
C17699	... 1850	115
C17700	... 1851	116
C17702	... 1851	116
C17703	... 1851	116
C17704	... 1851	116
C17705	... 1851	116
C17706	... 1851	116
C17708	... 1851	116
C17711	... 1852	116
C17713	... 1852	116
C17714	... 1852	116
C17715	... 1852	116
C17716	... 1852	116
C17717	... 1852	116
C17719	... 1852	116
C17720	... 1852	116
C17721	... 1853	117
C17722	... 1853	117
C17724	... 1853	117
C17725	... 1853	117
C17727	... 1853	117
C17728	... 1853	117
C17729	... 1853	117
C17730	... 1853	117
C17731	... 1853	117
C17732	... 1853	117
C17733	... 1853	117

INDEX

Cle-Line Product Line
Index

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C17734	...1853	... 117	C18001	...1878	... 15	C18066	...1878	... 16	C18402	...1898L	... 14
C17736	...1853	... 117	C18002	...1878	... 15	C18067	...1878	... 16	C18403	...1898L	... 14
C17737	...1853	... 117	C18003	...1878	... 16	C18068	...1878	... 16	C18404	...1898L	... 14
C17738	...1853	... 117	C18004	...1878	... 16	C18069	...1878	... 16	C18405	...1898L	... 14
C17739	...1853	... 117	C18005	...1878	... 16	C18070	...1878	... 16	C18406	...1898L	... 14
C17740	...1853	... 117	C18006	...1878	... 16	C18071	...1878	... 16	C18407	...1898L	... 14
C17741	...1853	... 117	C18007	...1878	... 16	C18072	...1878	... 16	C18408	...1898L	... 14
C17742	...1857	... 118	C18008	...1878	... 16	C18073	...1878	... 16	C18409	...1898L	... 14
C17749	...1854	... 117	C18009	...1878	... 17	C18074	...1878	... 16	C18410	...1898L	... 14
C17750	...1854	... 117	C18010	...1878	... 17	C18075	...1878	... 16	C18411	...1898L	... 14
C17753	...1854	... 117	C18011	...1878	... 17	C18076	...1878	... 16	C18412	...1898L	... 14
C17760	...1855	... 118	C18012	...1878	... 17	C18077	...1878	... 16	C18413	...1898L	... 14
C17761	...1855	... 118	C18013	...1878	... 17	C18078	...1878	... 16	C18414	...1898L	... 14
C17762	...1855	... 118	C18014	...1878	... 17	C18079	...1878	... 16	C18415	...1898L	... 14
C17763	...1855	... 118	C18015	...1878	... 17	C18080	...1878	... 16	C18416	...1898L	... 14
C17766	...1856	... 118	C18016	...1878	... 17	C18081	...1878	... 16	C18417	...1898L	... 14
C17767	...1857	... 118	C18017	...1878	... 17	C18082	...1878	... 16	C18418	...1898L	... 14
C17780	...1858	... 118	C18018	...1878	... 17	C18083	...1878	... 16	C18419	...1898L	... 14
C17800	...1845	... 112	C18019	...1878	... 17	C18084	...1878	... 16	C18420	...1898L	... 14
C17801	...1845	... 112	C18020	...1878	... 18	C18085	...1878	... 16	C18421	...1898L	... 14
C17802	...1845	... 112	C18021	...1878	... 18	C18086	...1878	... 16	C18422	...1898L	... 14
C17803	...1847	... 113	C18022	...1878	... 18	C18087	...1878	... 16	C18423	...1898L	... 14
C17804	...1847	... 113	C18023	...1878	... 18	C18088	...1878	... 16	C18424	...1898L	... 14
C17805	...1847	... 113	C18024	...1878	... 18	C18089	...1878	... 16	C18425	...1898L	... 14
C17806	...1853	... 117	C18025	...1878	... 18	C18090	...1878	... 15	C18426	...1898L	... 14
C17807	...1853	... 117	C18026	...1878	... 18	C18091	...1878	... 15	C18427	...1898L	... 14
C17808	...1853	... 117	C18027	...1878	... 18	C18092	...1878	... 15	C18428	...1898L	... 14
C17809	...1851	... 116	C18028	...1878	... 18	C18093	...1878	... 15	C18429	...1898L	... 14
C17810	...1851	... 116	C18029	...1878	... 17	C18094	...1878	... 15	C18430	...1872	... 23
C17811	...1851	... 116	C18030	...1878	... 17	C18095	...1878	... 15	C18431	...1872	... 23
C17812	...1848	... 114	C18031	...1878	... 17	C18096	...1878	... 15	C18432	...1872	... 23
C17813	...1848	... 114	C18032	...1878	... 17	C18097	...1878	... 15	C18433	...1872	... 23
C17814	...1848	... 114	C18033	...1878	... 17	C18098	...1878	... 15	C18434	...1872	... 23
C17815	...1849	... 114	C18034	...1878	... 17	C18099	...1878	... 15	C18435	...1872	... 23
C17816	...1849	... 114	C18035	...1878	... 17	C18100	...1878	... 15	C18436	...1872	... 23
C17817	...1849	... 114	C18036	...1878	... 17	C18101	...1878	... 15	C18437	...1872	... 24
C17818	...1854	... 117	C18037	...1878	... 17	C18102	...1878	... 15	C18438	...1872	... 24
C17819	...1854	... 117	C18038	...1878	... 17	C18103	...1878	... 15	C18439	...1872	... 24
C17820	...1852	... 116	C18039	...1878	... 17	C18104	...1878	... 15	C18440	...1872	... 24
C17821	...1852	... 116	C18040	...1878	... 17	C18105	...1878	... 15	C18441	...1872	... 24
C17822	...1852	... 116	C18041	...1878	... 17	C18106	...1878	... 15	C18442	...1872	... 24
C17823	...1845	... 112	C18042	...1878	... 17	C18107	...1878	... 15	C18443	...1872	... 24
C17824	...1845	... 112	C18043	...1878	... 17	C18108	...1878	... 15	C18444	...1872	... 24
C17825	...1845	... 112	C18044	...1878	... 17	C18109	...1878	... 15	C18445	...1872	... 24
C17826	...1847	... 113	C18045	...1878	... 17	C18110	...1878	... 15	C18446	...1872	... 24
C17827	...1847	... 113	C18046	...1878	... 17	C18111	...1878	... 15	C18447	...1872	... 24
C17828	...1847	... 113	C18047	...1878	... 17	C18112	...1878	... 15	C18449	...1872	... 24
C17829	...1853	... 117	C18048	...1878	... 17	C18113	...1878	... 15	C18450	...1872	... 24
C17830	...1853	... 117	C18049	...1878	... 18	C18114	...1879	... 18	C18451	...1872	... 24
C17831	...1853	... 117	C18050	...1878	... 18	C18115	...1879	... 18	C18452	...1872	... 24
C17832	...1851	... 116	C18051	...1878	... 18	C18116	...1879	... 18	C18453	...1872	... 25
C17833	...1851	... 116	C18052	...1878	... 18	C18117	...1879	... 18	C18454	...1872	... 25
C17834	...1851	... 116	C18053	...1878	... 18	C18118	...1879	... 18	C18455	...1872	... 25
C17835	...1848	... 114	C18054	...1878	... 17	C18119	...1879	... 18	C18456	...1872	... 25
C17836	...1848	... 114	C18055	...1878	... 17	C18120	...1879	... 18	C18457	...1872	... 25
C17837	...1848	... 114	C18056	...1878	... 17	C18121	...1879	... 18	C18458	...1872	... 25
C17838	...1849	... 114	C18057	...1878	... 17	C18122	...1879	19,59	C18459	...1872	... 24
C17839	...1849	... 114	C18058	...1878	... 17	C18123	...1878	19,58	C18474	...1872	... 24
C17840	...1849	... 114	C18059	...1878	... 17	C18124	...1878	19,58	C18485	...1872	... 24
C17841	...1854	... 117	C18060	...1878	... 16	C18125	...1878	19,58	C18501	...1872	... 24
C17842	...1854	... 117	C18061	...1878	... 16	C18126	...1875R	32,59	C18502	...1872	... 24
C17843	...1852	... 116	C18062	...1878	... 16	C18127	...1898	13,59	C18503	...1872	... 24
C17844	...1852	... 116	C18063	...1878	... 16	C18128	...1878	19,58	C18504	...1872	... 24
C17845	...1852	... 116	C18064	...1878	... 16	C18400	...1898L	14	C18505	...1872	... 24
C18000	...1878	... 15	C18065	...1878	... 16	C18401	...1898L	14	C18506	...1872	... 24

Index

Cle-Line Product Line

Order Number	Style	Page Number
C18507	... 1872	24
C18508	... 1872	24
C18509	... 1872	24
C18510	... 1872	24
C18511	... 1872	24
C18512	... 1872	24
C18513	... 1872	24
C18514	... 1872	24
C18515	... 1872	24
C18516	... 1872	24
C18517	... 1872	24
C18518	... 1872	24
C18519	... 1872	24
C18520	... 1872	23
C18521	... 1872	23
C18522	... 1872	23
C18523	... 1872	23
C18524	... 1872	23
C18525	... 1872	23
C18526	... 1872	23
C18527	... 1872	23
C18528	... 1872	23
C18529	... 1872	23
C18530	... 1872	23
C18531	... 1872	23
C18532	... 1872	23
C18533	... 1872	23
C18534	... 1872	23
C18535	... 1872	23
C18536	... 1872	23
C18537	... 1872	23
C18538	... 1872	23
C18539	... 1872	23
C18540	... 1872	23
C18541	... 1872	23
C18570	... 1872	23
C18573	... 1872	23
C18574	... 1872	23
C18575	... 1872	23
C18576	... 1872	23
C18577	... 1872	23
C18578	... 1872	23
C18579	... 1872	23
C18580	... 1872	23
C18581	... 1872	23
C18582	... 1872	23
C18583	... 1872	23
C18584	... 1872	23
C18585	... 1872	23
C18586	... 1872	23
C18587	... 1872	23
C18588	... 1872	23
C18589	... 1872	23
C18590	... 1872	23
C18591	... 1872	23
C18592	... 1872	24
C18593	... 1872	24
C18594	... 1872	24
C18595	... 1872	24
C18596	... 1872	24
C18597	... 1872	24
C18598	... 1872	24
C18599	... 1872	24
C18600	... 1872	24
C18601	... 1872	24

Order Number	Style	Page Number
C18602	... 1872	24
C18603	... 1872	24
C18604	... 1872	24
C18605	... 1872	24
C18606	... 1872	24
C18607	... 1872	24
C18608	... 1872	24
C18609	... 1872	24
C18610	... 1872	24
C18611	... 1872	25
C18612	... 1872	25
C18613	... 1872	25
C18614	... 1872	25
C18615	... 1872	25
C18616	... 1872	25
C18617	... 1872	25
C18618	... 1872	25
C18619	... 1872	25,58
C18620	... 1872	25,58
C18621	... 1872	25,58
C18622	... 1872	25,59
C18626	... 1872	25,59
C18628	... 1872	25,59
C18630	... 1872TN	23
C18631	... 1872TN	23
C18632	... 1872TN	23
C18633	... 1872TN	23
C18634	... 1872TN	23
C18635	... 1872TN	23
C18636	... 1872TN	23
C18637	... 1872TN	24
C18638	... 1872TN	24
C18639	... 1872TN	24
C18640	... 1872TN	24
C18641	... 1872TN	24
C18642	... 1872TN	24
C18643	... 1872TN	24
C18644	... 1872TN	24
C18645	... 1872TN	24
C18646	... 1872TN	24
C18647	... 1872TN	24
C18648	... 1872TN	24
C18649	... 1872TN	24
C18650	... 1872TN	24
C18651	... 1872TN	24
C18652	... 1872TN	24
C18653	... 1872TN	25
C18654	... 1872TN	25
C18655	... 1872TN	25
C18656	... 1872TN	25
C18657	... 1872TN	25
C18658	... 1872TN	25
C18670	... 1872TN	23
C18671	... 1872TN	23
C18672	... 1872TN	23
C18673	... 1872TN	23
C18674	... 1872TN	23
C18675	... 1872TN	23
C18676	... 1872TN	23
C18677	... 1872TN	23
C18678	... 1872TN	23
C18679	... 1872TN	24
C18680	... 1872TN	24
C18681	... 1872TN	24
C18682	... 1872TN	24

Order Number	Style	Page Number
C18683	... 1872TN	24
C18684	... 1872TN	24
C18685	... 1872TN	24
C18686	... 1872TN	24
C18687	... 1872TN	24
C18688	... 1872TN	24
C18689	... 1872TN	24
C18690	... 1872TN	24
C18691	... 1872TN	25
C18692	... 1872TN	25
C18693	... 1872TN	25
C18694	... 1872TN	25
C18695	... 1872TN	25
C18696	... 1872TN	25
C18697	... 1872TN	24
C18700	... 1872TN	25,58
C18701	... 1872TN	25,58
C18702	... 1872TN	25,58
C18703	... 1872TN	25,59
C18704	... 1872TN	25,59
C18706	... 1872TN	25,59
C18710	... 1873	25
C18711	... 1873	25
C18712	... 1873	25
C18713	... 1873	25
C18714	... 1873	25
C18715	... 1873	25
C18716	... 1873	25
C18717	... 1873	25
C18718	... 1873	25,59
C18719	... 1873	25,58
C18722	... 1872	24
C18723	... 1872	24
C18724	... 1872	24
C18725	... 1872	24
C18726	... 1872	24
C18900	... 1802	27
C18902	... 1802	27
C18905	... 1802	27
C18906	... 1802	27
C18910	... 1802	27
C18914	... 1802	27
C18915	... 1802	27
C18918	... 1802	27
C18920	... 1802	27
C18921	... 1802	27
C18922	... 1802	27
C18923	... 1802	28
C18925	... 1802	28
C18926	... 1802	28
C18927	... 1802	28
C18929	... 1802	28
C18930	... 1802	28
C18931	... 1802	28
C18932	... 1802	28
C18935	... 1802	28
C18936	... 1802	28
C18938	... 1802	28
C18939	... 1802	28
C18940	... 1802	28
C18941	... 1802	28
C18942	... 1802	28
C18945	... 1802	28
C18950	... 1802	28
C18955	... 1802	29

Order Number	Style	Page Number
C18958	... 1802	29
C18960	... 1802	29
C18965	... 1802	29
C18970	... 1802	29
C18975	... 1802	29
C18980	... 1802	29
C18985	... 1802	29
C18990	... 1802	29
C18991	... 1802	29
C18992	... 1802	29
C18993	... 1802	29
C18995	... 1802	29
C18996	... 1802	29
C18998	... 1802	29
C18999	... 1802	29
C19000	... 1844	56
C19001	... 1844	56
C19002	... 1844	56
C19003	... 1844	56
C19004	... 1844	56
C19005	... 1844	56
C19006	... 1844	56
C19007	... 1844	56
C19008	... 1844	56
C19009	... 1844	56
C19010	... 1841	46
C19011	... 1841	46
C19012	... 1841	46
C19013	... 1841	46
C19019	... 1843	53
C19020	... 1843	53
C19100	... 1898T	10
C19101	... 1898T	10
C19102	... 1898T	10
C19103	... 1898T	9
C19104	... 1898T	9
C19105	... 1898T	9
C19106	... 1898T	9
C19107	... 1898T	9
C19108	... 1898T	9
C19109	... 1898T	9
C19110	... 1898T	9
C19111	... 1898T	9
C19112	... 1898T	9
C19113	... 1898T	9
C19114	... 1898T	9
C19115	... 1898T	9
C19116	... 1898T	9
C19117	... 1898T	9
C19118	... 1898T	9
C19119	... 1898T	9
C19120	... 1898T	9
C19121	... 1898T	9
C19122	... 1898T	9
C19123	... 1898T	9
C19124	... 1898T	9
C19125	... 1898T	9
C19126	... 1898T	9
C19127	... 1898T	9
C19128	... 1898T	9
C19129	... 1898T	8
C19130	... 1898T	8
C19131	... 1898T	8
C19132	... 1898T	8
C19133	... 1898T	8

INDEX

Cle-Line Product Line
Index

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C19134	...1898T	8	C19203	...1898T	11	C20464	...1806	40	C20575	...1894	42
C19135	...1898T	8	C19204	...1898T	11	C20466	...1806	40	C20576	...1894	42
C19136	...1898T	8	C19205	...1898T	11	C20468	...1806	40	C20577	...1894	43
C19137	...1898T	8	C19206	...1898T	11	C20470	...1806	40	C20578	...1894	43
C19138	...1898T	8	C19210	...1898T	13,58	C20472	...1806	40	C20579	...1894	43
C19139	...1898T	8	C19211	...1898T	13,58	C20478	...2185	54	C20580	...1894	43
C19140	...1898T	8	C20020	...1894	41	C20479	...2185	54	C20581	...1894	43
C19141	...1898T	8	C20022	...1894	41	C20480	...2185	54	C20582	...1894	43
C19142	...1898T	8	C20024	...1894	41	C20481	...1807	40	C20583	...1894	43
C19143	...1898T	8	C20026	...1894	41	C20483	...1807	40	C20584	...1894	43
C19144	...1898T	8	C20029	...1894	42	C20485	...1807	40	C20585	...1894	43
C19145	...1898T	8	C20030	...1894	42	C20487	...1807	40	C20586	...1894	43
C19146	...1898T	8	C20035	...1894	42	C20489	...1807	40	C20587	...1894	43
C19147	...1898T	8	C20040	...1894	42	C20491	...1807	40	C20588	...1894	43
C19148	...1898T	8	C20043	...1894	43	C20493	...1807	40	C20589	...1894	43
C19149	...1898T	8	C20045	...1894	43	C20495	...1807	40	C20590	...1894	43
C19150	...1898T	8	C20049	...1894	41	C20497	...1807	40	C20591	...1894	43
C19151	...1898T	7	C20050	...1894	41	C20500	...1815	52	C20592	...1894	43
C19152	...1898T	7	C20051	...1894	41	C20501	...1815	52	C20596	...1894	43
C19153	...1898T	7	C20052	...1894	41	C20503	...1815	52	C20621	...1808	12
C19154	...1898T	7	C20053	...1894	41	C20510	...1816	52	C20622	...1808	12
C19155	...1898T	7	C20054	...1894	41	C20511	...1816	52	C20623	...1808	12
C19156	...1898T	7	C20055	...1894	41	C20512	...1816	52	C20624	...1808	12
C19157	...1898T	7	C20056	...1894	41	C20513	...1816	52	C20625	...1808	12
C19158	...1898T	7	C20057	...1894	41	C20514	...1816	52	C20626	...1808	12
C19159	...1898T	7	C20058	...1894	41	C20516	...1816	52	C20627	...1808	12
C19160	...1898T	7	C20059	...1894	41	C20517	...1816	52	C20628	...1808	12
C19161	...1898T	8	C20060	...1894	41	C20518	...1816	52	C20631	...1809	18
C19162	...1898T	8	C20061	...1894	41	C20524	...1894	41	C20632	...1809	18
C19163	...1898T	8	C20062	...1894	41	C20525	...1894	41	C20633	...1809	18
C19164	...1898T	8	C20063	...1894	41	C20526	...1894	41	C20634	...1809	18
C19165	...1898T	9	C20064	...1894	41	C20527	...1894	41	C20635	...1809	18
C19166	...1898T	9	C20068	...1894	43	C20528	...1894	41	C20636	...1809	18
C19167	...1898T	9	C20072	...1894	43	C20529	...1894	41	C20637	...1809	18
C19168	...1898T	9	C20256	...2184	53	C20530	...1894	41	C20638	...1809	18
C19169	...1898T	9	C20257	...2184	53	C20535	...1894	41	C20651	...1812	30
C19170	...1898T	10	C20258	...2184	53	C20540	...1894	41	C20652	...1812	30
C19171	...1898T	10	C20259	...2184	53	C20543	...1894	41	C20653	...1812	30
C19172	...1898T	10	C20260	...2184	53	C20545	...1894	42	C20654	...1812	30
C19173	...1898T	10	C20285	...1874	51	C20549	...1894	42	C20655	...1812	30
C19174	...1898T	10	C20286	...1874	51	C20550	...1894	42	C20656	...1812	30
C19175	...1898T	10	C20287	...1874	51	C20551	...1894	42	C20657	...1812	30
C19176	...1898T	10	C20288	...1874	51	C20552	...1894	42	C20658	...1812	30
C19177	...1898T	11	C20290	...1874	51	C20553	...1894	42	C20659	...1809	18
C19178	...1898T	11	C20293	...1874	51	C20554	...1894	42	C20660	...1809	18
C19179	...1898T	11	C20295	...1874TN	51	C20555	...1894	42	C20661	...1809	18
C19180	...1898T	11	C20296	...1874TN	51	C20556	...1894	42	C20662	...1809	18
C19181	...1898T	11	C20297	...1874TN	51	C20557	...1894	42	C20669	...1813	44
C19182	...1898T	11	C20298	...1874TN	51	C20558	...1894	42	C20670	...1892	44
C19183	...1898T	11	C20325	...1874	51,60	C20559	...1894	42	C20671	...1892	44
C19184	...1898T	11	C20326	...1874TN	51,60	C20560	...1894	42	C20672	...1892	44
C19185	...1898T	12	C20436	...1806	40	C20561	...1894	42	C20673	...1892	44
C19186	...1898T	12	C20438	...1806	40	C20562	...1894	42	C20674	...1892	44
C19187	...1898T	12	C20440	...1806	40	C20563	...1894	42	C20675	...1892	44
C19188	...1898T	12	C20442	...1806	40	C20564	...1894	42	C20676	...1892	44
C19193	...1898T	10	C20444	...1806	40	C20565	...1894	42	C20677	...1892	44
C19194	...1898T	10	C20446	...1806	40	C20566	...1894	42	C20678	...1892	44
C19195	...1898T	10	C20448	...1806	40	C20567	...1894	42	C20679	...1892	44
C19196	...1898T	10	C20450	...1806	40	C20568	...1894	42	C20680	...1892	44
C19197	...1898T	10	C20452	...1806	40	C20569	...1894	42	C20681	...1892	44
C19198	...1898T	10	C20454	...1806	40	C20570	...1894	42	C20682	...1892	44
C19199	...1898T	10	C20456	...1806	40	C20571	...1894	42	C20683	...1892	44
C19200	...1898T	10	C20458	...1806	40	C20572	...1894	42	C20684	...1892	44
C19201	...1898T	11	C20460	...1806	40	C20573	...1894	42	C20685	...1892	44
C19202	...1898T	11	C20462	...1806	40	C20574	...1894	42	C20686	...1892	44

Index

Cle-Line Product Line

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C20687	... 1892	44	C20765	... 1813	45	C21042	... 1821	48	C21170	... 1877	44
C20688	... 1892	44	C20877	... 2185F	54	C21043	... 1821	48	C21171	... 1877	44
C20689	... 1892	44	C20878	... 2185F	54	C21046	... 1821	48	C21172	... 1877	44
C20690	... 1892	44	C20879	... 2185F	54	C21048	... 1821	48	C21173	... 1877	44
C20691	... 1892	44	C20880	... 2185F	54	C21070	... 1813	44	C21174	... 1877	44
C20692	... 1892	45	C20891	... 1824	56	C21071	... 1813	44	C21175	... 1877	44
C20693	... 1892	45	C20892	... 1824	56	C21072	... 1813	44	C21176	... 1877	44
C20694	... 1892	45	C20893	... 1824	56	C21073	... 1813	44	C21177	... 1877	44
C20695	... 1892	45	C20894	... 1824	56	C21074	... 1813	44	C21178	... 1877	44
C20696	... 1892	45	C20895	... 1824	56	C21075	... 1813	44	C21179	... 1877	44
C20697	... 1892	45	C20896	... 1824	56	C21076	... 1813	44	C21180	... 1877	44
C20698	... 1892	45	C20897	... 1824	56	C21077	... 1813	44	C21181	... 1877	44
C20699	... 1892	45	C20898	... 1824	56	C21078	... 1813	44	C21182	... 1877	44
C20712	... 1821	48	C20899	... 1824	56	C21079	... 1813	44	C21183	... 1877	44
C20713	... 1821	48	C20908	... 1816	52	C21080	... 1813	44	C21184	... 1877	44
C20714	... 1821	48	C20909	... 1816	52	C21081	... 1813	44	C21185	... 1877	44
C20715	... 1821	48	C20910	... 1818	46	C21082	... 1813	44	C21186	... 1877	44
C20716	... 1821	48	C20911	... 1818	46	C21083	... 1813	44	C21187	... 1877	45
C20717	... 1821	48	C20912	... 1818	46	C21084	... 1813	44	C21188	... 1877	45
C20718	... 1822	47	C20913	... 1818	46	C21085	... 1813	44	C21189	... 1877	45
C20719	... 1822	47	C20914	... 1818	46	C21086	... 1813	44	C21190	... 1898	13,58
C20720	... 1822	47	C20920	... 1817	51	C21087	... 1813	45	C21191	... 1878	19,58
C20721	... 1822	47	C20925	... 1818	46	C21088	... 1813	45	C21192	... 1878	19,58
C20722	... 1822	47	C20926	... 1818	46	C21089	... 1813	45	C21947	... 1896	37,59
C20723	... 1822	47	C20927	... 1818	46	C21100	... 1898	13,58	C22100	... 1833	49
C20724	... 1813	44	C20928	... 1818	46	C21101	... 1899	13,58	C22101	... 1833	49
C20725	... 1813	44	C20929	... 1818	46,60	C21104	... 1898	13,58	C22102	... 1833	49
C20726	... 1813	44	C20930	... 1818	46	C21105	... 1899	13,58	C22103	... 1833	49
C20727	... 1813	45	C20932	... 1818	46	C21107	... 1802	30,58	C22104	... 1833	49
C20728	... 1813	45	C20934	... 1818	46	C21108	... 1898	13,58	C22105	... 1833	49
C20729	... 1813	45	C20935	... 1818	46	C21109	... 1899	13,58	C22106	... 1833	49
C20730	... 1813	45	C20937	... 1818	46	C21110	... 1801	19,58	C22107	... 1833	49
C20731	... 1813	45	C20938	... 1818	46	C21112	... 1802	30,58	C22108	... 1833	49
C20732	... 1813	44	C20939	... 1818	46	C21113	... 1898	13,58	C22109	... 1833	49
C20733	... 1813	44	C20940	... 1818	46	C21114	... 1899	13,58	C22110	... 1833	49
C20734	... 1813	44	C20944	... 1818	46	C21115	... 1801	19,58	C22111	... 1833	49
C20735	... 1813	44	C20946	... 1818	46	C21117	... 1898	13,58	C22112	... 1833	49
C20736	... 1813	44	C20948	... 1818	46	C21118	... 1899	13,58	C22113	... 1833	49,60
C20737	... 1813	44	C20950	... 1818	46	C21119	... 1801	19,59	C22200	... 1837	50
C20738	... 1813	44	C20955	... 1817	51	C21121	... 1802	30,59	C22201	... 1837	50
C20739	... 1813	44	C20956	... 1817	51	C21122	... 1898	13,59	C22202	... 1837	50
C20740	... 1813	44	C20957	... 1817	51	C21123	... 1899	13,59	C22203	... 1837	50
C20741	... 1813	44	C20958	... 1817	51	C21124	... 1801	19,59	C22204	... 1837	50
C20742	... 1813	44	C20988	... 2195	54	C21125	... 1802	30,59	C22205	... 1837	50
C20743	... 1813	44	C20989	... 2195	54	C21126	... 1898	13,59	C22206	... 1837	50
C20744	... 1813	44	C20990	... 2195	54	C21127	... 1899	13,59	C22207	... 1837	50
C20746	... 1813	44	C21020	... 1821	48	C21128	... 1801	19,59	C22208	... 1837	50,60
C20747	... 1813	44	C21021	... 1821	48	C21129	... 1802	30,59	C22210	... 1838	50
C20748	... 1813	44	C21022	... 1821	48	C21130	... 1899	13,59	C22211	... 1838	50
C20749	... 1813	44	C21023	... 1821	48	C21131	... 1899	13,59	C22212	... 1838	50
C20750	... 1813	44	C21024	... 1821	48	C21133	... 1896	37,59	C22213	... 1838	50
C20751	... 1813	44	C21025	... 1821	48	C21134	... 1813	45,60	C22214	... 1838	50
C20752	... 1813	44	C21026	... 1821	48	C21135	... 1813	45,60	C22215	... 1838	50
C20753	... 1813	44	C21027	... 1821	48	C21148	... 1822	47,60	C22216	... 1838	50
C20754	... 1813	45	C21028	... 1821	48	C21149	... 1829	57,60	C22217	... 1838	50
C20755	... 1813	45	C21029	... 1821	48	C21156	... 1900	13	C22218	... 1838	50,60
C20756	... 1813	45	C21030	... 1821	48	C21157	... 1801	19,58	C22300	... 1860 13,58,78,86	
C20757	... 1813	45	C21031	... 1821	48,60	C21158	... 1899	13,59	C22301	... 1860 13,58,78,86	
C20758	... 1813	45	C21032	... 1821	48	C21159	... 1900	13	C22302	... 1860 13,58,78,86	
C20759	... 1813	45	C21033	... 1821	48	C21160	... 1875R	32,59	C22303	... 1860 13,58,78,86	
C20760	... 1813	45	C21034	... 1821	48	C21161	... 1875R	32,59	C22304	... 1860 13,58,78,86	
C20761	... 1813	45	C21035	... 1821	48	C21162	... 1875R	32,59	C22305	... 1860 13,58,78,86	
C20762	... 1813	45	C21036	... 1821	48	C21163	... 1876	32,59	C22306	... 1860 13,58,78,86	
C20763	... 1813	45	C21039	... 1821	48	C21164	... 1877	45,60	C22307	... 1860 13,58,78,86	
C20764	... 1813	45	C21040	... 1821	48	C21165	... 1875R	32,59	C22308	... 1860 13,58,78,86	

INDEX

Cle-Line Product Line
Index

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C22309	...1875R	32,59	C22696	...1899	9	C22785	...1899	7	C22850	...1899	9
C22310	...1875R	32,59	C22697	...1899	9	C22786	...1899	7	C22851	...1899	9
C22311	...1864	19,57,60	C22698	...1899	9	C22787	...1899	7	C22852	...1899	10
C22312	...1864	19,57,60	C22699	...1899	9	C22788	...1899	7	C22853	...1899	10
C22313	...1864	19,57,60	C22700	...1899	9	C22789	...1899	7	C22854	...1899	10
C22314	...1864	19,57,60	C22701	...1899	9	C22790	...1899	7	C22855	...1899	10
C22315	...1864	19,57,60	C22702	...1899	9	C22791	...1899	7	C22856	...1899	10
C22316	...1864	19,57,60	C22703	...1899	9	C22792	...1899	7	C22857	...1899	10
C22505	...1899	11	C22704	...1899	9	C22793	...1899	7	C22858	...1899	10
C22506	...1899	11	C22705	...1899	9	C22794	...1899	7	C22859	...1899	10
C22507	...1899	11	C22706	...1899	9	C22795	...1899	7	C22860	...1899	10
C22508	...1899	12	C22707	...1899	9	C22796	...1899	7	C22861	...1899	10
C22643	...1899	7	C22708	...1899	9	C22797	...1899	7	C22862	...1899	10
C22644	...1899	7	C22709	...1899	9	C22798	...1899	7	C22863	...1899	10
C22645	...1899	7	C22710	...1899	9	C22799	...1899	7	C22864	...1899	10
C22646	...1899	7	C22711	...1899	9	C22800	...1899	7	C22865	...1899	10
C22647	...1899	7	C22712	...1899	10	C22801	...1899	7	C22866	...1899	10
C22648	...1899	7	C22713	...1899	10	C22802	...1899	7	C22867	...1899	10
C22649	...1899	7	C22714	...1899	10	C22803	...1899	7	C22868	...1899	10
C22650	...1899	7	C22715	...1899	10	C22804	...1899	7	C22869	...1899	10
C22651	...1899	7	C22716	...1899	10	C22805	...1899	7	C22870	...1899	10
C22652	...1899	7	C22717	...1899	10	C22806	...1899	7	C22871	...1899	10
C22653	...1899	7	C22718	...1899	10	C22807	...1899	8	C22872	...1899	10
C22654	...1899	7	C22719	...1899	10	C22808	...1899	8	C22873	...1899	10
C22655	...1899	8	C22720	...1899	10	C22809	...1899	8	C22874	...1899	10
C22656	...1899	8	C22721	...1899	10	C22810	...1899	8	C22875	...1899	10
C22657	...1899	8	C22722	...1899	10	C22811	...1899	8	C22876	...1899	10
C22658	...1899	8	C22723	...1899	10	C22812	...1899	8	C22877	...1899	10
C22659	...1899	8	C22724	...1899	10	C22813	...1899	8	C22878	...1899	10
C22660	...1899	8	C22725	...1899	10	C22814	...1899	8	C22879	...1899	11
C22661	...1899	8	C22726	...1899	10	C22815	...1899	8	C22880	...1899	11
C22662	...1899	8	C22727	...1899	10	C22816	...1899	8	C22881	...1899	11
C22663	...1899	8	C22728	...1899	10	C22817	...1899	8	C22882	...1899	11
C22664	...1899	8	C22729	...1899	10	C22818	...1899	8	C22883	...1899	11
C22665	...1899	8	C22730	...1899	10	C22819	...1899	8	C22884	...1899	11
C22666	...1899	8	C22731	...1899	10	C22820	...1899	8	C22885	...1899	11
C22667	...1899	8	C22732	...1899	10	C22821	...1899	8	C22886	...1899	11
C22668	...1899	8	C22733	...1899	10	C22822	...1899	8	C22887	...1899	11
C22669	...1899	8	C22734	...1899	10	C22823	...1899	8	C22888	...1899	11
C22670	...1899	8	C22735	...1899	11	C22824	...1899	8	C22889	...1899	11
C22671	...1899	8	C22736	...1899	11	C22825	...1899	8	C22890	...1899	11
C22672	...1899	8	C22737	...1899	11	C22826	...1899	8	C22891	...1899	11
C22673	...1899	8	C22738	...1899	11	C22827	...1899	8	C22892	...1899	11
C22674	...1899	8	C22739	...1899	11	C22828	...1899	8	C22893	...1899	11
C22675	...1899	8	C22740	...1899	11	C22829	...1899	8	C22894	...1899	11
C22676	...1899	8	C22741	...1899	11	C22830	...1899	8	C22895	...1899	11
C22677	...1899	8	C22742	...1899	11	C22831	...1899	8	C22896	...1899	11
C22678	...1899	8	C22743	...1899	11	C22832	...1899	8	C22897	...1899	11
C22679	...1899	8	C22744	...1899	11	C22833	...1899	9	C22898	...1899	11
C22680	...1899	8	C22745	...1899	11	C22834	...1899	9	C22899	...1899	11
C22681	...1899	9	C22746	...1899	11	C22835	...1899	9	C22900	...1899	11
C22682	...1899	9	C22747	...1899	11	C22836	...1899	9	C22901	...1899	11
C22683	...1899	9	C22748	...1899	11	C22837	...1899	9	C22902	...1899	11
C22684	...1899	9	C22749	...1899	11	C22838	...1899	9	C22903	...1899	11
C22685	...1899	9	C22750	...1899	11	C22839	...1899	9	C22904	...1899	12
C22686	...1899	9	C22751	...1899	11	C22840	...1899	9	C22905	...1899	12
C22687	...1899	9	C22753	...1899	12	C22841	...1899	9	C22906	...1899	12
C22688	...1899	9	C22755	...1899	12	C22842	...1899	9	C22907	...1899	12
C22689	...1899	9	C22757	...1899	12	C22843	...1899	9	C22908	...1899	12
C22690	...1899	9	C22761	...1892	45,60	C22844	...1899	9	C22909	...1899	12
C22691	...1899	9	C22780	...1899	7	C22845	...1899	9	C22910	...1899	12
C22692	...1899	9	C22781	...1899	7	C22846	...1899	9	C22911	...1899	12
C22693	...1899	9	C22782	...1899	7	C22847	...1899	9	C22912	...1899	12
C22694	...1899	9	C22783	...1899	7	C22848	...1899	9	C22913	...1899	12
C22695	...1899	9	C22784	...1899	7	C22849	...1899	9	C22914	...1899	12

Index

Cle-Line Product Line

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C22915	... 1899	12	C23010	... 1898	10	C23075	... 1898	9	C23156	... 1801	15
C22916	... 1899	12	C23011	... 1898	10	C23076	... 1898	9	C23157	... 1801	15
C22917	... 1899	12	C23012	... 1898	11	C23077	... 1898	9	C23158	... 1801	15
C22918	... 1899	12	C23013	... 1898	11	C23078	... 1898	9	C23159	... 1801	15
C22919	... 1899	12	C23014	... 1898	11	C23079	... 1898	9	C23160	... 1801	15
C22920	... 1899	12	C23015	... 1898	11	C23080	... 1898	9	C23161	... 1801	15
C22921	... 1899	12	C23016	... 1898	11	C23081	... 1898	10	C23162	... 1801	15
C22922	... 1899	12	C23017	... 1898	11	C23082	... 1898	10	C23163	... 1801	15
C22923	... 1899	12	C23018	... 1898	11	C23083	... 1898	10	C23164	... 1801	15
C22924	... 1899	12	C23019	... 1898	11	C23100	... 1801	17	C23165	... 1801	15
C22925	... 1899	12	C23020	... 1898	12	C23101	... 1801	17	C23166	... 1801	15
C22926	... 1899	12	C23021	... 1898	12	C23102	... 1801	17	C23167	... 1801	15
C22927	... 1899	12	C23022	... 1898	12	C23103	... 1801	17	C23168	... 1801	15
C22928	... 1899	12	C23023	... 1898	12	C23104	... 1801	17	C23169	... 1801	15
C22929	... 1899	12	C23024	... 1898	7	C23105	... 1801	17	C23170	... 1801	15
C22930	... 1899	12	C23025	... 1898	7	C23106	... 1801	17	C23171	... 1801	15
C22931	... 1899	12	C23026	... 1898	7	C23107	... 1801	17	C23172	... 1801	15
C22932	... 1899	12	C23027	... 1898	7	C23108	... 1801	17	C23173	... 1801	15
C22933	... 1899	12	C23028	... 1898	7	C23109	... 1801	17	C23174	... 1801	15
C22941	... 1899	11	C23029	... 1898	7	C23110	... 1801	17	C23175	... 1801	15
C22942	... 1899	11	C23030	... 1898	7	C23111	... 1801	17	C23176	... 1801	15
C22944	... 1899	11	C23031	... 1898	7	C23112	... 1801	17	C23177	... 1801	15
C22947	... 1899	11	C23032	... 1898	7	C23113	... 1801	17	C23178	... 1801	16
C22951	... 1899	11	C23033	... 1898	8	C23114	... 1801	17	C23179	... 1801	16
C22954	... 1899	11	C23034	... 1898	8	C23115	... 1801	17	C23180	... 1801	16
C22970	... 1898	10	C23035	... 1898	8	C23116	... 1801	17	C23181	... 1801	16
C22971	... 1898	10	C23036	... 1898	8	C23117	... 1801	17	C23182	... 1801	16
C22972	... 1898	10	C23037	... 1898	8	C23118	... 1801	17	C23183	... 1801	16
C22973	... 1898	10	C23038	... 1898	8	C23119	... 1801	17	C23184	... 1801	16
C22974	... 1898	10	C23039	... 1898	8	C23120	... 1801	18	C23185	... 1801	16
C22975	... 1898	10	C23040	... 1898	8	C23121	... 1801	18	C23186	... 1801	16
C22976	... 1898	10	C23041	... 1898	8	C23122	... 1801	18	C23187	... 1801	16
C22977	... 1898	10	C23042	... 1898	8	C23123	... 1801	18	C23188	... 1801	16
C22978	... 1898	10	C23043	... 1898	8	C23124	... 1801	18	C23189	... 1801	16
C22979	... 1898	10	C23044	... 1898	8	C23125	... 1801	15	C23190	... 1801	16
C22980	... 1898	10	C23045	... 1898	8	C23126	... 1801	15	C23191	... 1801	16
C22981	... 1898	10	C23046	... 1898	8	C23127	... 1801	15	C23192	... 1801	16
C22982	... 1898	10	C23047	... 1898	8	C23128	... 1801	16	C23193	... 1801	16
C22983	... 1898	11	C23048	... 1898	8	C23129	... 1801	16	C23194	... 1801	16
C22984	... 1898	11	C23049	... 1898	8	C23130	... 1801	16	C23195	... 1801	16
C22985	... 1898	11	C23050	... 1898	8	C23131	... 1801	16	C23196	... 1801	16
C22986	... 1898	11	C23051	... 1898	8	C23132	... 1801	16	C23197	... 1801	16
C22987	... 1898	11	C23052	... 1898	8	C23133	... 1801	16	C23198	... 1801	16
C22988	... 1898	11	C23053	... 1898	8	C23134	... 1801	17	C23199	... 1801	16
C22989	... 1898	11	C23054	... 1898	8	C23135	... 1801	17	C23200	... 1801	16
C22990	... 1898	11	C23055	... 1898	9	C23136	... 1801	17	C23201	... 1801	16
C22991	... 1898	11	C23056	... 1898	9	C23137	... 1801	17	C23202	... 1801	16
C22992	... 1898	11	C23057	... 1898	9	C23138	... 1801	17	C23203	... 1801	16
C22993	... 1898	11	C23058	... 1898	9	C23139	... 1801	17	C23204	... 1801	16
C22994	... 1898	11	C23059	... 1898	9	C23140	... 1801	17	C23205	... 1801	16
C22995	... 1898	7	C23060	... 1898	9	C23141	... 1801	17	C23206	... 1801	16
C22996	... 1898	8	C23061	... 1898	9	C23142	... 1801	17	C23207	... 1801	16
C22997	... 1898	8	C23062	... 1898	9	C23143	... 1801	17	C23208	... 1801	17
C22998	... 1898	8	C23063	... 1898	9	C23144	... 1801	17	C23209	... 1801	17
C22999	... 1898	8	C23064	... 1898	9	C23145	... 1801	18	C23210	... 1801	17
C23000	... 1898	9	C23065	... 1898	9	C23146	... 1801	18	C23211	... 1801	17
C23001	... 1898	9	C23066	... 1898	9	C23147	... 1801	18	C23212	... 1801	17
C23002	... 1898	9	C23067	... 1898	9	C23148	... 1801	18	C23213	... 1801	17
C23003	... 1898	9	C23068	... 1898	9	C23149	... 1801	18	C23214	... 1801	15
C23004	... 1898	9	C23069	... 1898	9	C23150	... 1801	18	C23270	... 1889	47
C23005	... 1898	10	C23070	... 1898	9	C23151	... 1801	18	C23271	... 1889	47
C23006	... 1898	10	C23071	... 1898	9	C23152	... 1801	18	C23272	... 1889	47
C23007	... 1898	10	C23072	... 1898	9	C23153	... 1801	18	C23273	... 1889	47
C23008	... 1898	10	C23073	... 1898	9	C23154	... 1801	15	C23274	... 1889	47
C23009	... 1898	10	C23074	... 1898	9	C23155	... 1801	15	C23275	... 1889	47

INDEX

Cle-Line Product Line
Index

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C23276	...1889	47	C23383	...1802	27	C23474	...1896	36	C23550	...1896	35
C23278	...1889	47	C23384	...1802	27	C23475	...1896	36	C23551	...1896	35
C23280	...1889	47	C23385	...1802	27	C23476	...1896	36	C23552	...1896	35
C23281	...1889	47	C23386	...1802	27	C23477	...1896	36	C23553	...1896	36
C23282	...1889	47	C23387	...1802	27	C23478	...1896	36	C23554	...1896	36
C23283	...1889	47	C23388	...1802	27	C23479	...1896	36	C23555	...1896	36
C23286	...1889	47	C23389	...1802	27	C23480	...1896	36	C23556	...1896	36
C23287	...1889	47	C23390	...1802	27	C23481	...1896	36	C23557	...1896	36
C23288	...1889	47	C23391	...1802	27	C23482	...1896	36	C23558	...1896	36
C23289	...1889	47	C23392	...1802	27	C23483	...1896	36	C23559	...1896	36
C23290	...1889	47,60	C23393	...1802	27	C23484	...1896	36	C23621	...1803	38
C23320	...1802	28	C23394	...1802	27	C23485	...1896	36	C23622	...1803	38
C23321	...1802	28	C23395	...1802	27	C23486	...1896	37	C23623	...1803	38
C23322	...1802	29	C23396	...1802	27	C23487	...1896	37	C23624	...1803	38
C23323	...1802	29	C23397	...1802	27	C23488	...1896	37	C23625	...1803	38
C23324	...1802	29	C23398	...1802	27	C23500	...1896	34	C23626	...1803	38
C23325	...1802	29	C23399	...1802	27	C23501	...1896	34	C23627	...1803	38
C23326	...1802	29	C23400	...1802	27	C23502	...1896	34	C23628	...1803	38
C23327	...1802	29	C23401	...1802	27	C23503	...1896	34	C23629	...1803	39
C23328	...1802	29	C23402	...1802	27	C23504	...1896	34	C23630	...1803	39
C23329	...1802	29	C23403	...1802	27	C23505	...1896	34	C23631	...1803	39
C23330	...1802	29	C23404	...1802	28	C23506	...1896	34	C23632	...1803	39
C23335	...1802	29	C23405	...1802	28	C23507	...1896	34	C23633	...1803	39
C23336	...1802	29	C23406	...1802	28	C23508	...1896	34	C23634	...1803	39
C23339	...1802	29	C23407	...1802	28	C23509	...1896	34	C23635	...1803	39
C23340	...1802	29	C23408	...1802	28	C23510	...1896	34	C23636	...1803	39
C23341	...1802	29	C23409	...1802	28	C23511	...1896	34	C23637	...1803	39
C23345	...1802	27	C23410	...1802	28	C23512	...1896	34	C23638	...1803	39
C23346	...1802	27	C23411	...1802	28	C23513	...1896	34	C23639	...1803	39
C23347	...1802	27	C23412	...1802	28	C23514	...1896	34	C23640	...1803	39
C23348	...1802	27	C23413	...1802	28	C23515	...1896	34	C23641	...1803	39
C23349	...1802	27	C23414	...1802	28	C23516	...1896	34	C23642	...1803	39
C23350	...1802	28	C23415	...1802	28	C23517	...1896	34	C23643	...1803	39
C23351	...1802	28	C23416	...1802	28	C23518	...1896	34	C23644	...1803	39
C23352	...1802	28	C23417	...1802	28	C23519	...1896	34	C23645	...1803	39
C23353	...1802	28	C23418	...1802	28	C23520	...1896	34	C23649	...1803	39
C23354	...1802	28	C23419	...1802	28	C23521	...1896	34	C23661	...1803	39
C23355	...1802	28	C23420	...1802	28	C23522	...1896	34	C23662	...1803	39
C23356	...1802	28	C23421	...1802	28	C23523	...1896	34	C23663	...1803	39
C23357	...1802	29	C23422	...1802	28	C23524	...1896	34	C23664	...1803	39
C23358	...1802	29	C23423	...1802	28	C23525	...1896	34	C23665	...1803	39
C23359	...1802	29	C23424	...1802	28	C23526	...1896	35	C23666	...1803	39
C23360	...1802	29	C23425	...1802	28	C23527	...1896	35	C23667	...1803	39
C23361	...1802	29	C23426	...1802	28	C23528	...1896	35	C23668	...1803	39
C23362	...1802	29	C23427	...1802	28	C23529	...1896	35	C23669	...1803	39
C23363	...1802	29	C23428	...1802	28	C23530	...1896	35	C23670	...1803	39
C23364	...1802	29	C23429	...1802	28	C23531	...1896	35	C23671	...1803	39
C23365	...1802	29	C23430	...1802	28	C23532	...1896	35	C23672	...1803	39
C23366	...1802	29	C23431	...1802	28	C23533	...1896	35	C23673	...1803	38
C23367	...1802	29	C23432	...1802	28	C23534	...1896	35	C23674	...1803	38
C23368	...1802	29	C23433	...1802	28	C23535	...1896	35	C23675	...1803	38
C23369	...1802	29	C23460	...1896	34	C23536	...1896	35	C23676	...1803	38
C23370	...1802	29	C23461	...1896	34	C23537	...1896	35	C23677	...1803	38
C23371	...1802	29	C23462	...1896	34	C23538	...1896	35	C23678	...1803	38
C23372	...1802	29	C23463	...1896	34	C23539	...1896	35	C23679	...1803	38
C23373	...1802	29	C23464	...1896	35	C23540	...1896	35	C23680	...1803	38
C23374	...1802	27	C23465	...1896	35	C23541	...1896	35	C23681	...1803	38
C23375	...1802	27	C23466	...1896	35	C23542	...1896	35	C23682	...1803	38
C23376	...1802	27	C23467	...1896	35	C23543	...1896	35	C23683	...1803	38
C23377	...1802	27	C23468	...1896	35	C23544	...1896	35	C23684	...1803	38
C23378	...1802	27	C23469	...1896	36	C23545	...1896	35	C23685	...1803	38
C23379	...1802	27	C23470	...1896	36	C23546	...1896	35	C23686	...1803	38
C23380	...1802	27	C23471	...1896	36	C23547	...1896	35	C23687	...1803	38
C23381	...1802	27	C23472	...1896	36	C23548	...1896	35	C23688	...1803	38
C23382	...1802	27	C23473	...1896	36	C23549	...1896	35	C23689	...1803	38

Index

Cle-Line Product Line

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C23690	... 1803	38	C23790	... 1805	38	C23909	... 1896	35	C24341	... 1898T	9
C23691	... 1803	38	C23791	... 1805	38	C23910	... 1896	35	C24342	... 1898T	9
C23692	... 1803	38	C23799	... 1805	38	C23911	... 1896	35	C24343	... 1898T	9
C23693	... 1803	38	C23800	... 1805	38	C23912	... 1896	35	C24344	... 1898T	9
C23694	... 1803	38	C23809	... 1815	52	C23913	... 1896	35	C24345	... 1898T	9
C23695	... 1803	38	C23810	... 1815	52	C23914	... 1896	36	C24346	... 1898T	9
C23696	... 1803	38	C23811	... 1815	52	C23915	... 1896	36	C24347	... 1898T	9
C23697	... 1803	38	C23830	... 1875R	31	C23916	... 1896	36	C24348	... 1898T	9
C23698	... 1803	38	C23831	... 1875R	31	C23917	... 1896	36	C24349	... 1898T	9
C23699	... 1803	38	C23832	... 1875R	31	C23918	... 1896	36	C24350	... 1898T	9
C23700	... 1803	38	C23833	... 1875R	31	C23919	... 1896	36	C24351	... 1898T	9
C23701	... 1875L	31	C23834	... 1875R	31	C23920	... 1896	36	C24352	... 1898T	9
C23702	... 1875L	31	C23835	... 1875R	31	C23921	... 1896	36	C24353	... 1898T	10
C23703	... 1875L	31	C23836	... 1875R	31	C23922	... 1896	36	C24354	... 1898T	10
C23704	... 1875L	31	C23837	... 1875R	31	C23923	... 1896	36	C24355	... 1898T	10
C23706	... 1875L	31	C23838	... 1875R	31	C23924	... 1896	36	C24356	... 1898T	10
C23707	... 1875L	31	C23839	... 1875R	31	C23925	... 1896	36	C24357	... 1898T	10
C23708	... 1875L	31	C23840	... 1875R	31	C23926	... 1896	36	C24358	... 1898T	10
C23709	... 1875L	31	C23841	... 1875R	31	C23927	... 1896	36	C24359	... 1898T	10
C23721	... 1805	38	C23842	... 1875R	31	C23928	... 1896	36	C24360	... 1898T	10
C23722	... 1805	38	C23843	... 1875R	31	C23929	... 1896	36	C24361	... 1898T	10
C23723	... 1805	38	C23844	... 1875R	31	C23930	... 1896	36	C24362	... 1898T	10
C23724	... 1805	38	C23845	... 1875R	31	C23931	... 1896	36	C24363	... 1898T	10
C23725	... 1805	38	C23846	... 1875R	31	C23932	... 1896	36	C24364	... 1898T	10
C23726	... 1805	38	C23847	... 1875R	31	C23933	... 1896	36	C24365	... 1898T	10
C23727	... 1805	38	C23848	... 1875R	31	C23934	... 1896	36	C24366	... 1898T	11
C23728	... 1805	38	C23849	... 1875R	31	C23935	... 1896	36	C24367	... 1898T	11
C23729	... 1805	39	C23850	... 1875R	31	C23936	... 1896	36	C24368	... 1898T	11
C23730	... 1805	39	C23851	... 1875R	31	C23937	... 1896	36	C24369	... 1898T	11
C23731	... 1805	39	C23852	... 1875R	31	C23938	... 1896	36	C24370	... 1898T	11
C23732	... 1805	39	C23853	... 1875R	31	C23939	... 1896	36	C24371	... 1898T	11
C23733	... 1805	39	C23854	... 1875R	31	C23940	... 1896	37	C24372	... 1898T	11
C23734	... 1805	39	C23855	... 1875R	31	C23941	... 1896	37	C24373	... 1898T	11
C23735	... 1805	39	C23856	... 1875R	31	C23942	... 1896	37	C24374	... 1898T	11
C23736	... 1805	39	C23857	... 1875R	31	C23943	... 1896	37	C24375	... 1898T	12
C23737	... 1805	39	C23859	... 1875R	31	C23964	... 1896	37	C24376	... 1898T	12
C23738	... 1805	39	C23860	... 1876	32	C23965	... 1896	37	C24377	... 1898T	12
C23739	... 1805	39	C23861	... 1876	32	C23966	... 1896	37	C24378	... 1898T	12
C23740	... 1805	39	C23862	... 1876	32	C23967	... 1896	37	C24379	... 1898T	12
C23741	... 1805	39	C23863	... 1876	32	C23969	... 1896	37	C24380	... 1898T	13,59
C23742	... 1805	39	C23864	... 1876	32	C23971	... 1896	37	C24381	... 1898T	59
C23743	... 1805	39	C23865	... 1876	32	C23992	... 1867	60	C24998	... 1887	90
C23744	... 1805	39	C23885	... 1896	34	C23993	... 1867	60	C24999	... 1887	90
C23745	... 1805	39	C23886	... 1896	34	C23994	... 1867	60	C25000	... 1887	90,103
C23746	... 1805	39	C23887	... 1896	34	C24018	... 1896	34	C25001	... 1887	90,103
C23749	... 1805	39	C23888	... 1896	34	C24036	... 1896	35	C25002	... 1887	90,103
C23761	... 1805	39	C23889	... 1896	34	C24058	... 1896	36	C25004	... 1887	90,103
C23762	... 1805	39	C23890	... 1896	34	C24306	... 1898T	7	C25006	... 1887	90,103
C23763	... 1805	39	C23891	... 1896	34	C24317	... 1898T	10	C25007	... 1887	90,103
C23764	... 1805	39	C23892	... 1896	34	C24325	... 1898T	7	C25009	... 1887	90,103
C23765	... 1805	39	C23893	... 1896	34	C24326	... 1898T	7	C25011	... 1887	90,103
C23766	... 1805	39	C23894	... 1896	34	C24327	... 1898T	7	C25012	... 1887	90,103
C23767	... 1805	39	C23895	... 1896	35	C24328	... 1898T	8	C25013	... 1887	90,103
C23768	... 1805	39	C23896	... 1896	35	C24329	... 1898T	8	C25014	... 1887	90,103
C23769	... 1805	39	C23898	... 1896	35	C24330	... 1898T	8	C25015	... 1887	90,103
C23770	... 1805	39	C23899	... 1896	35	C24331	... 1898T	8	C25016	... 1887	90,103
C23771	... 1805	39	C23900	... 1896	35	C24332	... 1898T	8	C25017	... 1887	90,103
C23772	... 1805	39	C23901	... 1896	35	C24333	... 1898T	8	C25018	... 1887	90,103
C23773	... 1805	38	C23902	... 1896	35	C24334	... 1898T	8	C25021	... 1887	90,103
C23776	... 1805	38	C23903	... 1896	35	C24335	... 1898T	8	C25022	... 1887	90,103
C23779	... 1805	38	C23904	... 1896	35	C24336	... 1898T	8	C25023	... 1887	90,103
C23780	... 1805	38	C23905	... 1896	35	C24337	... 1898T	8	C25024	... 1887	90,103
C23781	... 1805	38	C23906	... 1896	35	C24338	... 1898T	8	C25025	... 1887	90,103
C23785	... 1805	38	C23907	... 1896	35	C24339	... 1898T	9	C25026	... 1887	90,103
C23789	... 1805	38	C23908	... 1896	35	C24340	... 1898T	9	C25027	... 1887	90,103

INDEX

Cle-Line Product Line
Index

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C25028	...1887	90,103	C25106	...1887	90,103	C25200	...T5000	98	C30102	...RSB-D	93
C25029	...1887	90,103	C25107	...1887	90,103	C25201	...T5000	98	C30103	...RSB-D	93
C25030	...1887	90,103	C25109	...1887	90,103	C25202	...T5000	98	C30104	...RSB-D	93
C25031	...1887	90,103	C25111	...1887	90,103	C25204	...T5000	98	C30105	...RSB-D	93
C25032	...1887	90,103	C25112	...1887	90,103	C25205	...T5000	98	C30106	...RSB-D	93
C25033	...1887	90,103	C25113	...1887	90,103	C25206	...T5000	98	C30107	...RSB-BM	94
C25035	...1887	90,103	C25114	...1887	90,103	C25207	...T5000	98	C30108	...RSB-BM	94
C25036	...1887	90,103	C25115	...1887	90,103	C25208	...T5000	98	C30109	...RSB-BM	94
C25037	...1887	90,103	C25116	...1885	92	C25209	...T5000	98	C30110	...RSB-BM	94
C25038	...1887	90,103	C25118	...1885	92	C25217	...RSB-P	93	C30111	...RSB-BM	94
C25039	...1887	90,103	C25119	...1885	92	C25239	...HB-BM	96	C30112	...RSB-BM	94
C25040	...1887	90,103	C25121	...1885	92	C25240	...HB-BM	96	C30113	...RSB-BM	94
C25042	...1887	90,103	C25123	...1885	92	C25241	...HB-BM	96	C30114	...RSB-BM	94
C25043	...1887	90,103	C25124	...1885	92	C25242	...HB-BM	96	C30115	...RSB-BM	94
C25044	...1887	90,103	C25126	...P1000	96	C25244	...HB-BM	96	C30116	...RSB-BM	94
C25045	...1887	90,103	C25127	...P1000	96	C25245	...HB-BM	96	C30117	...RSB-BM	94
C25046	...1887	90,103	C25129	...P1000	96	C25246	...HB-BM	96	C30118	...RSB-BM	95
C25047	...1887	90,103	C25130	...P1000	96	C25247	...HB-BM	96	C30119	...RSB-BM	95
C25048	...1887	90,103	C25131	...P1000	96	C25248	...HB-BM	96	C30120	...RSB-BM	95
C25049	...1887	90,103	C25132	...P1000	96	C26101	...1887	90,103	C30121	...RSB-BM	95
C25050	...1887	90,103	C25141	...T7000	99	C26102	...1887	90,103	C30135	...RSB-D	93
C25051	...1887	90,103	C25142	...T7000	99	C26103	...1887	90,103	C30136	...RSB-D	93
C25052	...1887	90,103	C25143	...T7000	99	C26104	...1887	90,103	C30137	...RSB-D	93
C25054	...1887	90,103	C25144	...T7000	99	C26105	...1887	90,103	C30138	...RSB-D	93
C25055	...1887	90,103	C25145	...T7000	99	C26106	...1887	90,103	C30139	...RSB-D	93
C25056	...1887	90,103	C25147	...T7000	99	C26107	...1887	90,103	C30140	...RSB-D	93
C25057	...1887	90,103	C25148	...T7000	99	C26108	...1887	90,103	C30141	...RSB-BM	94
C25058	...1887	90,103	C25149	...T1000	97	C26109	...1887	90,103	C30142	...RSB-BM	94
C25061	...1887	90,103	C25150	...T1000	97	C26110	...1887	90,103	C30143	...RSB-BM	94
C25062	...1887	90,103	C25152	...T1000	97	C26111	...1887	90,103	C30144	...RSB-BM	94
C25064	...1887	90,103	C25153	...T1000	97	C26112	...1887	90,103	C30145	...RSB-BM	94
C25065	...1887	90,103	C25154	...T1000	97	C26113	...1887	90,103	C30146	...RSB-BM	94
C25066	...1887	90,103	C25156	...T1000	97	C26115	...1887	90,103	C30147	...RSB-BM	94
C25067	...1887	90,103	C25157	...T1000	97	C26116	...1887	90,103	C30148	...RSB-BM	94
C25068	...1887	90,103	C25158	...T1000	97	C26117	...1887	90,103	C30149	...RSB-BM	94
C25069	...1887	90,103	C25160	...T1000	97	C26118	...1887	90,103	C30150	...RSB-BM	94
C25070	...1887	90,103	C25161	...T1000	97	C26119	...1887	90,103	C30151	...RSB-BM	94
C25071	...1887	90,103	C25162	...T1000	97	C26120	...1887	90,103	C30152	...RSB-BM	95
C25073	...1887	90,103	C25163	...T1000	97	C26121	...1887	90,103	C30153	...RSB-BM	95
C25074	...1887	90,103	C25164	...T1000	97	C26125	...HB-BM	96	C30154	...RSB-BM	95
C25075	...1887	90,103	C25166	...T2000	97	C26127	...T7000	99	C30155	...RSB-BM	95
C25076	...1887	90,103	C25167	...T2000	97	C26128	...T7000	99	C30156	...RSB-D	93
C25077	...1887	90,103	C25168	...T2000	97	C26129	...T7000	99	C30157	...RSB-D	93
C25078	...1887	90,103	C25169	...T2000	97	C26133	...T1000	97	C30158	...RSB-D	93
C25080	...1887	90,103	C25170	...T2000	97	C26134	...T1000	97	C30159	...RSB-D	93
C25081	...1887	90,103	C25172	...T2000	97	C26135	...T1000	97	C30160	...RSB-D	93
C25082	...1887	90,103	C25173	...T2000	97	C26136	...T1000	97	C30161	...RSB-D	93
C25083	...1887	90,103	C25174	...T2000	97	C26137	...T2000	97	C30162	...RSB-BM	95
C25084	...1887	90,103	C25175	...T2000	97	C26138	...T2000	97	C30163	...RSB-BM	95
C25085	...1887	90,103	C25177	...T2000	97	C26139	...T2000	97	C30164	...RSB-BM	95
C25086	...1887	90,103	C25179	...T2000	97	C26140	...T3000	98	C30165	...RSB-BM	95
C25088	...1887	90,103	C25181	...T2000	97	C26141	...T3000	98	C30166	...RSB-BM	95
C25089	...1887	90,103	C25182	...T2000	97	C26142	...T3000	98	C30167	...RSB-BM	95
C25090	...1887	90,103	C25184	...T3000	98	C26143	...T3000	98	C30170	...RSB-BM	94
C25091	...1887	90,103	C25186	...T3000	98	C26144	...T5000	98	C30171	...RSB-BM	94
C25092	...1887	90,103	C25188	...T3000	98	C26145	...T5000	98	C30172	...RSB-BM	94
C25093	...1887	90,103	C25189	...T3000	98	C26146	...T6000	99	C30173	...RSB-BM	94
C25096	...1887	90,103	C25190	...T3000	98	C26147	...T6000	99	C30174	...RSB-BM	94
C25097	...1887	90,103	C25191	...T3000	98	C26148	...T6000	99	C30175	...RSB-BM	94
C25098	...1887	90,103	C25192	...T3000	98	C26149	...1887	90,103	C30176	...RSB-BM	94
C25099	...1887	90,103	C25193	...T3000	98	C26195	...1885	92	C30177	...RSB-BM	94
C25102	...1887	90,103	C25195	...T3000	98	C26196	...1885	92	C30178	...RSB-BM	94
C25103	...1887	90,103	C25196	...T4000	98	C26197	...1885	92	C30179	...RSB-BM	94
C25104	...1887	90,103	C25197	...T4000	98	C26198	...1885	92	C30180	...RSB-BM	94
C25105	...1887	90,103	C25198	...T4000	98	C30101	...RSB-D	93	C30181	...RSB-BM	95

Index

Cle-Line Product Line

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C30182	...RSB-BM	95	C43014	...v	88	C43114	...1886	89	C62016	...0404	67
C30183	...RSB-BM	95	C43015	...1881	88	C43115	...1886	89	C62017	...0401	67
C30184	...RSB-BM	95	C43016	...1881	88	C43116	...1886	89	C62018	...0402	67
C30505	...1880	33	C43017	...1881	88	C43117	...1886	89	C62019	...0403	67
C30507	...1880	33	C43018	...1881	88	C43118	...1886	89	C62020	...0404	67
C30508	...1880	33	C43019	...1881	88	C43119	...1886	89	C62021	...0401	67
C30510	...1880	33	C43020	...1881	88	C43120	...1886	89	C62022	...0402	67
C30512	...1880	33	C43021	...1881	88	C43121	...1886	89	C62023	...0403	67
C30514	...1880	33	C43022	...1881	88	C43122	...1886	89	C62024	...0404	67
C30516	...1880	33	C43023	...1881	88	C43123	...1886	89	C62025	...0401	67
C30518	...1880	33	C43024	...1881	88	C43124	...1886	89	C62026	...0402	67
C30519	...1880	33	C43025	...1881	88	C43125	...1886	89	C62027	...0403	67
C30520	...1880	33	C43026	...1881	88	C43126	...1886	89	C62028	...0404	67
C30522	...1880	33	C43027	...1881	88	C43127	...1886	89	C62029	...0401	67
C30524	...1880	33	C43028	...1881	88	C43128	...1886	89	C62030	...0402	67
C30526	...1880	33	C43029	...1881	88	C43129	...1886	89	C62031	...0403	67
C30528	...1880	33	C43030	...1881	88	C43130	...1886	89	C62032	...0404	67
C30530	...1880	33	C43031	...1881	88	C43131	...1886	89	C62033	...0401	67
C30532	...1880	33	C43032	...1881	88	C43132	...1886	89	C62034	...0402	67
C36000	...2616	55	C43033	...1881	88	C43133	...1886	89	C62035	...0403	67
C36001	...2616	55	C43034	...1881	88	C43134	...1886	89	C62036	...0404	67
C36002	...2616	55	C43035	...1881	88	C43135	...1886	89	C62037	...0401	67
C36003	...2616	55	C43036	...1881	88	C43136	...1886	89	C62038	...0402	67
C36004	...2616	55	C43037	...1881	88	C43137	...1886	89	C62039	...0403	67
C36005	...2616	55	C43038	...1881	88	C43138	...1886	89	C62040	...0404	67
C36006	...2616	55	C43039	...1881	88	C43139	...1886	89	C62041	...0401	67
C36007	...2616	55	C43040	...1881	88	C43140	...1886	89	C62042	...0402	67
C36008	...2616	55	C43041	...1881	88	C43141	...1886	89	C62043	...0403	67
C36009	...2616	55	C43042	...1881	88	C43142	...1886	89	C62044	...0404	67
C36010	...2616	55	C43043	...1881	88	C43143	...1886	89	C62045	...0401	67
C36011	...2616	55	C43044	...1881	88	C43144	...1886	89	C62046	...0402	67
C36012	...2616	55	C43045	...1881	88	C43145	...1886	89	C62047	...0403	67
C36013	...2616	55	C43046	...1881	88	C43146	...1886	89	C62048	...0404	67
C36014	...2616	55	C43047	...1881	88	C43147	...1886	89	C62049	...0401	67
C36015	...2616	55	C43048	...1881	88	C43148	...1886	89	C62050	...0402	67
C36016	...2616	55	C43049	...1881	88	C43149	...1886	89	C62051	...0403	67
C36017	...2616	55	C43050	...1881	88	C43150	...1886	89	C62052	...0404	67
C36018	...2618	55	C43051	...1881	88	C43151	...1886	89	C62053	...0401	67
C36019	...2618	55	C43052	...1881	88	C43152	...1886	89	C62054	...0402	67
C36020	...2618	55	C43053	...1881	91	C43153	...1886	89	C62055	...0403	67
C36021	...2618	55	C43054	...1881	91	C43154	...1886	89	C62056	...0404	67
C36022	...2618	55	C43058	...1882	100	C43155	...1886	89	C62057	...0401	68
C36023	...2618	55	C43059	...1882	100	C43156	...1886	89	C62058	...0402	68
C36024	...2618	55	C43060	...1882	100	C43157	...1886	89	C62059	...0403	68
C36025	...2618	55	C43061	...1882	100	C43158	...1886	91	C62060	...0404	68
C36026	...2618	55	C43062	...1882	100	C43159	...1886	91	C62061	...0401	68
C36027	...2618	55	C43063	...1882	100	C43160	...1886	91	C62062	...0402	68
C36028	...2618	55	C43064	...1882	100	C43161	...1886	91	C62063	...0403	68
C36029	...2618	55	C43065	...1882	100	C43162	...1886	91	C62064	...0404	68
C36030	...2618	55	C43066	...1882	100	C43163	...1886	91	C62065	...0401	68
C36031	...2618	55	C43067	...1882	100	C62001	...0401	67	C62066	...0402	68
C43000	...1881	88	C43100	...1886	89	C62002	...0402	67	C62067	...0403	68
C43001	...1881	88	C43101	...1886	89	C62003	...0403	67	C62068	...0404	68
C43002	...1881	88	C43102	...1886	89	C62004	...0404	67	C62069	...0401	68
C43003	...1881	88	C43103	...1886	89	C62005	...0401	67	C62070	...0402	68
C43004	...1881	88	C43104	...1886	89	C62006	...0402	67	C62071	...0403	68
C43005	...1881	88	C43105	...1886	89	C62007	...0403	67	C62072	...0404	68
C43006	...1881	88	C43106	...1886	89	C62008	...0404	67	C62073	...0401	68
C43007	...1881	88	C43107	...1886	89	C62009	...0401	67	C62074	...0402	68
C43008	...1881	88	C43108	...1886	89	C62010	...0402	67	C62075	...0403	68
C43009	...1881	88	C43109	...1886	89	C62011	...0403	67	C62076	...0404	68
C43010	...1881	88	C43110	...1886	89	C62012	...0404	67	C62077	...0401	68
C43011	...1881	88	C43111	...1886	89	C62013	...0401	67	C62078	...0402	68
C43012	...1881	88	C43112	...1886	89	C62014	...0402	67	C62079	...0403	68
C43013	...1881	88	C43113	...1886	89	C62015	...0403	67	C62080	...0404	68

INDEX

Cle-Line Product Line
Index

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C62081	...0401	68	C62803	...1898	7	C62868	...1898	10	C63210	...0402	67
C62082	...0402	68	C62804	...1898	7	C62869	...1898	10	C63211	...0403	67
C62083	...0403	68	C62805	...1898	7	C62870	...1898	10	C63212	...0404	67
C62084	...0404	68	C62806	...1898	7	C62871	...1898	10	C63217	...0401	67
C62085	...0401	68	C62807	...1898	8	C62872	...1898	10	C63218	...0402	67
C62086	...0402	68	C62808	...1898	8	C62873	...1898	10	C63219	...0403	67
C62087	...0403	68	C62809	...1898	8	C62874	...1898	10	C63220	...0404	67
C62088	...0404	68	C62810	...1898	8	C62875	...1898	10	C63221	...0401	67
C62089	...0401	68	C62811	...1898	8	C62876	...1898	10	C63222	...0402	67
C62090	...0402	68	C62812	...1898	8	C62877	...1898	10	C63223	...0403	67
C62091	...0403	68	C62813	...1898	8	C62878	...1898	10	C63224	...0404	67
C62092	...0404	68	C62814	...1898	8	C62879	...1898	11	C63225	...0401	67
C62093	...0401	68	C62815	...1898	8	C62880	...1898	11	C63226	...0402	67
C62094	...0402	68	C62816	...1898	8	C62881	...1898	11	C63227	...0403	67
C62095	...0403	68	C62817	...1898	8	C62882	...1898	11	C63228	...0404	67
C62096	...0404	68	C62818	...1898	8	C62883	...1898	11	C63229	...0401	67
C62097	...0401	68	C62819	...1898	8	C62884	...1898	11	C63230	...0402	67
C62098	...0402	68	C62820	...1898	8	C62885	...1898	11	C63231	...0403	67
C62099	...0403	68	C62821	...1898	8	C62886	...1898	11	C63232	...0404	67
C62100	...0404	68	C62822	...1898	8	C62887	...1898	11	C63233	...0401	67
C62101	...0401	68	C62823	...1898	8	C62888	...1898	11	C63234	...0402	67
C62102	...0402	68	C62824	...1898	8	C62889	...1898	11	C63235	...0403	67
C62103	...0403	68	C62825	...1898	8	C62890	...1898	11	C63236	...0404	67
C62104	...0404	68	C62826	...1898	8	C62891	...1898	11	C63237	...0401	68
C62105	...0401	68	C62827	...1898	8	C62892	...1898	11	C63238	...0402	68
C62106	...0402	68	C62828	...1898	8	C62893	...1898	11	C63239	...0403	68
C62107	...0403	68	C62829	...1898	8	C62894	...1898	11	C63240	...0404	68
C62108	...0404	68	C62830	...1898	8	C62895	...1898	11	C63241	...0401	68
C62109	...0401	68	C62831	...1898	8	C62896	...1898	11	C63242	...0402	68
C62110	...0402	68	C62832	...1898	8	C62897	...1898	11	C63243	...0403	68
C62111	...0403	68	C62833	...1898	9	C62898	...1898	11	C63244	...0404	68
C62112	...0404	68	C62834	...1898	9	C62899	...1898	11	C63245	...0401	68
C62151	...0411	69	C62835	...1898	9	C62900	...1898	11	C63246	...0402	68
C62152	...0411	69	C62836	...1898	9	C62901	...1898	11	C63247	...0403	68
C62153	...0411	69	C62837	...1898	9	C62902	...1898	11	C63248	...0404	68
C62154	...0411	69	C62838	...1898	9	C62903	...1898	11	C63249	...0401	68
C62155	...0411	69	C62839	...1898	9	C62904	...1898	12	C63250	...0402	68
C62156	...0411	69	C62840	...1898	9	C62905	...1898	12	C63251	...0403	68
C62157	...0411	69	C62841	...1898	9	C62906	...1898	12	C63252	...0404	68
C62158	...0411	69	C62842	...1898	9	C62907	...1898	12	C63253	...0401	68
C62159	...0411	69	C62843	...1898	9	C62908	...1898	12	C63254	...0402	68
C62160	...0411	69	C62844	...1898	9	C62909	...1898	12	C63255	...0403	68
C62161	...0411	69	C62845	...1898	9	C62910	...1898	12	C63256	...0404	68
C62162	...0411	69	C62846	...1898	9	C62911	...1898	12	C64213	...0462	71
C62163	...0411	69	C62847	...1898	9	C62912	...1898	12	C64214	...0462	71
C62164	...0411	70	C62848	...1898	9	C62913	...1898	12	C64215	...0462	71
C62172	...0411	69	C62849	...1898	9	C62914	...1898	12	C64216	...0462	71
C62175	...0411	69	C62850	...1898	9	C62915	...1898	12	C64217	...0462	71
C62177	...0411	69	C62851	...1898	9	C62916	...1898	12	C64218	...0462	71
C62179	...0411	69	C62852	...1898	10	C62917	...1898	12	C64219	...0462	71
C62180	...0411	69	C62853	...1898	10	C62918	...1898	12	C64220	...0462	71
C62183	...0411	69	C62854	...1898	10	C62920	...1898	12	C64221	...0462	71
C62185	...0411	69	C62855	...1898	10	C62921	...1898	12	C64222	...0462	71
C62187	...0411	70	C62856	...1898	10	C62922	...1898	12	C64223	...0464	71
C62191	...0411	70	C62857	...1898	10	C62923	...1898	12	C64224	...0464	71
C62793	...1898	7	C62858	...1898	10	C62924	...1898	12	C64225	...0464	71
C62794	...1898	7	C62859	...1898	10	C62926	...1898	12	C64226	...0464	71
C62795	...1898	7	C62860	...1898	10	C62928	...1898	12	C64227	...0464	71
C62796	...1898	7	C62861	...1898	10	C62929	...1898	12	C64228	...0464	71
C62797	...1898	7	C62862	...1898	10	C62931	...1898	12	C64229	...0464	71
C62798	...1898	7	C62863	...1898	10	C63201	...0401	67	C64230	...0464	71
C62799	...1898	7	C62864	...1898	10	C63202	...0402	67	C64231	...0463	71
C62800	...1898	7	C62865	...1898	10	C63203	...0403	67	C64232	...0463	71
C62801	...1898	7	C62866	...1898	10	C63204	...0404	67	C64233	...0463	71
C62802	...1898	7	C62867	...1898	10	C63209	...0401	67	C64234	...0463	71

Index

Cle-Line Product Line

Order Number	Style	Page Number
C64235	...0463	71
C64236	...0463	71
C64937	...0450	72
C64949	...0450	72
C64952	...0450	72
C64955	...0450	72
C64960	...0450	72
C64961	...0450	72
C65022	...0610	75
C65026	...0610	75
C65027	...0610	75
C65036	...0610	75
C65037	...0610	75
C65045	...0610	75
C65046	...0610	75
C65048	...0610	75
C65049	...0610	75
C65057	...0610	75
C65058	...0610	75
C65061	...0610	75
C65062	...0610	75
C65069	...0610	75
C65070	...0610	75
C65075	...0610	75
C65076	...0610	75
C65083	...0610	75
C65084	...0610	75
C65093	...0610	75
C65114	...0610	75
C65119	...0610	75
C65124	...0610	75
C65125	...0610	75
C65132	...0610	75
C65140	...0610	75
C65142	...0610	75
C65147	...0610	75
C65148	...0610	75
C65159	...0610	75
C65160	...0610	75
C65171	...0610	75
C65172	...0610	75
C65192	...0610	75
C65193	...0610	75
C65197	...0610	75
C65198	...0610	75
C65208	...0610	75
C65209	...0610	75
C65220	...0610	75
C65221	...0610	75
C65232	...0610	75
C65233	...0610	75
C65239	...0610	75
C65240	...0610	75
C65243	...0610	75
C65244	...0610	75
C65250	...0610	75
C65251	...0610	75
C65264	...0610	75
C65265	...0610	75
C65269	...0610	75
C65270	...0610	75
C65280	...0610	75
C65281	...0610	75
C65292	...0610	75
C65293	...0610	75

Order Number	Style	Page Number
C65303	...0610	75
C65304	...0610	75
C65311	...0610	75
C65312	...0610	75
C65315	...0610	75
C65316	...0610	75
C65328	...0610	75
C65329	...0610	75
C65339	...0610	75
C65340	...0610	75
C65349	...0610	76
C65350	...0610	76
C65374	...0610	75
C65384	...0610	75
C65385	...0610	75
C65395	...0610	75
C65396	...0610	75
C65405	...0610	76
C65406	...0610	76
C65407	...0610	76
C65416	...0610	76
C65417	...0610	76
C65426	...0610	76
C65427	...0610	76
C65433	...0610	76
C65434	...0610	76
C65441	...0610	76
C65442	...0610	76
C65449	...0610	76
C65450	...0610	76
C65470	...0610	75
C65471	...0610	75
C65491	...0620	76
C65492	...0620	76
C65493	...0620	76
C65494	...0620	76
C65495	...0620	76
C65496	...0620	76
C65497	...0620	76
C65571	...0660	73
C65572	...0660	73
C65573	...0660	73
C65574	...0660	73
C65575	...0660	73
C65576	...0660	73
C65580	...0650	72
C65581	...0650	72
C65582	...0650	72
C65583	...0650	72
C65584	...0650	72
C65585	...0650	72
C65586	...0650	73
C65587	...0650	73
C65601	...0650	72
C65602	...0650	72
C65603	...0650	72
C65605	...0650	72
C65606	...0650	72
C65607	...0650	72
C65608	...0650	72
C65609	...0650	72
C65610	...0650	72
C65611	...0650	72
C65612	...0650	72
C65613	...0650	72

Order Number	Style	Page Number
C65614	...0650	73
C65615	...0650	73
C65616	...0650	73
C65617	...0650	73
C65618	...0650	73
C65619	...0650	73
C65620	...0650	73
C65621	...0650	73
C65622	...0650	73
C65623	...0650	73
C65624	...0650	73
C65625	...0650	73
C65627	...0650	73
C65628	...0650	73
C65629	...0650	73
C65630	...0650	73
C65631	...0650	73
C65632	...0650	73
C65633	...0650	73
C66000	...1501-TT	20
C66001	...1501-TT	20
C66002	...1501-TT	20
C66003	...1501-TT	20
C66004	...1501-TT	20
C66005	...1501-TT	20
C66006	...1501-TT	20
C66007	...1501-TT	20
C66008	...1501-TT	21
C66009	...1501-TT	21
C66010	...1501-TT	21
C66011	...1501-TT	21
C66012	...1501-TT	21
C66013	...1501-TT	21
C66014	...1501-TT	21
C66015	...1501-TT	21
C66016	...1501-TT	21
C66017	...1501-TT	21
C66018	...1501-TT	21
C66019	...1501-TT	21
C66020	...1501-TT	21
C66021	...1501-TT	22
C66022	...1501-TT	22
C66023	...1501-TT	22
C66024	...1501-TT	22
C66025	...1501-TT	22
C66026	...1501-TT	22
C66027	...1501-TT	22
C66028	...1501-TT	22
C66029	...1501-TT	22
C66030	...1501-TT	21
C66031	...1501-TT	21
C66032	...1501-TT	21
C66033	...1501-TT	21
C66034	...1501-TT	21
C66035	...1501-TT	21
C66036	...1501-TT	21
C66037	...1501-TT	21
C66038	...1501-TT	21
C66039	...1501-TT	21
C66040	...1501-TT	21
C66041	...1501-TT	21
C66042	...1501-TT	21
C66043	...1501-TT	21
C66044	...1501-TT	21
C66045	...1501-TT	21

Order Number	Style	Page Number
C66046	...1501-TT	21
C66047	...1501-TT	21
C66048	...1501-TT	21
C66049	...1501-TT	22
C66050	...1501-TT	22
C66051	...1501-TT	22
C66052	...1501-TT	22
C66053	...1501-TT	22
C66054	...1501-TT	22
C66055	...1501-TT	21
C66056	...1501-TT	21
C66057	...1501-TT	21
C66058	...1501-TT	21
C66059	...1501-TT	21
C66060	...1501-TT	21
C66061	...1501-TT	21
C66062	...1501-TT	21
C66063	...1501-TT	21
C66064	...1501-TT	21
C66065	...1501-TT	21
C66066	...1501-TT	21
C66067	...1501-TT	21
C66068	...1501-TT	21
C66069	...1501-TT	21
C66070	...1501-TT	21
C66071	...1501-TT	21
C66072	...1501-TT	21
C66073	...1501-TT	21
C66074	...1501-TT	21
C66075	...1501-TT	21
C66076	...1501-TT	21
C66077	...1501-TT	20
C66078	...1501-TT	20
C66079	...1501-TT	20
C66080	...1501-TT	20
C66081	...1501-TT	20
C66082	...1501-TT	20
C66083	...1501-TT	20
C66084	...1501-TT	20
C66085	...1501-TT	20
C66086	...1501-TT	20
C66087	...1501-TT	20
C66088	...1501-TT	20
C66089	...1501-TT	20
C66090	...1501-TT	20
C66091	...1501-TT	20
C66092	...1501-TT	20
C66093	...1501-TT	20
C66094	...1501-TT	20
C66095	...1501-TT	20
C66096	...1501-TT	20
C66097	...1501-TT	20
C66098	...1501-TT	20
C66099	...1501-TT	20
C66100	...1501-TT	20
C66101	...1501-TT	20
C66102	...1501-TT	20
C66103	...1501-TT	20
C66104	...1501-TT	20
C66105	...1501-TT	20
C66106	...1501-TT	20
C66107	...1501-TT	20
C66108	...1501-TT	20
C66109	...1501-TT	20
C66110	...1501-TT	20

INDEX

Cle-Line Product Line
Index

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C66111	...1501-TT	22	C66750	...0552	80	C67205	...240	83	C68115	...1601	8
C66112	...1501-TT	22	C66751	...0552	80	C67206	...242	83	C68116	...1601	8
C66113	...1501-TT	22	C66754	...0553	79	C67207	...242	83	C68117	...1601	8
C66114	...1501-TT	22	C66755	...0553	79	C67208	...243	83	C68118	...1601	8
C66670	...0550	79	C66756	...0553	79	C67209	...243	83	C68119	...1601	9
C66671	...0550	79	C66757	...0553	79	C67210	...244	84	C68120	...1601	9
C66672	...0550	80	C66758	...0553	79	C67211	...244	84	C68121	...1601	9
C66673	...0550	80	C66759	...0553	79	C67212	...245	84	C68122	...1601	9
C66674	...0550	80	C66764	...0553	80	C67213	...245	84	C68123	...1601	9
C66675	...0550	80	C66769	...0553	80	C67214	...223	81	C68124	...1601	10
C66676	...0550	80	C66770	...0553	80	C67215	...223	81	C68125	...1601	10
C66677	...0550	80	C66771	...0553	80	C67216	...223	81	C68126	...1601	10
C66678	...0550	80	C66772	...0553	80	C67217	...223	81	C68127	...1601	10
C66679	...0550	80	C66773	...0553	80	C67218	...223	81	C68128	...1601	10
C66681	...0552	79	C66774	...0553	80	C67220	...225	81	C68129	...1601	10
C66682	...0552	79	C66775	...0553	79	C67221	...225	81	C68130	...1601	10
C66683	...0552	79	C66776	...0553	79	C67223	...222	76	C68131	...1601	11
C66684	...0552	79	C66777	...0553	79	C67224	...222	76	C68132	...1601	11
C66685	...0552	79	C66778	...0553	80	C67226	...222	76	C68133	...1601	11
C66686	...0552	79	C66782	...0554	79	C67227	...222	76	C68134	...1601	11
C66693	...0550	79	C66783	...0554	79	C67228	...222	76	C68135	...1601	11
C66694	...0550	79	C66784	...0554	79	C67229	...222	76	C68136	...1601	11
C66695	...0550	79	C66785	...0554	79	C67232	...226	81	C68137	...1601	11
C66696	...0550	79	C66786	...0554	79	C67235	...224	76	C68138	...1601	11
C66697	...0550	79	C66787	...0554	79	C67236	...224	76	C68139	...1601	12
C66698	...0550	79	C66788	...0554	79	C67237	...224	76	C68140	...1601	12
C66699	...0550	79	C66789	...0554	79	C67238	...224	76	C68141	...1601	12
C66700	...0550	79	C66790	...0554	79	C67271	...26S	77,85	C68142	...1601	12
C66701	...0550	79	C66791	...0554	79	C67275	...42NC	74,85	C68229	...1602	15
C66702	...0550	79	C66792	...0554	79	C67276	...42NF	74,85	C68230	...1602	15
C66703	...0550	79	C66793	...0554	79	C67278	...44NC	74,85	C68231	...1602	15
C66704	...0550	79	C66794	...0554	79	C67282	...45NCNF	74,85	C68232	...1602	16
C66705	...0550	79	C66795	...0554	80	C67283	...49Metric	74	C68233	...1602	16
C66706	...0550	79	C66796	...0554	80	C67284	...NC/NF	74,85	C68234	...1602	16
C66707	...0550	80	C66797	...0554	80	C67293	...815	77,85	C68235	...1602	16
C66708	...0550	80	C66798	...0554	80	C68000	...1600	7	C68236	...1602	16
C66709	...0550	80	C66801	...0554	80	C68001	...1600	8	C68237	...1602	16
C66710	...0550	80	C66802	...0554	80	C68002	...1600	8	C68238	...1602	17
C66711	...0550	80	C66803	...0554	80	C68003	...1600	8	C68239	...1602	17
C66712	...0550	80	C66804	...0554	80	C68004	...1600	8	C68240	...1602	17
C66713	...0550	80	C66805	...0554	80	C68005	...1600	9	C68241	...1602	17
C66714	...0550	80	C66806	...0554	80	C68006	...1600	9	C68242	...1602	17
C66715	...0550	80	C66807	...0554	80	C68007	...1600	9	C68243	...1602	17
C66716	...0550	80	C66808	...0554	80	C68008	...1600	9	C68244	...1602	17
C66717	...0550	80	C66809	...0554	80	C68009	...1600	9	C68245	...1602	17
C66718	...0550	80	C66810	...0554	80	C68010	...1600	10	C68246	...1602	17
C66719	...0550	80	C66811	...0554	80	C68011	...1600	10	C68247	...1602	17
C66720	...0550	80	C66812	...0554	80	C68012	...1600	10	C68248	...1602	17
C66721	...0550	80	C66813	...0554	80	C68013	...1600	10	C68249	...1602	18
C66722	...0550	80	C66820	...0552	79	C68014	...1600	10	C68250	...1602	18
C66723	...0550	80	C66821	...0552	79	C68015	...1600	10	C68251	...1602	18
C66727	...0551	79	C66822	...0552	80	C68016	...1600	10	C68252	...1602	18
C66728	...0551	79	C66823	...0552	80	C68017	...1600	11	C68253	...1602	18
C66729	...0551	79,80	C66824	...0552	80	C68018	...1600	11	C68254	...1602	18
C66732	...0551	80	C66825	...0552	80	C68019	...1600	11	C68255	...1602	18
C66733	...0551	80	C66826	...0552	80	C68020	...1600	11	C68256	...1602	18
C66737	...0552	79	C66827	...0552	80	C68021	...1600	11	C68257	...1602	18
C66738	...0552	79	C66828	...0552	80	C68022	...1600	11	C68258	...1602	17
C66739	...0552	79	C66829	...0552	80	C68023	...1600	11	C68259	...1602	17
C66740	...0552	80	C67197	...240	83	C68024	...1600	11	C68260	...1602	17
C66741	...0552	80	C67200	...240	83	C68025	...1600	12	C68261	...1602	17
C66746	...0552	80	C67201	...240	83	C68026	...1600	12	C68262	...1602	17
C66747	...0552	80	C67202	...240	83	C68027	...1600	12	C68263	...1602	17
C66748	...0552	80	C67203	...240	83	C68028	...1600	12	C68264	...1602	17
C66749	...0552	80	C67204	...240	83	C68114	...1601	7	C68265	...1602	17

Index

Cle-Line Product Line

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C68266	...1602	17	C68331	...1602	15	C68399	...1603	29	C68464	...1620	31
C68267	...1602	17	C68332	...1602	15	C68400	...1603	29	C68465	...1620	31
C68268	...1602	17	C68333	...1602	15	C68401	...1603	28	C68466	...1620	31
C68269	...1602	17	C68334	...1602	15	C68402	...1603	28	C68467	...1620	31
C68270	...1602	17	C68335	...1602	15	C68403	...1603	28	C68468	...1620	31
C68271	...1602	17	C68336	...1602	15	C68404	...1603	28	C68469	...1620	31
C68272	...1602	17	C68337	...1602	15	C68405	...1603	28	C68470	...1620	31
C68273	...1602	17	C68338	...1602	15	C68406	...1603	28	C68471	...1620	31
C68274	...1602	17	C68339	...1602	15	C68407	...1603	28	C68472	...1620	31
C68275	...1602	17	C68340	...1602	15	C68408	...1603	28	C68473	...1620	31
C68276	...1602	17	C68341	...1602	15	C68409	...1603	28	C68474	...1620	31
C68277	...1602	17	C68342	...1602	15	C68410	...1603	28	C68475	...1620	31
C68278	...1602	18	C68343	...1607	19	C68411	...1603	28	C68476	...1620	31
C68279	...1602	18	C68344	...1603	27	C68412	...1603	28	C68477	...1620	31
C68280	...1602	18	C68345	...1603	27	C68413	...1603	28	C68478	...1620	31
C68281	...1602	18	C68346	...1603	27	C68414	...1603	28	C68479	...1620	31
C68282	...1602	18	C68347	...1603	27	C68415	...1603	28	C68480	...1620	31
C68283	...1602	17	C68351	...1603	27	C68416	...1603	28	C68481	...1620	31
C68284	...1602	17	C68352	...1603	28	C68417	...1603	28	C68482	...1620	31
C68285	...1602	17	C68353	...1603	28	C68418	...1603	28	C68483	...1620	31
C68286	...1602	17	C68354	...1603	28	C68419	...1603	28	C68484	...1620	31
C68287	...1602	17	C68355	...1603	28	C68420	...1603	28	C68485	...1620	31
C68288	...1602	17	C68356	...1603	28	C68421	...1603	28	C68486	...1620	31
C68289	...1602	16	C68357	...1603	28	C68422	...1603	28	C68487	...1620	31
C68290	...1602	16	C68358	...1603	28	C68423	...1603	28	C68488	...1620	31
C68291	...1602	16	C68359	...1603	29	C68424	...1603	28	C68489	...1620	31
C68292	...1602	16	C68360	...1603	29	C68425	...1603	28	C68490	...1620	31
C68293	...1602	16	C68361	...1603	29	C68426	...1603	28	C68491	...1621	34
C68294	...1602	16	C68362	...1603	29	C68427	...1603	28	C68492	...1621	34
C68295	...1602	16	C68363	...1603	29	C68428	...1603	28	C68493	...1621	34
C68296	...1602	16	C68364	...1603	29	C68429	...1603	28	C68494	...1621	34
C68297	...1602	16	C68365	...1603	29	C68430	...1603	28	C68495	...1621	35
C68298	...1602	16	C68366	...1603	29	C68431	...1603	27	C68496	...1621	35
C68299	...1602	16	C68367	...1603	29	C68432	...1603	27	C68497	...1621	35
C68300	...1602	16	C68368	...1603	29	C68433	...1603	27	C68498	...1621	35
C68301	...1602	16	C68369	...1603	29	C68434	...1603	27	C68499	...1621	35
C68302	...1602	16	C68370	...1603	29	C68435	...1603	27	C68500	...1621	36
C68303	...1602	16	C68371	...1603	29	C68436	...1603	27	C68501	...1621	36
C68304	...1602	16	C68372	...1603	29	C68437	...1603	27	C68502	...1621	36
C68305	...1602	16	C68373	...1603	29	C68438	...1603	27	C68503	...1621	36
C68306	...1602	16	C68374	...1603	29	C68439	...1603	27	C68504	...1621	36
C68307	...1602	16	C68375	...1603	29	C68440	...1603	27	C68505	...1621	36
C68308	...1602	16	C68376	...1603	28	C68441	...1603	27	C68506	...1621	36
C68309	...1602	16	C68377	...1603	28	C68442	...1603	27	C68507	...1621	36
C68310	...1602	16	C68378	...1603	29	C68443	...1603	27	C68508	...1621	36
C68311	...1602	16	C68379	...1603	29	C68444	...1603	27	C68509	...1621	36
C68312	...1602	16	C68380	...1603	29	C68445	...1603	27	C68510	...1621	36
C68313	...1602	16	C68381	...1603	29	C68446	...1603	27	C68511	...1621	36
C68314	...1602	16	C68382	...1603	29	C68447	...1603	27	C68512	...1621	36
C68315	...1602	16	C68383	...1603	29	C68448	...1603	27	C68513	...1621	36
C68316	...1602	16	C68384	...1603	29	C68449	...1603	27	C68514	...1621	36
C68317	...1602	16	C68385	...1603	29	C68450	...1603	27	C68515	...1621	36
C68318	...1602	16	C68386	...1603	29	C68451	...1603	27	C68516	...1621	36
C68319	...1602	15	C68387	...1603	29	C68452	...1603	27	C68517	...1621	37
C68320	...1602	15	C68388	...1603	29	C68453	...1603	27	C68518	...1621	37
C68321	...1602	15	C68389	...1603	29	C68454	...1603	27	C68519	...1621	37
C68322	...1602	15	C68390	...1603	29	C68455	...1603	27	C68606	...1600	7
C68323	...1602	15	C68391	...1603	29	C68456	...1603	27	C68607	...1600	7
C68324	...1602	15	C68392	...1603	29	C68457	...1603	27	C68608	...1600	8
C68325	...1602	15	C68393	...1603	29	C68458	...1603	27	C68609	...1600	8
C68326	...1602	15	C68394	...1603	29	C68459	...1603	27	C68610	...1600	8
C68327	...1602	15	C68395	...1603	29	C68460	...1603	27	C68611	...1600	9
C68328	...1602	15	C68396	...1603	29	C68461	...1607	19	C68612	...1600	9
C68329	...1602	15	C68397	...1603	29	C68462	...1620	31	C68613	...1600	9
C68330	...1602	15	C68398	...1603	29	C68463	...1620	31	C68614	...1600	9

INDEX

Cle-Line Product Line
Index

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C68615	...1600	10	C68680	...1681	44	C68745	...1682	41	C68822	...1682	42
C68616	...1600	10	C68681	...1681	44	C68746	...1682	42	C68823	...1682	42
C68617	...1600	10	C68682	...1681	44	C68747	...1682	42	C68824	...1682	42
C68618	...1600	10	C68683	...1681	44	C68748	...1682	42	C68825	...1682	42
C68619	...1600	10	C68684	...1681	44	C68749	...1682	42	C68826	...1682	42
C68620	...1600	10	C68685	...1681	44	C68750	...1682	42	C68827	...1682	42
C68621	...1600	11	C68686	...1681	44	C68751	...1682	42	C68828	...1682	42
C68622	...1600	11	C68687	...1681	44	C68752	...1682	42	C68829	...1682	42
C68623	...1600	11	C68688	...1681	44	C68753	...1682	42	C68830	...1682	42
C68624	...1600	11	C68689	...1681	44	C68754	...1682	42	C68831	...1682	42
C68625	...1600	11	C68690	...1681	44	C68755	...1682	42	C68832	...1682	42
C68626	...1600	11	C68691	...1681	44	C68756	...1682	42	C68833	...1682	42
C68627	...1600	12	C68692	...1681	44	C68757	...1682	42	C68834	...1682	42
C68628	...1600	12	C68693	...1681	44	C68758	...1682	42	C68835	...1682	42
C68629	...1600	12	C68694	...1681	44	C68759	...1682	42	C68836	...1682	42
C68630	...1600	12	C68695	...1681	44	C68760	...1682	42	C68837	...1682	42
C68631	...1680	44	C68696	...1681	44	C68761	...1682	43	C68838	...1682	42
C68632	...1680	44	C68697	...1681	44	C68762	...1682	43	C68839	...1682	42
C68633	...1680	44	C68698	...1681	44	C68763	...1682	43	C68840	...1682	42
C68634	...1680	44	C68699	...1681	44	C68764	...1682	43	C68841	...1682	42
C68635	...1680	44	C68700	...1681	45	C68765	...1682	43	C68842	...1682	42
C68636	...1680	44	C68701	...1681	45	C68766	...1682	43	C68843	...1682	42
C68637	...1680	44	C68702	...1681	45	C68779	...1682	41	C68844	...1682	42
C68638	...1680	44	C68703	...1681	45	C68780	...1682	41	C68845	...1682	42
C68639	...1680	44	C68704	...1681	45	C68781	...1682	41	C68846	...1682	42
C68640	...1680	44	C68705	...1681	45	C68782	...1682	41	C68847	...1682	43
C68641	...1680	44	C68706	...1681	45	C68783	...1682	43	C68848	...1682	43
C68642	...1680	44	C68707	...1681	45	C68784	...1682	43	C68849	...1682	43
C68643	...1680	44	C68708	...1681	45	C68785	...1682	43	C68850	...1682	43
C68644	...1680	44	C68709	...1681	45	C68786	...1682	43	C68851	...1682	43
C68645	...1680	44	C68710	...1681	45	C68787	...1682	43	C68852	...1682	43
C68646	...1680	44	C68711	...1681	45	C68788	...1682	43	C68853	...1682	43
C68647	...1680	44	C68712	...1681	45	C68789	...1682	43	C68854	...1682	43
C68648	...1680	44	C68713	...1681	45	C68790	...1682	43	C68855	...1682	43
C68649	...1680	44	C68714	...1681	45	C68791	...1682	43	C68856	...1682	43
C68650	...1680	44	C68715	...1681	45	C68792	...1682	43	C68857	...1682	43
C68651	...1680	44	C68716	...1681	45	C68793	...1682	43	C68858	...1682	43
C68652	...1680	44	C68717	...1681	45	C68794	...1682	41	C68859	...1682	43
C68653	...1680	44	C68718	...1681	45	C68795	...1682	41	C68860	...1682	43
C68654	...1680	44	C68719	...1681	45	C68796	...1682	41	C68861	...1682	43
C68655	...1680	44	C68720	...1681	45	C68797	...1682	41	C68862	...1682	43
C68656	...1680	44	C68721	...1681	45	C68798	...1682	41	C68863	...1682	43
C68657	...1680	45	C68722	...1681	45	C68799	...1682	41	C68864	...1682	43
C68658	...1680	45	C68723	...1681	45	C68800	...1682	41	C68865	...1682	43
C68659	...1680	45	C68724	...1681	45	C68801	...1682	41	C68866	...1682	43
C68660	...1680	45	C68725	...1681	45	C68802	...1682	41	C68867	...1630	38
C68661	...1680	45	C68726	...1681	45	C68803	...1682	41	C68868	...1630	38
C68662	...1680	45	C68727	...1681	45	C68804	...1682	41	C68869	...1630	38
C68663	...1680	45	C68728	...1681	45	C68805	...1682	41	C68870	...1630	38
C68664	...1680	45	C68729	...1681	45	C68806	...1682	41	C68871	...1630	38
C68665	...1680	45	C68730	...1681	45	C68807	...1682	41	C68872	...1630	38
C68666	...1680	45	C68731	...1681	45	C68808	...1682	41	C68873	...1630	38
C68667	...1680	45	C68732	...1681	45	C68809	...1682	41	C68874	...1630	38
C68668	...1680	45	C68733	...1681	45	C68810	...1682	41	C68875	...1630	39
C68669	...1680	45	C68734	...1681	45	C68811	...1682	42	C68876	...1630	39
C68670	...1680	45	C68735	...1681	45	C68812	...1682	42	C68877	...1630	39
C68671	...1680	45	C68736	...1681	45	C68813	...1682	42	C68878	...1630	39
C68672	...1680	45	C68737	...1681	45	C68814	...1682	42	C68879	...1630	39
C68673	...1680	45	C68738	...1682	41	C68815	...1682	42	C68880	...1630	39
C68674	...1681	44	C68739	...1682	41	C68816	...1682	42	C68881	...1630	39
C68675	...1681	44	C68740	...1682	41	C68817	...1682	42	C68882	...1630	39
C68676	...1681	44	C68741	...1682	41	C68818	...1682	42	C68883	...1630	39
C68677	...1681	44	C68742	...1682	41	C68819	...1682	42	C68884	...1630	39
C68678	...1681	44	C68743	...1682	41	C68820	...1682	42	C68885	...1630	39
C68679	...1681	44	C68744	...1682	41	C68821	...1682	42	C68886	...1630	39

Index

Cle-Line Product Line

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C68887	...1630	39	C68952	...1631	39	C69018	...1683	52	C69083	...1690	66
C68888	...1630	39	C68953	...1631	39	C69019	...1683	52	C69084	...1691	66
C68889	...1630	39	C68954	...1631	39	C69020	...1683	52	C69085	...1692	66
C68890	...1630	39	C68955	...1631	39	C69021	...1683	52	C69086	...1693	66
C68891	...1630	39	C68956	...1631	39	C69022	...1683	52	C69087	...1690	66
C68892	...1630	39	C68957	...1631	39	C69023	...1683	52	C69088	...1691	66
C68893	...1630	39	C68958	...1631	39	C69024	...1683	52	C69089	...1692	66
C68894	...1630	39	C68959	...1631	39	C69025	...1683	52	C69090	...1693	66
C68895	...1630	39	C68960	...1631	39	C69026	...1683	52	C69091	...1690	66
C68896	...1630	39	C68961	...1631	39	C69027	...1683	52	C69092	...1691	66
C68897	...1630	39	C68962	...1631	39	C69028	...1683	52	C69093	...1692	66
C68898	...1630	39	C68963	...1631	39	C69029	...1620	32,59	C69094	...1693	66
C68899	...1630	39	C68964	...1631	39	C69030	...1604	19,58	C69095	...1690	66
C68900	...1630	39	C68965	...1631	39	C69031	...1604	19,58	C69096	...1691	66
C68901	...1630	39	C68966	...1631	39	C69032	...1604	19,59	C69097	...1692	66
C68902	...1630	39	C68967	...1631	39	C69033	...1605	19,59	C69098	...1693	66
C68903	...1630	39	C68968	...1631	39	C69034	...1600	13,58	C69099	...1690	66
C68904	...1630	39	C68969	...1631	39	C69035	...1600	13,58	C69100	...1691	66
C68905	...1630	39	C68970	...1631	39	C69036	...1600	13	C69101	...1692	66
C68906	...1630	39	C68971	...1631	39	C69037	...1600	13	C69102	...1693	66
C68907	...1630	39	C68972	...1631	39	C69038	...1600	13,59	C69103	...1690	66
C68908	...1630	38	C68973	...1631	39	C69039	...1680	45,60	C69104	...1691	66
C68909	...1630	38	C68974	...1631	39	C69040	...1681	45,59,60	C69105	...1692	66
C68910	...1630	38	C68975	...1631	39	C69041	...1620	32,59	C69106	...1693	66
C68911	...1630	38	C68976	...1631	39	C69042	...1604	15	C69107	...1690	66
C68912	...1630	38	C68977	...1631	38	C69043	...1604	15	C69108	...1691	66
C68913	...1630	38	C68978	...1631	38	C69044	...1604	15	C69109	...1692	66
C68914	...1630	38	C68979	...1631	38	C69045	...1604	16	C69110	...1693	66
C68915	...1630	38	C68980	...1631	38	C69046	...1604	16	C69111	...1690	66
C68916	...1630	38	C68981	...1631	38	C69047	...1604	16	C69112	...1691	66
C68917	...1630	38	C68982	...1631	38	C69048	...1604	16	C69113	...1692	66
C68918	...1630	38	C68983	...1631	38	C69049	...1604	16	C69114	...1693	66
C68919	...1630	38	C68984	...1631	38	C69050	...1604	16	C69115	...1690	66
C68920	...1630	38	C68985	...1631	38	C69051	...1604	17	C69116	...1691	66
C68921	...1630	38	C68986	...1631	38	C69052	...1604	17	C69117	...1692	66
C68922	...1630	38	C68987	...1631	38	C69053	...1604	17	C69118	...1693	66
C68923	...1630	38	C68988	...1631	38	C69054	...1604	17	C69119	...1690	66
C68924	...1630	38	C68989	...1631	38	C69055	...1604	17	C69120	...1691	66
C68925	...1630	38	C68990	...1631	38	C69056	...1604	17	C69121	...1692	66
C68926	...1630	38	C68991	...1631	38	C69057	...1604	17	C69122	...1693	66
C68927	...1630	38	C68992	...1631	38	C69058	...1604	17	C69123	...1690	66
C68928	...1630	38	C68993	...1631	38	C69059	...1604	17	C69124	...1691	66
C68929	...1630	38	C68994	...1631	38	C69060	...1604	17	C69125	...1692	66
C68930	...1630	38	C68995	...1631	38	C69061	...1604	17	C69126	...1693	66
C68931	...1630	38	C68996	...1631	38	C69062	...1604	18	C69127	...1690	66
C68932	...1630	38	C68997	...1631	38	C69063	...1604	18	C69128	...1691	66
C68933	...1630	38	C68998	...1631	38	C69064	...1604	18	C69129	...1692	66
C68934	...1630	38	C68999	...1631	38	C69065	...1604	18	C69130	...1693	66
C68935	...1630	38	C69000	...1631	38	C69066	...1604	18	C69131	...1690	66
C68936	...1631	38	C69001	...1631	38	C69067	...1604	18	C69132	...1691	66
C68937	...1631	38	C69002	...1631	38	C69068	...1604	18	C69133	...1692	66
C68938	...1631	38	C69003	...1631	38	C69069	...1604	18	C69134	...1693	66
C68939	...1631	38	C69004	...1631	38	C69070	...1604	18	C69135	...1690	66
C68940	...1631	38	C69005	...1683	52	C69071	...1605	18	C69136	...1691	66
C68941	...1631	38	C69006	...1683	52	C69072	...1605	18	C69137	...1692	66
C68942	...1631	38	C69007	...1683	52	C69073	...1605	18	C69138	...1693	66
C68943	...1631	38	C69008	...1683	52	C69074	...1605	18	C69139	...1690	66
C68944	...1631	39	C69009	...1683	52	C69075	...1605	18	C69140	...1691	66
C68945	...1631	39	C69010	...1683	52	C69076	...1605	18	C69141	...1692	66
C68946	...1631	39	C69012	...1683	52	C69077	...1605	18	C69142	...1693	66
C68947	...1631	39	C69013	...1683	52	C69078	...1605	18	C69143	...1690	66
C68948	...1631	39	C69014	...1683	52	C69079	...1690	66	C69144	...1691	66
C68949	...1631	39	C69015	...1683	52	C69080	...1691	66	C69145	...1692	66
C68950	...1631	39	C69016	...1683	52	C69081	...1692	66	C69146	...1693	66
C68951	...1631	39	C69017	...1683	52	C69082	...1693	66	C69147	...1690	66

INDEX

Cle-Line Product Line
Index

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C69148	...1691	66	C69213	...1694	70	C69331	...1688	71	C69419	...1698	66
C69149	...1692	66	C69267	...1690	66	C69332	...1688	71	C69420	...1699	66
C69150	...1693	66	C69268	...1691	66	C69333	...1687	71	C69421	...1696	66
C69151	...1690	66	C69269	...1692	66	C69334	...1687	71	C69422	...1697	66
C69152	...1691	66	C69270	...1693	66	C69335	...1687	71	C69423	...1698	66
C69153	...1692	66	C69271	...1690	66	C69336	...1687	71	C69424	...1699	66
C69154	...1693	66	C69272	...1691	66	C69337	...1687	71	C69425	...1696	66
C69155	...1690	66	C69273	...1692	66	C69338	...1687	71	C69426	...1697	66
C69156	...1691	66	C69274	...1693	66	C69339	...1607	15	C69427	...1698	66
C69157	...1692	66	C69275	...1690	66	C69340	...1607	15	C69428	...1699	66
C69158	...1693	66	C69276	...1691	66	C69341	...1607	15	C69429	...1696	66
C69159	...1690	66	C69277	...1692	66	C69342	...1607	16	C69430	...1697	66
C69160	...1691	66	C69278	...1693	66	C69343	...1607	16	C69431	...1698	66
C69161	...1692	66	C69279	...1690	66	C69344	...1607	16	C69432	...1699	66
C69162	...1693	66	C69280	...1691	66	C69345	...1607	16	C69433	...1696	66
C69163	...1690	66	C69281	...1692	66	C69346	...1607	16	C69434	...1697	66
C69164	...1691	66	C69282	...1693	66	C69347	...1607	16	C69435	...1698	66
C69165	...1692	66	C69283	...1690	66	C69348	...1607	17	C69436	...1699	66
C69166	...1693	66	C69284	...1691	66	C69349	...1607	17	C69437	...1696	66
C69167	...1690	66	C69285	...1692	66	C69350	...1607	17	C69438	...1697	66
C69168	...1691	66	C69286	...1693	66	C69351	...1607	17	C69439	...1698	66
C69169	...1692	66	C69287	...1690	66	C69352	...1607	17	C69440	...1699	66
C69170	...1693	66	C69288	...1691	66	C69353	...1607	17	C69441	...1696	66
C69171	...1690	66	C69289	...1692	66	C69354	...1607	17	C69442	...1697	66
C69172	...1691	66	C69290	...1693	66	C69355	...1607	17	C69443	...1698	66
C69173	...1692	66	C69291	...1690	66	C69356	...1607	17	C69444	...1699	66
C69174	...1693	66	C69292	...1691	66	C69357	...1607	17	C69445	...1696	66
C69175	...1690	66	C69293	...1692	66	C69358	...1607	17	C69446	...1697	66
C69176	...1691	66	C69294	...1693	66	C69359	...1607	18	C69447	...1698	66
C69177	...1692	66	C69295	...1690	66	C69360	...1607	18	C69448	...1699	66
C69178	...1693	66	C69296	...1691	66	C69361	...1607	18	C69449	...1696	66
C69179	...1690	66	C69297	...1692	66	C69362	...1607	18	C69450	...1697	66
C69180	...1691	66	C69298	...1693	66	C69363	...1607	18	C69451	...1698	66
C69181	...1692	66	C69299	...1690	66	C69364	...1607	18	C69452	...1699	66
C69182	...1693	66	C69300	...1691	66	C69365	...1607	18	C69453	...1696	66
C69183	...1690	66	C69301	...1692	66	C69366	...1607	18	C69454	...1697	66
C69184	...1691	66	C69302	...1693	66	C69367	...1607	18	C69455	...1698	66
C69185	...1692	66	C69303	...1690	66	C69368	...1607	19,59	C69456	...1699	66
C69186	...1693	66	C69304	...1691	66	C69369	...1900	12	C69457	...1696	66
C69187	...1690	66	C69305	...1692	66	C69370	...1900	12	C69458	...1697	66
C69188	...1691	66	C69306	...1693	66	C69371	...1900	12	C69459	...1698	66
C69189	...1692	66	C69307	...1690	66	C69372	...1900	12	C69460	...1699	66
C69190	...1693	66	C69308	...1691	66	C69373	...1900	12	C69461	...1696	66
C69191	...1694	69	C69309	...1692	66	C69374	...1900	12	C69462	...1697	66
C69192	...1694	69	C69310	...1693	66	C69375	...1900	12	C69463	...1698	66
C69193	...1694	69	C69311	...1690	66	C69376	...1900	12	C69464	...1699	66
C69194	...1694	69	C69312	...1691	66	C69377	...1603	30,58	C69465	...1696	66
C69195	...1694	69	C69313	...1692	66	C69378	...1603	30,58	C69466	...1697	66
C69196	...1694	69	C69314	...1693	66	C69379	...1603	30,59	C69467	...1698	66
C69197	...1694	69	C69315	...1686	71	C69380	...1603	30,59	C69468	...1699	66
C69198	...1694	69	C69316	...1686	71	C69381	...1602	19	C69469	...1696	66
C69199	...1694	69	C69317	...1686	71	C69382	...1602	19	C69470	...1697	66
C69200	...1694	69	C69318	...1686	71	C69383	...1602	19	C69471	...1698	66
C69201	...1694	69	C69319	...1686	71	C69384	...1620	32,59	C69472	...1699	66
C69202	...1694	69	C69320	...1686	71	C69385	...1607	19	C69473	...1696	66
C69203	...1694	69	C69321	...1686	71	C69409	...1696	66	C69474	...1697	66
C69204	...1694	70	C69322	...1686	71	C69410	...1697	66	C69475	...1698	66
C69205	...1694	69	C69323	...1686	71	C69411	...1698	66	C69476	...1699	66
C69206	...1694	69	C69324	...1686	71	C69412	...1699	66	C69477	...1696	66
C69207	...1694	69	C69325	...1688	71	C69413	...1696	66	C69478	...1697	66
C69208	...1694	69	C69326	...1688	71	C69414	...1697	66	C69479	...1698	66
C69209	...1694	69	C69327	...1688	71	C69415	...1698	66	C69480	...1699	66
C69210	...1694	69	C69328	...1688	71	C69416	...1699	66	C69481	...1696	66
C69211	...1694	69	C69329	...1688	71	C69417	...1696	66	C69482	...1697	66
C69212	...1694	70	C69330	...1688	71	C69418	...1697	66	C69483	...1698	66

Index

Cle-Line Product Line

Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number	Order Number	Style	Page Number
C69484	... 1699	66	C74019	... 1878	18	C77648	... 492	73	C97363	... 1500-TT	21
C69507	... 1700	71	C74020	... 1878	18	C77650	... 492	73	C97364	... 1500-TT	21
C69508	... 1700	71	C74021	... 1878	18	C97300	... 1500-TT	20	C97365	... 1500-TT	21
C69509	... 1700	71	C74022	... 1878	18	C97301	... 1500-TT	20	C97366	... 1500-TT	21
C69510	... 1700	71	C74023	... 1878	18	C97302	... 1500-TT	20	C97367	... 1500-TT	21
C69511	... 1700	71	C74024	... 1878	18	C97303	... 1500-TT	20	C97368	... 1500-TT	21
C69512	... 1700	71	C74025	... 1878	15	C97304	... 1500-TT	20	C97369	... 1500-TT	21
C69513	... 1696	66	C74026	... 1878	15	C97305	... 1500-TT	20	C97370	... 1500-TT	21
C69514	... 1697	66	C74027	... 1878	15	C97306	... 1500-TT	20	C97371	... 1500-TT	21
C69515	... 1698	66	C74028	... 1878	15	C97307	... 1500-TT	20	C97372	... 1500-TT	21
C69516	... 1699	66	C74029	... 1878	16	C97308	... 1500-TT	21	C97373	... 1500-TT	21
C69517	... 1696	66	C74030	... 1878	16	C97309	... 1500-TT	21	C97374	... 1500-TT	21
C69518	... 1697	66	C74031	... 1878	16	C97310	... 1500-TT	21	C97375	... 1500-TT	21
C69519	... 1698	66	C74032	... 1878	16	C97311	... 1500-TT	21	C97376	... 1500-TT	21
C69520	... 1699	66	C74033	... 1878	16	C97312	... 1500-TT	21	C97377	... 1500-TT	20
C69521	... 1696	66	C74034	... 1878	16	C97313	... 1500-TT	21	C97378	... 1500-TT	20
C69522	... 1697	66	C74035	... 1878	16	C97314	... 1500-TT	21	C97379	... 1500-TT	20
C69523	... 1698	66	C74036	... 1878	16	C97315	... 1500-TT	21	C97380	... 1500-TT	20
C69524	... 1699	66	C74037	... 1878	16	C97316	... 1500-TT	21	C97381	... 1500-TT	20
C69526	... 1696	66	C74038	... 1878	16	C97317	... 1500-TT	21	C97382	... 1500-TT	20
C69527	... 1697	66	C74039	... 1878	16	C97318	... 1500-TT	21	C97383	... 1500-TT	20
C69528	... 1698	66	C74040	... 1878	16	C97319	... 1500-TT	21	C97384	... 1500-TT	20
C69529	... 1699	66	C74041	... 1878	16	C97320	... 1500-TT	21	C97385	... 1500-TT	20
C69531	... 1696	66	C74042	... 1878	16	C97321	... 1500-TT	22	C97386	... 1500-TT	20
C69532	... 1697	66	C74043	... 1878	16	C97322	... 1500-TT	22	C97387	... 1500-TT	20
C69533	... 1698	66	C74044	... 1878	17	C97323	... 1500-TT	22	C97388	... 1500-TT	20
C69534	... 1699	66	C74045	... 1878	17	C97324	... 1500-TT	22	C97389	... 1500-TT	20
C69535	... 1696	66	C74046	... 1878	17	C97325	... 1500-TT	22	C97390	... 1500-TT	20
C69536	... 1697	66	C74047	... 1878	17	C97326	... 1500-TT	22	C97391	... 1500-TT	20
C69537	... 1698	66	C74048	... 1878	17	C97327	... 1500-TT	22	C97392	... 1500-TT	20
C69538	... 1699	66	C74049	... 1878	17	C97328	... 1500-TT	22	C97393	... 1500-TT	20
C69539	... 1696	66	C74050	... 1878	17	C97329	... 1500-TT	22	C97394	... 1500-TT	20
C69540	... 1697	66	C74051	... 1878	17	C97330	... 1500-TT	21	C97395	... 1500-TT	20
C69541	... 1698	66	C74052	... 1878	17	C97331	... 1500-TT	21	C97396	... 1500-TT	20
C69542	... 1699	66	C74053	... 1878	17	C97332	... 1500-TT	21	C97397	... 1500-TT	20
C69543	... 1696	66	C74054	... 1878	18	C97333	... 1500-TT	21	C97398	... 1500-TT	20
C69544	... 1697	66	C74055	... 1878	18	C97334	... 1500-TT	21	C97399	... 1500-TT	20
C69545	... 1698	66	C74056	... 1878	18	C97335	... 1500-TT	21	C97400	... 1500-TT	20
C69546	... 1699	66	C74057	... 1878	18	C97336	... 1500-TT	21	C97401	... 1500-TT	20
C69547	... 1696	66	C74058	... 1878	19	C97337	... 1500-TT	21	C97402	... 1500-TT	20
C69548	... 1697	66	C74059	... 1878	19	C97338	... 1500-TT	21	C97403	... 1500-TT	20
C69549	... 1698	66	C77600	... 492	72	C97339	... 1500-TT	21	C97404	... 1500-TT	20
C69550	... 1699	66	C77602	... 492	72	C97340	... 1500-TT	21	C97405	... 1500-TT	20
C69551	... 1696	66	C77604	... 492	72	C97341	... 1500-TT	21	C97406	... 1500-TT	20
C69552	... 1697	66	C77606	... 492	72	C97342	... 1500-TT	21	C97407	... 1500-TT	20
C69553	... 1698	66	C77608	... 492	72	C97343	... 1500-TT	21	C97408	... 1500-TT	20
C69554	... 1699	66	C77610	... 492	72	C97344	... 1500-TT	21	C97409	... 1500-TT	20
C74001	... 1878	15	C77612	... 492	72	C97345	... 1500-TT	21	C97410	... 1500-TT	20
C74002	... 1878	15	C77614	... 492	72	C97346	... 1500-TT	21	C97411	... 1500-TT	22
C74003	... 1878	15	C77616	... 492	72	C97347	... 1500-TT	21	C97412	... 1500-TT	22
C74004	... 1878	15	C77618	... 492	72	C97348	... 1500-TT	21	C97413	... 1500-TT	22
C74005	... 1878	16	C77620	... 492	72	C97349	... 1500-TT	22	C97414	... 1500-TT	22
C74006	... 1878	16	C77622	... 492	72	C97350	... 1500-TT	22	C254400WTL	... T7000	101
C74007	... 1878	16	C77624	... 492	73	C97351	... 1500-TT	22	C254401WTL	... T7000	101
C74008	... 1878	16	C77626	... 492	73	C97352	... 1500-TT	22	C254402WTL	... T7000	101
C74009	... 1878	16	C77628	... 492	73	C97353	... 1500-TT	22	C254403WTL	... T7000	101
C74010	... 1878	17	C77630	... 492	73	C97354	... 1500-TT	22	C254404WTL	... T7000	101
C74011	... 1878	17	C77632	... 492	73	C97355	... 1500-TT	21	C254405WTL	... T7000	101
C74012	... 1878	17	C77634	... 492	73	C97356	... 1500-TT	21	C254406WTL	... T7000	101
C74013	... 1878	17	C77636	... 492	73	C97357	... 1500-TT	21	C254407WTL	... T2000	101
C74014	... 1878	17	C77638	... 492	73	C97358	... 1500-TT	21	C254408WTL	... T2000	101
C74015	... 1878	17	C77640	... 492	73	C97359	... 1500-TT	21	C254409WTL	... T2000	101
C74016	... 1878	17	C77642	... 492	73	C97360	... 1500-TT	21	C254410WTL	... T2000	101
C74017	... 1878	17	C77644	... 492	73	C97361	... 1500-TT	21	C254411WTL	... T2000	101
C74018	... 1878	17	C77646	... 492	73	C97362	... 1500-TT	21	C254412WTL	... T2000	101

INDEX

Order Number	Style	Page Number	Order Number	Style	Page Number
C254413WTL	...T2000	101	C254478WTL	...T2000	101
C254414WTL	...T1000	101	C254479WTL	...T2000	101
C254415WTL	...T1000	101	C254480WTL	...T2000	101
C254416WTL	...T1000	101	C254481WTL	...T2000	101
C254417WTL	...T1000	101	C254482WTL	...T2000	101
C254418WTL	...T1000	101	C254483WTL	...T2000	101
C254419WTL	...T1000	101	C254484WTL	...T2000	101
C254420WTL	...T1000	101	C254485WTL	...T2000	101
C254421WTL	...T1000	101	C254486WTL	...T2000	101
C254422WTL	...T1000	101	C254487WTL	...T2000	101
C254423WTL	...T1000	101	C254488WTL	...T2000	101
C254424WTL	...T1000	101	C254489WTL	...T2000	101
C254425WTL	...T1000	101	C254490WTL	...T2000	101
C254426WTL	...T1000	101	C254491WTL	...T3000	101
C254427WTL	...T1000	101	C254492WTL	...T3000	101
C254428WTL	...T1000	101	C254493WTL	...T3000	101
C254429WTL	...T1000	101	C254494WTL	...T3000	101
C254430WTL	...T1000	101	C254495WTL	...T3000	101
C254431WTL	...T1000	101	C254497WTL	...T3000	101
C254432WTL	...T1000	101	C254498WTL	...T3000	101
C254433WTL	...T1000	101	C254499WTL	...T3000	101
C254434WTL	...T1000	101	C254500WTL	...T3000	101
C254435WTL	...T1000	101	C254501WTL	...T3000	101
C254436WTL	...T1000	101	C254502WTL	...T3000	101
C254437WTL	...T1000	101	C254503WTL	...T3000	101
C254438WTL	...T1000	101	C254504WTL	...T3000	101
C254439WTL	...T1000	101	C254505WTL	...T3000	101
C254440WTL	...T1000	101			
C254441WTL	...T1000	101			
C254442WTL	...T1000	101			
C254443WTL	...T1000	101			
C254444WTL	...T1000	101			
C254445WTL	...T1000	101			
C254446WTL	...T1000	101			
C254447WTL	...T1000	101			
C254448WTL	...T1000	101			
C254449WTL	...T2000	101			
C254450WTL	...T2000	101			
C254451WTL	...T2000	101			
C254452WTL	...T2000	101			
C254453WTL	...T2000	101			
C254454WTL	...T2000	101			
C254455WTL	...T2000	101			
C254456WTL	...T1000	101			
C254457WTL	...T1000	101			
C254458WTL	...T1000	101			
C254459WTL	...T1000	101			
C254460WTL	...T1000	101			
C254461WTL	...T1000	101			
C254462WTL	...T1000	101			
C254463WTL	...T3000	101			
C254464WTL	...T3000	101			
C254465WTL	...T3000	101			
C254466WTL	...T3000	101			
C254467WTL	...T3000	101			
C254468WTL	...T3000	101			
C254469WTL	...T3000	101			
C254470WTL	...T2000	101			
C254471WTL	...T2000	101			
C254472WTL	...T2000	101			
C254473WTL	...T2000	101			
C254474WTL	...T2000	101			
C254475WTL	...T2000	101			
C254476WTL	...T2000	101			
C254477WTL	...T2000	101			

MRO Industry



Greenfield Industries manufactures cutting tools in Seneca, South Carolina, USA. Our drills, end mills, and taps are designed and used for maintenance and repair.



Call Greenfield or your local distributor today! Or visit gfii.com



CUSTOMER SERVICE: telephone 800.348.2885 • fax 800.892.4290



**GREENFIELD
INDUSTRIES**

TDC

2501 Davis Creek Road, Seneca, SC 29678 U.S.A.

USA

website www.gfii.com
telephone 800.348.2885
fax 800.892.4290
email standard.distributors@gfii.com

Canada

www.gfii.ca
800.348.2885
800.387.6649
canada.distributors@gfii.com

International

telephone 864.653.3904
email international.distributors@gfii.com



ISA
INDUSTRIAL SUPPLY ASSOCIATION

USCTI
UNITED STATES CUTTING TOOL INSTITUTE



CLECAT19

◆ CEMENTS, BRICKS, TILES, ROOFING, PAINTS, GLAZING, STAINING, POLISHING, MAINTENANCE, REPAIRS, RENOVATIONS, RESTORATION, CONCRETE, BLOCKS, DIMENSIONAL, WEIGHTS, VOLUMES, SURFACES, FINISHES, COLOURS, PATTERNS, DESIGNS, MATERIALS, TOOLS, EQUIPMENT, SUPPLIES, SERVICES, CONTRACTORS, ESTIMATES, QUOTATIONS, TENDERS, BIDDING, AWARDS, PROJECTS, SCHEDULES, TIMELINES, BUDGETS, COSTS, PRICES, MARKET, TRENDS, INNOVATIONS, TECHNOLOGIES, STANDARDS, REGULATIONS, SAFETY, ENVIRONMENT, SUSTAINABILITY, QUALITY, COMPLIANCE, CERTIFICATIONS, ACCREDITATIONS, RESEARCH, DEVELOPMENT, INNOVATION, PATENTS, TRADE MARKS, COPYRIGHTS, INTELLECTUAL PROPERTY, LEGAL, REGULATORY, COMPLIANCE, ETHICS, INTEGRITY, TRANSPARENCY, ACCOUNTABILITY, RESPONSIBILITY, COMMUNICATION, COLLABORATION, PARTNERSHIPS, NETWORKS, COMMUNITIES, ORGANIZATIONS, ASSOCIATIONS, INSTITUTIONS, ACADEMICS, INDUSTRY, GOVERNMENT, POLICY, LEGISLATION, ENFORCEMENT, MONITORING, EVALUATION, IMPROVEMENT, BEST PRACTICES, CASE STUDIES, RESEARCH PAPERS, JOURNALS, BOOKS, WEBSITES, SOCIAL MEDIA, BLOGS, PODCASTS, VIDEOS, WEBINARS, CONFERENCES, SEMINARS, WORKSHOPS, TRAINING, COURSES, CERTIFICATIONS, ACCREDITATIONS, RESEARCH, DEVELOPMENT, INNOVATION, PATENTS, TRADE MARKS, COPYRIGHTS, INTELLECTUAL PROPERTY, LEGAL, REGULATORY, COMPLIANCE, ETHICS, INTEGRITY, TRANSPARENCY, ACCOUNTABILITY, RESPONSIBILITY, COMMUNICATION, COLLABORATION, PARTNERSHIPS, NETWORKS, COMMUNITIES, ORGANIZATIONS, ASSOCIATIONS, INSTITUTIONS, ACADEMICS, INDUSTRY, GOVERNMENT, POLICY, LEGISLATION, ENFORCEMENT, MONITORING, EVALUATION, IMPROVEMENT, BEST PRACTICES, CASE STUDIES, RESEARCH PAPERS, JOURNALS, BOOKS, WEBSITES, SOCIAL MEDIA, BLOGS, PODCASTS, VIDEOS, WEBINARS, CONFERENCES, SEMINARS, WORKSHOPS, TRAINING, COURSES, CERTIFICATIONS, ACCREDITATIONS