



# CLE-LINE<sup>®</sup> Hole Saws



**M3**



**M42**



**CLAW  
Fleam  
Ground**



**Carbide  
Tipped**



## You *SAW* it here!



**Tooth Configuration**

4/6 variable

**Thin kerf design**

0.050" thickness for faster cutting. Prolongs battery life when used on cordless tools.

**1-7/8" (48mm) depth of cut**

*Unless noted otherwise*

**Thick Heavy-Duty Backing Plate**

3/16" (5mm) eliminates need for drive plate

- Traditional narrow openings on the side wall.
- High speed cutting edge.
- 1-7/8" (48mm) cutting depth.
- 3/16" (5mm) thick heavy-duty backing plate eliminates need for drive plate.
- Shock resistant teeth, resists tooth strippage, less vibration, cuts 30% faster than conventional saws.
- Creates holes for pipe, tubing, door lock installations, electrical conduits, and antennas.
- Ideal for plumbing, construction, aircraft, electrical, maintenance and automotive applications.
- Use in steel, aluminum, brass, cast iron, plastic or wood.



inch (mm)	order no.
9/16" (14 mm)	C25058
5/8" (16 mm)	C26149
11/16" (17 mm)	C26102
3/4" (19 mm)	C25061
(20 mm)	C25062
13/16" (21 mm)	C26106
7/8" (22 mm)	C25064
*7/8" (22 mm)	C24998
15/16" (24 mm)	C25065
1" (25 mm)	C25066
1-1/16" (27 mm)	C25067
1-1/8" (29 mm)	C25068
1-3/16" (30 mm)	C25069
1-1/4" (32 mm)	C25070
1-5/16" (33 mm)	C25071
1-3/8" (35 mm)	C26108
1-7/16" (37 mm)	C25073
1-1/2" (38 mm)	C25074
1-9/16" (40 mm)	C25075
1-5/8" (41 mm)	C25076

inch (mm)	order no.
1-11/16" (43 mm)	C25077
1-3/4" (44 mm)	C25078
(45 mm)	C26120
1-13/16" (46 mm)	C25080
1-7/8" (48 mm)	C25081
(50 mm)	C25082
2" (51 mm)	C25083
2-1/16" (52 mm)	C25084
2-1/8" (54 mm)	C25085
(55 mm)	C25086
2-1/4" (57 mm)	C26109
2-5/16" (59 mm)	C25088
2-3/8" (60 mm)	C25089
2-1/2" (64 mm)	C25090
2-9/16" (65 mm)	C25091
2-5/8" (67 mm)	C25092
(68 mm)	C25093
2-3/4" (70mm)	C26110
2-7/8" (73 mm)	C26112
(75 mm)	C25096

inch (mm)	order no.
3" (76 mm)	C25097
3-1/8" (79 mm)	C25098
3-1/4" (83 mm)	C25099
3-3/8" (86 mm)	C26116
3-1/2" (89 mm)	C25001
3-5/8" (92 mm)	C25102
3-3/4" (95 mm)	C25103
3-7/8" (98 mm)	C25104
(100 mm)	C25105
4" (102 mm)	C25106
4-1/8" (105 mm)	C25107
4-1/4" (108 mm)	C26118
4-3/8" (111 mm)	C25109
4-1/2" (114 mm)	C26117
4-3/4" (121 mm)	C25111
5" (127 mm)	C25112
5-1/2" (140 mm)	C25113
5-3/4" (146 mm)	C25114
6" (152 mm)	C25115

\*1-1/2" (32mm) cutting depth

See back cover for accessories.



## Tooth Configuration

4/6 variable

## Thin kerf design

0.050" thickness for faster cutting. Prolongs battery life when used on cordless tools.

## 1-7/8" (48mm) depth of cut

Unless noted otherwise

## Thick Heavy-Duty Backing Plate

3/16" (5mm) eliminates need for drive plate

- Traditional narrow openings on the side wall.
- Made from M42 cobalt steel
- 1-7/8" (48mm) cutting depth.
- 3/16" (5mm) thick heavy-duty backing plate eliminates need for drive plate.
- Shock resistant teeth, resists tooth strippage, less vibration, cuts 30% faster than conventional saws.
- Creates holes for pipe, tubing, door lock installations, electrical conduits, and antennas.
- Ideal for plumbing, construction, aircraft, electrical, maintenance and automotive applications.
- Use in steel, aluminum, brass, cast iron, plastic or wood.



inch (mm)	order no.
9/16" (14 mm)	C25000
5/8" (16 mm)	C26121
11/16" (17 mm)	C25002
3/4" (19 mm)	C26113
(20 mm)	C25004
13/16" (21 mm)	C26105
7/8" (22 mm)	C25006
*7/8" (22 mm)	C24999
15/16" (24 mm)	C25007
1" (25 mm)	C26101
1-1/16" (27 mm)	C25009
1-1/8" (29 mm)	C26103
1-3/16" (30 mm)	C25011
1-1/4" (32 mm)	C25012
1-5/16" (33 mm)	C25013
1-3/8" (35 mm)	C25014
1-7/16" (37 mm)	C25015
1-1/2" (38 mm)	C25016
1-9/16" (40 mm)	C25017
1-5/8" (41 mm)	C25018

inch (mm)	order no.
1-11/16" (43 mm)	C26104
1-3/4" (44 mm)	C26107
(45 mm)	C25021
1-13/16" (46 mm)	C25022
1-7/8" (48 mm)	C25023
(50 mm)	C25024
2" (51 mm)	C25025
2-1/16" (52 mm)	C25026
2-1/8" (54 mm)	C25027
(55 mm)	C25028
2-1/4" (57 mm)	C25029
2-5/16" (59 mm)	C25030
2-3/8" (60 mm)	C25031
2-1/2" (64 mm)	C25032
2-9/16" (65 mm)	C25033
2-5/8" (67 mm)	C26111
(68 mm)	C25035
2-3/4" (70mm)	C25036
2-7/8" (73 mm)	C25037
(75 mm)	C25038

inch (mm)	order no.
3" (76 mm)	C25039
3-1/8" (79 mm)	C25040
3-1/4" (83 mm)	C26115
3-3/8" (86 mm)	C25042
3-1/2" (89 mm)	C25043
3-5/8" (92 mm)	C25044
3-3/4" (95 mm)	C25045
3-7/8" (98 mm)	C25046
(100 mm)	C25047
4" (102 mm)	C25048
4-1/8" (105 mm)	C25049
4-1/4" (108 mm)	C25050
4-3/8" (111 mm)	C25051
4-1/2" (114 mm)	C25052
4-3/4" (121 mm)	C26119
5" (127 mm)	C25054
5-1/2" (140 mm)	C25055
5-3/4" (146 mm)	C25056
6" (152 mm)	C25057




Sets	order no.
<b>Handyman's</b> - 7 piece (includes 1 mandrel and 1 adapter) 7/8"(22mm), 1"(25mm), 1-1/8"(29mm), 1-1/4"(32mm), 1-1/2"(38mm)	<b>CHK01</b>
<b>Locksmith's</b> - 9 piece (includes 2 mandrels and 1 adapter) 7/8"(22mm), 1"(25mm), 1-1/4"(32mm), 1-1/2"(38mm), 1-3/4"(44mm), 2-1/8"(54mm)	<b>CHK02</b>
<b>Plumber's</b> - 9 piece (includes 2 mandrels and 1 adapter) 3/4"(19mm), 7/8"(22mm), 1-1/8"(29mm), 1-1/2"(38mm), 1-3/4"(44mm), 2-1/4"(57mm)	<b>CHK03</b>
<b>Electrician's</b> - 9 piece (includes 2 mandrels and 1 adapter) 7/8"(22mm), 1-1/8"(29mm), 1-3/8"(35mm), 1-3/4"(44mm), 2"(51mm), 2-1/2"(64mm)	<b>CHK04</b>
<b>Electrician's, Metric</b> - 9 piece (includes 2 mandrels and 1 adapter) 16mm(5/8"), 20mm, 25mm(1"), 32mm(1-1/4"), 40mm(1-9/16"), 51mm(2")	<b>CHK05</b>
<b>Journeyman's</b> - 13 piece (includes 2 mandrels, 1 pilot hole drill, and 1 adapter) 3/4"(19mm), 7/8"(22mm), 1-1/8"(29mm), 1-3/8"(35mm), 1-1/2"(38mm), 1-3/4"(44mm), 2"(51mm), 2-1/4"(57mm), 2-1/2"(64mm)	<b>CHK06</b>

See back cover for accessories.

\*1-1/2" (32mm) cutting depth



**"You asked for *speed* and a *smooth* finish  
... Cle-Line *CLAW* delivers."**



**Teeth Comparison**  
**Cle-Line CLAW**



**Traditional M-42**



**Turtle Back Tooth**

Reinforced tooth back.

**Easy Plug Removal**

Triple slot design makes plug removal easier.

**Gullets**

Designed deeper for faster chip removal.

**Size Range:**

9/16" to 6"

**Heavy Duty Cutting**

Up to 40% faster than traditional bi-metal hole saws and a longer working life.

**1-7/8" (48mm) depth of cut**

- CLAW has a cutting edge made from M42 cobalt steel.
- Shock resistant teeth.
- Reduces tooth strippage.
- 4/6 positive tooth.
- Less vibration.



inch (mm)	order no.
9/16" (14mm)	C43100
5/8" (16mm)	C43101
11/16" (17mm)	C43102
3/4" (19mm)	C43103
20mm	C43104
13/16" (21mm)	C43105
7/8" (22mm)	C43106
15/16" (24mm)	C43107
1" (25mm)	C43108
1-1/16" (27mm)	C43109
1-1/8" (29mm)	C43110
1-3/16" (30mm)	C43111
1-1/4" (32mm)	C43112
1-5/16" (33mm)	C43113
1-3/8" (35mm)	C43114
1-7/16" (37mm)	C43115
1-1/2" (38mm)	C43116
1-9/16" (40mm)	C43117
1-5/8" (41mm)	C43118

inch (mm)	order no.
1-11/16" (43mm)	C43119
1-3/4" (44mm)	C43120
45mm	C43121
1-13/16" (46mm)	C43122
1-7/8" (48mm)	C43123
50mm	C43124
2" (51mm)	C43125
2-1/16" (52mm)	C43126
2-1/8" (54mm)	C43127
55mm	C43128
2-1/4" (57mm)	C43129
2-5/16" (59mm)	C43130
2-3/8" (60mm)	C43131
2-1/2" (64mm)	C43132
2-9/16" (65mm)	C43133
2-5/8" (67mm)	C43134
68mm	C43135
2-3/4" (70mm)	C43136
2-7/8" (73mm)	C43137
75mm	C43138

inch (mm)	order no.
3" (76mm)	C43139
3-1/8" (79mm)	C43140
3-1/4" (83mm)	C43141
3-3/8" (86mm)	C43142
3-1/2" (89mm)	C43143
3-5/8" (92mm)	C43144
3-3/4" (95mm)	C43145
3-7/8" (98mm)	C43146
100mm	C43147
4" (102mm)	C43148
4-1/8" (105mm)	C43149
4-1/4" (108mm)	C43150
4-3/8" (111mm)	C43151
4-1/2" (114mm)	C43152
4-3/4" (121mm)	C43153
5" (127mm)	C43154
5-1/2" (140mm)	C43155
5-3/4" (146mm)	C43156
6" (152mm)	C43157

Sets	order no.
<b>Handyman's</b> - 7 piece (includes 1 mandrel and 1 adapter) 7/8" (22mm), 1" (25mm), 1-1/8" (29mm), 1-1/4" (32mm), 1-1/2" (38mm)	<b>C43158</b>
<b>Locksmith's</b> - 9 piece (includes 2 mandrels and 1 adapter) 7/8" (22mm), 1" (25mm), 1-1/4" (32mm), 1-1/2" (38mm), 1-3/4" (44mm), 2-1/8" (54mm)	<b>C43159</b>
<b>Plumber's</b> - 9 piece (includes 2 mandrels and 1 adapter) 3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm), 1-1/2" (38mm), 1-3/4" (44mm), 2-1/4" (57mm)	<b>C43160</b>
<b>Electrician's</b> - 9 piece (includes 2 mandrels and 1 adapter) 7/8" (22mm), 1-1/8" (29mm), 1-3/8" (35mm), 1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm)	<b>C43161</b>
<b>Electrician's, Metric</b> - 9 piece (includes 2 mandrels and 1 adapter) 16mm(5/8"), 20mm, 25mm(1"), 32mm(1-1/4"), 40mm(1-9/16"), 51mm(2")	<b>C43162</b>
<b>Journeyman's</b> - 13 piece (includes 2 mandrels, 1 pilot hole drill, and 1 adapter) 3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm), 1-3/8" (35mm), 1-1/2" (38mm), 1-3/4" (44mm), 2" (51mm), 2-1/4" (57mm), 2-1/2" (64mm)	<b>C43163</b>

See back cover for accessories.



**Carbide Tipped**

Series 1881



**MADE IN THE U.S.A.**

**Carbide Tipped**

up to 20x longer life for cutting wood and metal

**Tooth Geometry**

provides cleaner and faster cuts for aggressive cutting (3 teeth per inch)

**1-1/2" Depth of Cut**

- Creates holes for pipes, tubing, door lock installations, electrical conduits, and antennas.
- Ideal for plumbing, construction, aircraft, electrical, maintenance, and automotive applications.
- Use in steel, brass, plastic, wood, fiberglass, drywall, counter tops, plaster, and fiberboard.



inch (mm)	order no.
9/16"	C43000
16mm"	C43001
11/16"	C43002
3/4"	C43003
20mm"	C43004
13/16"	C43005
7/8"	C43006
15/16"	C43007
1"	C43008
1-1/16"	C43009
1-1/8"	C43010
1-3/16"	C43011
1-1/4"	C43012
1-5/16"	C43013
1-3/8"	C43014
1-7/16"	C43015
1-1/2"	C43016
1-9/16"	C43017
1-5/8"	C43018

inch (mm)	order no.
1-11/16"	C43019
1-3/4"	C43020
1-13/16"	C43021
1-7/8"	C43022
2"	C43023
2-1/16"	C43024
2-1/8"	C43025
2-1/4"	C43026
2-5/16"	C43027
2-3/8"	C43028
2-1/2"	C43029
2-9/16"	C43030
2-5/8"	C43031
2-3/4"	C43032
2-7/8"	C43033
3"	C43034
3-1/8"	C43035
3-1/4"	C43036
3-3/8"	C43037

inch (mm)	order no.
3-1/2"	C43038
3-5/8"	C43039
3-3/4"	C43040
3-7/8"	C43041
4"	C43042
4-1/8"	C43043
4-1/4"	C43044
4-3/8"	C43045
4-1/2"	C43046
4-3/4"	C43047
5"	C43048
5-1/4"	C43049
5-1/2"	C43050
5-3/4"	C43051
6"	C43052

Sets	order no.
<b>Electrician's</b> - 8 piece (includes 2 mandrels) 7/8" (22mm), 1-1/8" (29mm), 1-3/8" (35mm), 1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm)	<b>C43053</b>
<b>Maintenance</b> - 11 piece (includes 2 mandrels) 3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm), 1-3/8" (35mm), 1-1/2" (38mm), 1-3/4" (44mm), 2" (51mm), 2-1/4" (57mm), 2-1/2" (64mm)	<b>C43054</b>

See back cover for accessories.



**CLE-LINE.**

# Hole Saw Accessories

## Fits M3, M42, and *CLAW*

Mandrel / Arbor	Part No.
1/4" dia. (round shank) fits Hole Saw 9/16" up to 1-3/16"	C25116
3/8" dia. (hex shank) fits Hole Saw 9/16" up to 1-3/16"	C25118
3/8" dia. (hex shank) fits Hole Saw 1-1/4" up to 6"	C26195
3/8" dia. (hex shank pinned) fits Hole Saw 1-1/4" up to 6"	C26198
7/16" dia. (hex shank) fits Hole Saw 9/16" up to 1-3/16"	C26119
7/16" dia. (hex shank pinned) fits Hole Saw 1-1/4" up to 6"	C25121
7/16" dia. (hex shank) fits Hole Saw 1-1/4" up to 6"	C26197

Pilot Drills	Part No.
Pilot Hole Drill (1/4" dia. x 3-1/4") (2 per package)	C25123
Pilot Hole Drill (1/4" dia. x 4") (2 per package)	C25124
Adapter	Part No.
1-1/4" - 6"	C29196

## Fits Carbide Tipped

Mandrel / Arbor	Part No.
3/8" dia. fits Hole Saw 9/16" up to 1-3/16"	C43055
3/8" dia. fits Hole Saw 1-1/4" up to 6"	C43056

Pilot Drills	Part No.
Pilot Hole Drill (1/4" dia. x 3-3/32")	C43057

## You *SAW* it here!

### Call for more information on:

Bi-Metal Reciprocating Blades,  
 Portable Band Saw Blades,  
 Weld-to-Length Band Saw Blades,  
 and our *New* Carbide Tipped  
 Band Saw Blade



**GREENFIELD INDUSTRIES**

**TDC**

2501 Davis Creek Road, Seneca, SC 29678 U.S.A.

### USA

website [www.gfii.com](http://www.gfii.com)  
 telephone 800.348.2885  
 fax 800.892.4290  
 email [standard.distributors@gfii.com](mailto:standard.distributors@gfii.com)

### International

telephone 864.653.3904  
 email [international.distributors@gfii.com](mailto:international.distributors@gfii.com)

### Canada

[www.gfii.ca](http://www.gfii.ca)  
 800.348.2885  
 800.387.6649  
[canada.distributors@gfii.com](mailto:canada.distributors@gfii.com)



**ISA**  
INDUSTRIAL SUPPLY ASSOCIATION

**USCTI**  
UNITED STATES CUTTING TOOL INSTITUTE



FLYERCLESAW